LINCOLN

SCAMPTON HSE

1911 – 1917

1916 A/B

REGIS… …1

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

Kept at Scampto… …5 in.

…e Ground 1 ft. 1 in.

in the County of Linco… Sea Level 80 ft.

…30

by Wm E. Sand… Name Lincoln

Distance 6 miles Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·06				·11	·04	—	·04	·04		1
2	·03												2
3	·20				·03	·01		·06				·01	3
4	·05							·11	·07	·19			4
5	·03		·13	·15	·06					·37	·20	·18	5
6	·23			·05						·05			6
7			·01					·03			·13	·37	7
8									·05				8
9			·14		·04							·26	9
10		·02		·03		·03							10
11	·03							·03				·25	11
12	·24								·46				12
13	·12		·26		·17					·02			13
14		·02	·16			·18				·05		·28	14
15	·01	·05	·09		·31							·22	15
16			·13						·02				16
17			·09			·06				·03		·11	17
18						·41				·02		·01	18
19		·06				·05				·01			19
20						·11	·09	·02	·02	·06	1·40	·04	20
21		·08		·07			·03	·15	·02	·02		·23	21
22								·03		·06	·04		22
23			·26	·03				·03		·14	·27	·28	23
24									·48	·22		·08	24
25		·22		·04		about 2·32						·16	25
26				·25		·04			·03	·03		·01	26
27				·07	·40			·51		·29	·57	·03	27
28		·13	·16	·10			·04		·25	·01			28
29				·17					·03			·14	29
30				·03		·06	·08		·30	·16	·04	·01	30
31					·03					·13			31
Total	·97	·58	1·49	·99	1·04	3·27	·35	1·01	1·65 ~~1·33~~	1·90	2·49 ~~1·33~~	2·67	TOTAL for year 18·41
No. of Rain Days	10	?	?	11	7	?	5	10	11	19	?	18	18·41

9,000, IX. '10.

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

REGI 1

Kept at Scampton

in the County of Lincolnshire 3

by Wm E. Sandars

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 80 ft.

Time of Observation 9.30

Nearest Railway Station
Name Lincoln
Distance 6 miles Direction N. N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·06				·11	·04		·04	·04		1
2	·03												2
3	·20				·03	·01		·06				·01	3
4	·05							·11	·07	·19			4
5	·03		·13	·15	·06					·37	·20	·18	5
6	·23			·05						·05			6
7			·01					·03			·13	·37	7
8									·05				8
9			·14		·04							·26	9
10		·02		·03		·03							10
11	·03							·03				·25	11
12	·24								·46				12
13	·12		·26		·17					·02			13
14		·02	·16			·18				·05		·28	14
15	·01	·05	·09		·31							·22	15
16			·13						·02				16
17			·09			·06				·03		·11	17
18						·41				·02		·01	18
19		·06				·05				·01			19
20						·11	·09	·02	·02	·06	1·40	·04	20
21		·08		·07			·03	·15	·02	·02		·23	21
22								·03		·06	·04		22
23			·26	·03				·03		·11	·27	·28	23
24									·48	·21		·08	24
25		·22		·04		about 2·32						·16	25
26				·25		·04			·03	·03		·01	26
27				·07	·40			·51		·29	·57	·03	27
28		·13	·16	·10			·04		·25	·01			28
29				·17					·03			·14	29
30				·03		·06	·08		·30	·16	·04	·01	30
31					·03					·13			31
Total	·97	·58	1·49	·99	1·04	3·27	·35	1·01	1·65 ~~1·33~~	1·90	2·49 ~~1·35~~	2·67	TOTAL for year 18·41
No. of Rain Days	10	?	?	11	7	?	5	10	11	19	?	18	18·41

9,000, IX. '10.

made WD Cord for auth 10.III.23 Cas for WD 16.V.13.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at Scampton

in the County of Lincolnshire 3

by Mrs E. Sandars

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 11 in.
" " " Sea Level 80 ft.

Time of Observation

Nearest Railway Station
Name Lincoln
Distance 6 m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·22		·26	·02	·25	·4	·1	·05		1
2						·31	·30		·14			·26	2
3		·01		·01		·02	·6			·03			3
4	·28	·12			·08	·7		·4	·11	·03		·13	4
5	·12		·38		·04	·2		·13	·03		·3		5
6	·52				·02	·2		·05					6
7					·08	·02		·26				·06	7
8	·16	·12			·01	·04		·04	·08			·02	8
9	·03	·15	·25			·02			·23			·02	9
10	·01	·08	·03	·14		·34						·03	10
11						·21		·2	·02		·09		11
12	·07	·02				·22		·02	·01			·45	12
13		·15	·11			·3	·27					·02	13
14	·07				·02			·02		·12			14
15	·08		·35			·11		·1	·02				15
16	·3	·03	·08		·3	·24							16
17	·15		·1		·07	·18	·07	·12		·15			17
18			·22		·01	·10		·17				·16	18
19			·05			·03	·27	·02		·04		·02	19
20	·3	·15				·32		·23	·05	·02			20
21	·23		·01		·24	·04	·1	·02		·19	·65		21
22		·04	·62		·27		·06				·04	·04	22
23	·02				·66	·02	·14	·35				·12	23
24	·08		·18				·25	·28			·13		24
25	·18		·02			·03	·07	·02					25
26						·28	·14	·28				·3	26
27		·02	·07			·02	·16	1·08		·54		·05	27
28					·03	·1	·04			·75		·12	28
29					·1	·05	·07	·38		·13		·45	29
30						·03	·34		·68	·19	1·05		30
31	—	—	·03	—	·19	·02	·25	·40	·10	·03	—	—	31
Total	~~2·59~~	~~·80~~	~~2·59~~	~~·37~~	~~2·02~~	~~4·30~~	~~2·60~~ 2·60	~~4·42~~	~~1·17~~	~~2·32~~	~~2·31~~	~~2·25~~	TOTAL for year ~~28·44~~
	2·59	·89	2·72	·15	2·38	4·06	2·83	4·57	1·47	2·27	2·26	2·25	28·44
No. of Rain Days.	16	11	16	9	16	27	16	21	11	13	6	16	171

W. 8,000

Cov. for W.D. 20.V.14.

FORM A. BRITISH RAINFALL.

11 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Scampton

in the County of Lincolnshire 3

by Mr E. Sandars

Lat. .... Long. ....

Time of Observation 9. 30. a.m

Nearest Railway Station Lincoln

Diameter of Rain Gauge 5 inches

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. No rain

Date.	Jan.	Feb. Mch	March. Feb	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04												1
2		·08		·05 ·05					·4		·03		2
3		·04											3
4		·09			·37				·01			·07	4
5	·6		·05		·03	·03			·05	·4	·18		5
6		·02							·03	·55		·03	6
7	·04	·04	·03		·45					·42			7
8		·03	·08		·12	·07	·1			·54			8
9		·05	·01	·01	·43	·15			·02	·02	·12		9
10			·2					·14			·15		10
11				·04			·02						11
12	1" snow			·45				·06					12
13							·02						13
14	·1	·03	·02	·08				·04	·03				14
15	·08	·31	·01	·02									15
16	·12	·29		·35									16
17		·4	·03	·02					·43				17
18		·17		·03		·03			·85		1·17 accum		18
19		·04		·1			·04					·02	19
20	·06	·02								·22			20
21		·12		·03							·05		21
22	·02				·06		·12	·02			·18		22
23	·03	·15						·9					23
24	·07												24
25	·03			·05		·11							25
26			·1	·1		·03							26
27		·06	·17			·01				·34	·05	·18	27
28		·18	·04	·06		·13					·03	·12	28
29	·26	·15		·15									29
30				·38	·19			·05			·02		30
31	·32									·06			31
Total	2·77	2·27	·74	1·92	1·65	·56	·30	1·21	1·82	2·55	1·98	·42	YEAR'S TOTAL 18·19
Rain Days.	~~14~~	~~19~~	~~11~~	~~16~~	~~7~~	~~8~~	~~5~~	~~6~~	~~8~~	~~8~~	~~10~~	~~5~~	~~117~~
	2·73	·74	2·27	1·92	1·65	·56	·30	1·21	1·82	2·55	1·98	·42	18·15

W. 7,500, XI./12

cnd fn amlt 2.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
7 JAN 1915

Kept at Scampton
in the County of Linc 3 H. M
by Mr. E. Sanders

Lat. Long.
Time of Observation 9.30.
Nearest Railway Station Lincoln
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. no rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·07			·21			·1	·24	1
2							·64	·3			·04	·02	2
3							·13	·19			·08	·06	3
4			·24		·15		·12	·02			·07	·06	4
5	·07		·05	·12	·24			·03			·34	·22	5
6	·05		·12	·06	·1	·05	·15	·15			·01	·03	6
7		·07	·22		·15		·05				·02		7
8		·07		·13	·1	·02					·03	·47	8
9	·16			·02	·05	·3		·14			·01		9
10	·25		·05	·04		·43							10
11	·25	·15	·02	·07	·01								11
12			·23	·07	·13	·03						·28	12
13	·04		·06				·04					·16	13
14	·06	·06	·08	·02								·14	14
15	·02						·15			·37		·05	15
16	·02		·11								·92	·15	16
17	·02						·14						17
18	·05	·03	·04								·05	·12	18
19			·02			·72	·11					·3	19
20			·04								·04	·1	20
21		·02	·16								·01		21
22		·22	·04			·09	·07	·28		·06		·08	22
23		·02			·55	·17	·04	·09		·12		·05	23
24			·05		·21					·02		·04	24
25			·02	·1			·02	·02		·04	·29		25
26							·04			·60	·02	·17	26
27			·1				·02			·13		·1	27
28		·02									·12	·46	28
29	·02									·1		·68	29
30	·07		·08		·04					·34	·01	·16	30
31								·3	85	·04			31
Total	1·18	·66	1·73	·65 ·63	1·80 1·80	1·81	1·72	1·73	·85	1·82	2·16	3·84	YEAR'S TOTAL 19·93 19·93
Rain Days.	13	9	19	9	12	8	14	11	1	10	17	23	146

W.7,000, XI. 13

[illegible] converted for WD 30.11.16

2693

FORM A. BRITISH RAINFALL.

4 JAN 1916

REGISTER OF RAINFALL IN 19 1915

Kept at Scampton

in the County of Lincolnshire

by W. E. Sandars

Lat. ...... Long. ......

Time of Observation 9.30

Nearest Railway Station Lincoln

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·07				·05		·14		·11	(·30)	1
2	·08	·14			·52			·12	·64		·04		2
3	·03	·02	·13	·08		·07	·01	·54	·06				3
4	·37		·05	·12			·75	·35			·03		4
5	·38		·02				·78	·68			·08		5
6	·04	·14			·57			·04			·06	(1·39)	6
7	·04	·08	·07	·06		·07	·88	·04			·05		7
8	·28	·2	·02				·29	·18					8
9	·03	·05	·02				·03	·12			·02		9
10		·03						·03			·03	·5	10
11	·33	·01						·18			·24		11
12	·03			·01	·43			·05	·04		·8		12
13	·1	·25		·26	·14			·02					13
14	·02	·35			·21								14
15		·1			·04			·27		·05	·3	·53	15
16	·23						·18	·03				·02	16
17		·14					·44					·03	17
18		·13					·24	·02			·2	·02	18
19	·03	·15	·25 snow										19
20		·08					·11	·03		·07			20
21	·09											·4	21
22	·08				·05		·2					·08	22
23	·08	·12	·15	·09	·03		·02					[illegible]	23
24	·04			·02		·02	·08		·09	·05		·13	24
25			·15				·14		·34			·17	25
26						·36				·18		·16	26
27		·12							·02			·28	27
28		·08					·09			·5		·07	28
29						·1		·18				·02	29
30					·09			·04		·04		·42	30
31	·07						·06					·03	31
	·08	·07				·05		·14		·11	(·30)	·11	YEAR'S TOTAL
Total	~~2·35~~	~~2·27~~	~~·93~~	~~·64~~	~~2·08~~	~~·62~~	~~4·35~~	~~2·92~~	~~·73~~	~~·81~~	~~1·96~~	~~4·57~~	~~24·23~~
Rain Days.	2·43	2·26	·86	·64	2·08	·67	4·30	3·06	·59	·92	2·15	4·38	24·34 ✓

W. 8,000. X. 14.

Smyth ✓

[illegible] WD

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

21 JAN 1918

Kept at Scampton House nr Lin

in the County of Lincolnshire

by Wm E. Sandars

Lat. Long.

Time of Observation 9.30. a.m

Nearest Railway Station Lincoln

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·63)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								(–)	·09				1
2									·1		·07		2
3						·08			·03				3
4						·03				·18	·02		4
5										·32			5
6											·06		6
7						·03					·02		7
8								1·60		·34	·07		8
9								1·08		·5	·23		9
10								·05	·08	·02	·07		10
11								·15		·06	·61		11
12								·04		·18	·02		12
13								·38		·13			13
14								·16		·03	·02	·01	14
15								·12	·07			·1	15
16								·04		·04		·05	16
17							·07			·03		·55	17
18							·18	·03		·07		·06	18
19							·48	·03	·47				19
20									·02				20
21									·2		·53	·02	21
22						·02		·03					22
23								·05	·1	·1			23
24								·11		·02		·07	24
25						·42	·02	·03		·11		·03	25
26											·08	·01	26
27								·4	·07		·32	·06	27
28							·08	·28				·03	28
29						·05	~~·01~~	·06		·02		·11	29
30		X					·01	·01		·22			30
31		X		X		X	·41	·16	X		X		31
Total						·53	(–) 1·25	·89 ~~4·85~~	1·13	2·37	1·52	(·03) 1·00	YEAR'S TOTAL
Rain Days.						·63 6	1·25 7	4·90 21	1·04 8	2·37 17	1·52 13	1·13 13	

W. 8,000, VIII. 16

Section A for the

ion No. 2561

METFORM 1090
(*Rev. Feb. 1965*)
Kept at SKEGNESS
in the County of LINCOL
Diameter of funnel of gauge
Height of top of gauge abov
Height of ground above sea
THE MORNING MEASUR
An observer who does not co
year in the space on the right

R

LINCOLNSHIRE

SKEGNESS

MARINE GDNS

1911 – 1920

11

Y
f the following
eaf

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar**								**ov.**	**Dec.**		*Date*
	in.	in.	in.									in.	†	
1	11		02								1	01		**1**
2	34		0								8	07		**2**
3	03			06	09	13		07		45	01	02		**3**
4	07	02	15	11						112	14	09		**4**
5	02	03		01				01	05	05		35		**5**
6	31		02					01		14	09	06		**6**
7	01	04	02								21	33		**7**
8	24		09							03	06	06		**8**
9	07		08	03		01			02	01	01			**9**
10	10	04	06	02							55	12		**10**
11	34	35									24			**11**
12	15		25		02	01			40		07			**12**
13	01		32			05			04	02		09		**13**
14		03	25		35				07		05	30		**14**
15		16	25						07		10	14		**15**
16		02	09			12					14	09		**16**
17			01			01					13	11		**17**
18		05	02			14				02	64	01		**18**
19	01					05	03	42	01	02	33	04		**19**
20	01						05	19	13		08	33		**20**
21		29		08				40	03	03	01	04		**21**
22	02	03	03			03		19		17	01	17		**22**
23		05	44			133			61	02		05		**23**
24		05	04			72				18		02		**24**
25		01	02	09		30		16			06	14		**25**
26				11		01	11			34	40	24		**26**
27		08	10	29				14	28	10		04		**27**
28		25		26		02		16		04	08	06		**28**
29	01	X				12	09		44	32		03		**29**
30		X				01			43	19		02		**30**
31		X	01	X	18	X			X		X	03		**31**
TOTAL	1·85	1·50	2·31	1·07	0·74	3·14	0·28	1·78	2·58	3·92	3·50	3·06	Year's Total 25·73	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Section A for the entry of Daily Observ on No. 2561

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~11

Kept at SKEGNESS

in the County of LINCOLNSHIRE

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11		02					03		67	01	01		1
2	34		04	01	10	08					08	07		2
3	03			06	09	13		07		45	01	02		3
4	07	02	15	11						112	14	09		4
5	02	03		01				01	05	05		35		5
6	31		02					01		14	09	06		6
7	01	04	02								21	33		7
8	24		09							03	06	06		8
9	07		08	03		01			02	01	01			9
10	10	04	06	02							55	12		10
11	34	35									24			11
12	15		25		02	01			40		07			12
13	01		32			05			04	02		09		13
14		03	25		35				07		05	30		14
15		16	25						07		10	14		15
16		02	09			12					14	09		16
17			01			01					13	11		17
18		05	02			14				02	64	01		18
19	01					05	03	42	01	02	33	04		19
20	01						05	19	13		08	33		20
21		29		08				40	03	03	01	04		21
22	02	03	03			03		19		17	01	17		22
23		05	44			133			61	02		05		23
24		05	04			72				18		02		24
25		01	02	09		30		16			06	14		25
26				11		01	11			34	40	24		26
27		08	10	29				14	28	10		04		27
28		25		26		02		16		04	08	06		28
29	01	X				12	09		44	32		03		29
30		x				01			43	19		02		30
31		x	01	x	18	x			x		x	03		31
TOTAL	1·85	1·50	2·31	1·07	0·74	3·14	0·28	1·78	2·58	3·92	3·50	3·06	Year's Total 25·73	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Esc 892

FORM A2. BRITISH RAINFALL. 10 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Estate Offices Skegness

in the County of Lincolnshire 4

by S. Coetmore Jones

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 7 am

Nearest Railway Station
Name G. N. R.
Distance [illegible] Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·00	·02	·00	·00	·00	·00	·03	·00	·07	·01	·01	1
2	·34	·00	·04	·01	·10	·08	·01	·00	·00	·00	·08	·07	2
3	·03	·00	·00	·06	·09	·13	·00	·07	·00	·45	·01	·02	3
4	·07	·02	·15	·11	·00	·00	·00	·00	·00	1·12	·14	·09	4
5	·02	·03	·00	·01	·00	·00	·00	·01	·05	·05	·00	·35	5
6	·31	·00	·02	·00	·00	·00	·00	·01	·00	·14	·09	·06	6
7	·01	·04	·02	·00	·00	·00	·00	·00	·00	·00	·21	·33	7
8	·24	·00	·09	·00	·00	·00	·00	·00	·00	·03	·06	·06	8
9	·07	·00	·08	·03	·00	·01	·00	·00	·02	·01	·01	·00	9
10	·10	·04	·06	·02	·00	·00	·00	·00	·00	·00	·55	·12	10
11	·34	·35	·00	·00	·00	·00	·00	·00	·00	·00	·24	·00	11
12	·15	·00	·25	·00	·02	·01	·00	·00	·40	·00	·07	·00	12
13	·01	·00	·32	·00	·00	·05	·00	·00	·04	·02	·00	·09	13
14	·00	·03	·25	·00	·35	·00	·00	·00	·07	·00	·05	·30	14
15	·00	·16	·25	·00	·00	·00	·00	·00	·07	·00	·10	·14	15
16	·00	·02	·09	·00	·00	·12	·00	·00	·00	·00	·14	·09	16
17	·00	·00	·01	·00	·00	·01	·00	·00	·00	·00	·13	·11	17
18	·00	·05	·02	·00	·00	·14	·00	·00	·00	·02	·64	·01	18
19	·01	·00	·00	·00	·00	·05	·03	·42	·01	·02	·33	·04	19
20	·01	·04	·00	·00	·00	·00	·05	·19	·13	·00	·08	·33	20
21	·00	·29	·00	·08	·00	·00	·00	·40	·03	·03	·01	·04	21
22	·02	·03	·03	·00	·00	·03	·00	·19	·00	·17	·01	·17	22
23	·00	·05	·44	·00	·00	1·33	·00	·00	·61	·02	·00	·05	23
24	·00	·05	·04	·00	·00	·72	·00	·00	·00	·18	·00	·02	24
25	·00	·01	·02	·09	·00	·30	·00	·16	·00	·00	·06	·14	25
26	·00	·00	·00	·11	·00	·01	·11	·00	·00	·34	·40	·21	26
27	·00	·08	·10	·29	·00	·00	·00	·14	·28	·10	·00	·04	27
28	·00	·25	·00	·26	·00	·02	·00	·16	·00	·04	·08	·06	28
29	·00		·00	·00	·00	·12	·09	·00	·44	·32	·00	·03	29
30	·00		·00	·00	·00	·01	·00	·00	·43	·19	·00	·02	30
31	·00		·01		·18		·00	·00		·00		·03	31
Total	1·84	1·54	2·31	1·07	·74	3·14	·29	1·78	2·58	3·32	3·50	3·06	TOTAL for year 25·17
No. of Rain Days.	16	17	21	11	5	17	5	11	13	19	23	28	Total wet days 186

W. 8,000, X. '11.

ex

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 MAY 1913

Kept at Skegness
in the County of Lincoln 4
by S Coetmore Jones

Lat. 53° 8' 30" Long. 20' 20"
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 13. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·01	·00	·06	·00	·05	·33	·02	·09	·00	·00	·52	1
2	·00	·02	·00	·00	·00	·10	·37	·02	·00	·09	·00	·03	2
3	·14	·01	·00	·00	·05	·22	·00	·23	·12	·08	·00	·07	3
4	·07	·00	·30	·00	·02	·11	·00	·06	·02	·00	·22	·00	4
5	·06	·04	·00	·00	·00	·15	·00	·00	·00	·02	·03	·00	5
6	·65	·12	·00	·00	·08	·12	·35	·04	·21	·00	·00	·03	6
7	·00	·00	·00	·00	·00	·40	·00	·26	·08	·00	·00	·01	7
8	·20	·08	·09	·00	·00	·12	·48	·00	·36	·00	·00	·02	8
9	·00	·09	·00	·06	·00	·40	·00	·01	·13	·00	·00	·12	9
10	·01	·00	·03	·00	·00	·12	·05	·03	·23	·00	·13	·00	10
11	·34	·00	·01	·02	·01	·00	·00	·25	·06	·00	·19	·40	11
12	·00	·14	·08	·00	·00	·17	·01	·00	·00	·00	1·10	·00	12
13	·05	·02	·03	·00	·00	·02	·05	·09	·00	·01	·53	·00	13
14	·02	·00	·03	·00	·00	·11	·00	·11	·00	·00	·07	·06	14
15	·00	·01	·17	·00	·75	·10	·00	·00	·00	·00	·02	·01	15
16	·09	·00	·08	·00	·08	·15	·00	·08	·00	·15	·00	·00	16
17	·01	·00	·26	·00	·00	·27	·00	·06	·00	·00	·00	·16	17
18	·32	·00	·11	·00	·00	·00	·09	·20	·00	·06	·03	·03	18
19	·26	·15	·00	·00	·00	·06	·04	·10	·00	·02	·00	·01	19
20	·19	·05	·25	·00	·12	·00	·55	·09	·00	·25	·02	·00	20
21	·01	·00	·20	·00	·18	·00	·22	·00	·00	·01	·08	·02	21
22	·01	·07	·01	·00	1·20	·00	·45	·19	·00	·00	·00	·12	22
23	·02	·03	·12	·00	·07	·24	·16	·33	·00	·00	·22	·11	23
24	·25	·01	·03	·00	·00	·05	·17	·00	·00	·00	·00	·10	24
25	·00	·00	·02	·00	·00	·37	·05	·55	·00	·02	·14	·28	25
26	·02	·03	·02	·00	·00	·03	·03	1·92	·00	·37	·15	·18	26
27	·00	·00	·05	·00	·00	·00	·01	·14	·00	·35	·05	·09	27
28	·00	·01	·00	·08	·00	·02	·01	·39	·00	·36	·26	·42	28
29	·00	·00	·00	·00	·00	·05	·48	·05	·54	·18	·24	·00	29
30	·00	X	·00	·00	·09	·02	·00	·01	·29	·25	·00	·00	30
31	·01	X	·16	X	·26	X	·27	·20	X	·11	X	·01	31
Total	2·76	·89	2·05	·22	2·91	3·35	4·17	5·43	2·13	2·33	3·48	2·80	YEAR'S TOTAL 32·52
Rain Days.	21	17	20	4	12	24	20	25	11	16	17	22	209

W. 7,500, XI. ·12

Cor 1.14.14 DSS

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
2 - JAN 1914

Kept at Skegness
in the County of Lincoln 4
by S Coatmore Jones

Lat. 53°-8′-3″ Long. 20′-20″ E.
Time of Observation 9 am.
Nearest Railway Station G N Rly.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·13	·22	·00	·05	·00	·00	·54	·00	·05	·00	1
2	·02	·63	·06	·01	·00	·00	·05	·00	·00	·04	·05	·00	2
3	·00	·00	·09	·00	·26	·00	·00	·00	·00	·00	·00	·00	3
4	·35	·00	·00	·00	·12	·00	·04	·00	·02	·61	·07	·14	4
5	·00	·00	·00	·00	·01	·02	·01	·02	·04	·23	·05	·00	5
6	·00	·00	·11	·00	·27	·08	·03	·00	·00	·71	·02	·00	6
7	·00	·03	·00	·00	·04	·15	·01	·00	·00	·53	·01	·01	7
8	·00	·00	·02	·00	·61	·18	·02	·00	·01	·03	·14	·00	8
9	·00	·21	·02	·03	·11	·06	·00	·00	·00	·02	·05	·00	9
10	·00	·00	·01	·03	·00	·00	·01	·00	·00	·00	·19	·00	10
11	·74	·00	·00	·56	·00	·03	·00	·14	·00	·00	·00	·00	11
12	·00	·02	·00	·00	·00	·01	·00	·00	·00	·01	·06	·00	12
13	·03	·00	·03	·01	·00	·00	·00	·02	·00	·00	·35	·00	13
14	·03	·02	·40	·02	·00	·00	·04	·00	·00	·09	·02	·02	14
15	·18	·02	·12	·20	·00	·00	·00	·00	·16	·00	·07	·00	15
16	·08	·03	·47	·18	·00	·00	·00	·00	·85	·01	·07	·02	16
17	·03	·03	·38	·04	·00	·18	·00	·01	·02	·00	·00	·05	17
18	·03	·00	·06	·10	·06	·00	·02	·00	·00	·00	·00	·03	18
19	·07	·00	·09	·00	·00	·00	·00	·00	·12	·00	·00	·00	19
20	·15	·00	·20	·02	·00	·00	·00	·00	·00	·16	·03	·00	20
21	·05	·00	·11	·00	·08	·00	·25	·00	·00	·00	·16	·00	21
22	·05	·00	·05	·00	·02	·00	·12	·00	·05	·00	·03	·00	22
23	·05	·00	·02	·00	·00	·00	·01	·06	·03	·03	·00	·00	23
24	·07	·00	·00	·04	·00	·05	·00	·10	·00	·00	·04	·01	24
25	·00	·00	·00	·13	·00	·00	·00	·00	·00	·01	·00	·01	25
26	·00	·15	·04	·03	·02	·07	·00	·00	·00	·37	·07	·15	26
27	·00	·06	·02	·03	·00	·04	·00	·00	·00	·03	·02	·00	27
28	·20	·00	·09	·02	·00	·00	·00	·01	·01	·07	·00	·02	28
29	·35	X	·11	·31	·00	·00	·00	·01	·01	·04	·00	·07	29
30	·20	X	·00	·07	·00	·00	·00	·00	·00	·05	·00	·03	30
31	·02	X	·00	X	·03	X	·00	·28	X	·01	X	·00	31
Total	2·70	·60	2·63	2·07	1·63	·92	·61	·65	1·86	3·05	1·55	·56	YEAR'S TOTAL 18·83
Rain Days.	19	10	22	19	12	12	12	9	12	19	20	12	178

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

9 - JAN

Kept at Skegness

in the County of Lincoln 4

by R. H. Jenkins (Surveyor to U.D.C.)

Lat. 53° 8' 30" Long. 20' 20" E

Time of Observation 9 am. & 6 pm.

Nearest Railway Station G N Rly (Distance about 1/3 mile)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·01	·00	·00	·00	·00	·06	·59	·00	·00	·14	·00	1
2	·00	·00	·00	·05	·00	·00	·03	·03	·00	·00	·06	·05	2
3	·00	·00	·08	·00	·12	·00	·08	·00	·00	·00	·00	·00	3
4	·05	·00	·02	·15	·02	·00	·00	·02	·00	·00	·27	·03	4
5	·00	·00	·16	·06	·10	·00	·03	·19	·00	·00	·00	·00	5
6	·00	·09	·00	·07	·12	·00	·01	·00	·00	·00	·13	·10	6
7	·00	·06	·25	·01	·02	·09	·02	·00	·00	·00	·00	·02	7
8	·21	·04	·22	·02	·04	·60	·00	·09	·04	·00	·01	·00	8
9	·40	·00	·20	·16	·00	·86	·00	·00	·06	·00	·00	·00	9
10	·48	·06	·00	·02	·01	·00	·00	·00	·07	·04	·00	·00	10
11	·02	·04	·28	·17	·02	·03	·00	·00	·07	·00	·30	·22	11
12	·18	·01	·00	·00	·00	·00	·03	·00	·14	·00	·00	·26	12
13	·04	·10	·24	·00	·00	·00	·00	·00	·01	·18	·07	·11	13
14	·00	·31	·21	·00	·00	·00	·34	·00	·00	·19	·22	·11	14
15	·05	·00	·21	·00	·00	·00	·02	·00	·00	·00	·31	·42	15
16	·01	·00	·05	·00	·00	·00	·05	·00	·05	·00	·05	·00	16
17	·06	·00	·00	·00	·00	·00	·05	·00	·15	·04	·02	·20	17
18	·00	·00	·03	·00	·00	·00	·05	·00	·03	·00	·02	·26	18
19	·00	·00	·25	·00	·00	·08	·00	·00	·11	·00	·08	·03	19
20	·01	·03	·36	·00	·00	·23	·00	·00	·01	·08	·01	·00	20
21	·02	·11	·13	·00	·00	·00	·00	·98	·00	·04	·06	·23	21
22	·00	·00	·03	·02	·00	·00	·20	·04	·00	·13	·00	·09	22
23	·00	·00	·02	·02	·49	·16	·03	·00	·00	·03	·07	·03	23
24	·00	·00	·01	·06	·00	·00	·00	·03	·00	·08	·12	·00	24
25	·00	·03	·00	·00	·01	·00	·00	·01	·00	·54	·01	·06	25
26	·00	·00	·00	·00	·00	·00	·08	·06	·00	·06	·10	·35	26
27	·00	·00	·00	·00	·00	·00	·05	·00	·00	·00	·00	·19	27
28	·02	·03	·00	·00	·00	·00	·05	·00	·00	·00	·17	1·31	28
29	·07	~~·00~~	·07	·00	·00	·00	·00	·00	·00	·29	·02	·00	29
30	·00	×	·00	·00	·00	·00	·00	·00	·00	·01	·22	·24	30
31	·00	×	·00	×	·00	×	·08	·01	×	·05	×	·12	31
Total	1·62	·92	2·82	·81	·95	2·05	1·26	2·05 ~~[illegible]~~	·74	1·76	2·46	4·43	YEAR'S TOTAL 21·87
Rain Days.	14	13	19	12	10	7	18	11	11	14	22	21	172

W. 8,000. X. 14.

The meteorological Station was taken over by the Urban District Council on the sixth day of February 1914. Up to that date observations were only taken at 9am. (including 6 Feb 1914). Two (9am. & 6pm) observations were commenced on the 7th February 1914.

p.p. R H Jenkins
J.H.
Surveyor to the Skegness Urban
District Council
Council Offices,
Skegness

A.C

29.III.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

- JAN 1916

Kept ~~*at*~~ Skegness

in the County of Lincoln

by R. H. Jenkins, Surveyor, U. D. Council.

Lat. 53° 8' 30" Long. 20' 20" E

Time of Observation 9 am & 6 pm.

Nearest Railway Station

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	7.0	6.8	–	–	10.0	–	–	5.2	6.7	–	4.5	1.8	1
2	–	2.0	7.3	2.7	–	–	–	11.8	2.8	–	3.8	.1	2
3	7.8	–	.2	1.5	–	–	8.1	–	1.3	–	3.8	5.4	3
4	1.3	–	.2	–	–	–	64.9	.2	–	.1	1.6	25.2	4
5	–	.5	–	–	4.0	–	–	1.4	–	–	2.9	5.6	5
6	3.8	3.2	3.8	2.3	–	–	23.6	–	–	.4	–	.4	6
7	3.0	6.0	.8	–	–	–	10.8	3.9	–	–	1.1	16.8	7
8	1.0	.5	–	–	–	–	.1	.4	–	.4	1.2	.1	8
9	–	1.3	–	1.2	–	1.0	–	–	~~.4~~	3.1	2.2	9.0	9
10	8.0	–	.2	–	–	–	–	6.9	–	–	0.2	–	10
11	–	–	.3	–	3.2	–	5.5	.4	~~.4~~	–	6.7	3.0	11
12	2.0	–	–	2.3	5.3	–	.9	1.4	–	.6	23.4	.1	12
13	0.5	8.5	–	–	8.0	–	–	–	–	.1	1.5	.2	13
14	–	3.5	–	–	–	–	–	15.8	–	–	0.2	6.3	14
15	10.0	1.5	–	–	–	–	.8	–	–	–	69	.7	15
16	0.8	5.0	–	–	–	–	19.7	1.0	–	–	2.3	–	16
17	7.5	1.5	–	–	–	–	2.0	–	–	–	.3	–	17
18	–	.2	4.8	–	–	–	–	–	–	–	3.1	–	18
19	–	.8	.7	–	–	–	1.5	–	–	1.5	–	–	19
20	5.0	–	–	–	–	–	–	–	–	.8	–	8.9	20
21	1.8	1.2	–	–	–	–	4.1	–	–	–	–	.7	21
22	4.8	–	3.0	–	–	–	5.0	–	–	–	.1	3.7	22
23	–	9.0	.2	–	–	–	3.9	–	2.3	–	2.8	2.4	23
24	0.3	2.5	2.5	–	–	–	.2	–	2.1	1.9	.4	4.9	24
25	–	–	.2	–	–	10.4	2.4	–	–	.5	1.6	1.9	25
26	0.8	2.5	1.5	–	–	–	.9	–	–	.6	.4	9.5	26
27	0.5	.5	3.2	–	–	1.8	2.7	–	–	8.8	–	1.7	27
28	–	1.2	1.3	–	–	9.6	.1	5.0	2.8	8.0	.1	–	28
29	0.5	X	–	–	.5	–	.9	1.3	.7	.2	5.0	5.3	29
30	2.3	X	–	.2	.	–	–	.5	.6	.1	.1	–	30
31	1.3	X	–	X	–	X	–	7.5	X	1.9	X	3.4	31
Total	70.0	58.2	30.2	10.2	31.0	22.8	158.1	62.7	19.3	29.0	76.2	117.1	YEAR'S TOTAL 685.[illegible]
Rain Days.	21	20	16	6	6	4	18	15	8	13	22	21	170

W. 8,000. X. 15.

Section **A** for the entry of Daily Observations

Station No. 2561

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1916

Kept at SKEGNESS

in the County of LINCOLNSHIRE

COPY

Diameter of funnel of gauge..................in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2·4		19			24	43				60			1
RP 2	5·3	22	05		32		24		06	11	41			2
3		17	03	04			09		174	74	04			3
4	4·7	36	04		38	60			56	28	48	33		4
5	0·7		27		01	93				68	21	13		5
6	07	24	65	48	17	02	12				55			6
7	02	01	54	03	37		35			04	102	20		7
8		01	16		32		01				01	41		8
RP. 9		01	26		107	22			02		01	41		9
10			18	11		47	15		02	66		16		10
11	11	130	49	37		129	01		02			01		11
RP 12	06	05	04	04	103	81	28			02	01			12
13		21	21		19	04		24						13
14		13			38	02		05		04		11		14
15		64	119	01	01		01	105	08	18		15		15
16		32	29	71			10	71	30	02		24		16
17	02		01	68			17		11	31		11		17
18	01	34	05	41				26	19	41	136	01		18
19	32	03	04	50				10			70	10		19
20	52		28	02				05			27	44		20
21	01	09	21	58			47				03	150		21
22		28	05		34	01				07	01	100		22
23	03	119				68		24			20	87		23
24		160		04		20		13		62	01	17		24
25		31	44					31		13	18	08		25
26		19						03	01	07	32			26
27		45	129							12	06	06		27
28		47	241			18		16				51		28
29		27				53		223	01	22		53		29
30		x			01	19		42	04	18				30
31	03	x		x	04	x		24	x	06	x	02		31
TOTAL	25·1	88·9	93·7	40·2	46·4	64·3	24·3	62·2	31·6	49·6	64·8	75·5	Year's Total	666·6
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......................................(P.T.O.)

Section A **for the entry of Daily Observations** **Station No.** 2561

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~17

Kept at SKEGNESS
in the County of LINCOLNSHIRE
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
MMS 1		15	01	15				237	25		03	01		1
2	22	04		41		04		95			07			2
3		36		22		01		93		102				3
4		05	07							99				4
5	41	04	13	22					72		72	10		5
6	12					14				10	03			6
7	96					48				122				7
8	121			24			51	129		110	26			8
9	12	02	07	41				06		01	42	02		9
10	38		73	11				29	01	16	16			10
11	18	01	03	43				53		50				11
12	18	11		18	46			06		24		01		12
13	57			32			55	15	37		02			13
14	17	03		19			08	01				04 [illegible]		14
15	10						67	79		25		32		15
16	21	40		36			27			22		131		16
17	05	01	13	52	82	13	15		03	22				17
18	17	[illegible] 01		30	04		81	34	93					18
19	22	[illegible] 12	47						12					19
20	10	64	25	02					30		37	04		20
RP 21		14	32		02	03				02	08	03		21
22	01	[illegible]	20							14				22
23		05			32			20		02		06		23
24	01				04	133	17	02		55	06	12		24
25		[illegible]	07					01		36	17			25
26		03	08			07		101	30		129	57		26
27			01			05	03	112			01	25		27
28		03	36			131		69		01		24		28
29	05	X	† -		25	06	42			81		07		29
30	32	X	19				12	46						30
31	20	X		X		X	68	17	X		X	12		31
TOTAL	59·6	22·4 ~~15~~	31·2 [illegible]	40·8	19·5	36·5	44·6	114·5	30·3	79·4	36·9	33·1	Year's Total 548·8	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2561

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~18

Kept at SKEGNESS, MARINE GARDENS

COPY

in the County of LINCOLNSHIRE

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1		01		[illegible]					28	05	14	10		1
2	17	09		07				78		05		105		2
3	17	04	06		34			03	08	02	156	01		3
4	05	07	06	02	02		02	08	133	05	64	03		4
5			07	03	25			127	17	24				5
6		31		4[illegible]4				04	05	03		07		6
7		03		04		12			05	41	24			7
8		08		07			47		26		07	20		8
9	39	111				06			59	71		09		9
10	21	09		15	102		67			23	02	54		10
Rl 11	19	18		01	20		12		39	139		28		11
12	01	38		12	81		10		35	18		09		12
13		02		18					08	08	03			13
14	66			09			61		40	50		14		14
15				138		13	62		57	05		38		15
16	91			95		18			156	10		05		16
17	42			35	24		213	07		08		55		17
18	58			58		01	40		66			90		18
19	19		13	11				03		17		146		19
20	08	14				09	42		17	01	02			20
21						06			90	19				21
22	09			06		22						98		22
23	28				111		08			01				23
24		60		06	50	03	16		18	06	01			24
25			21			11	64	64		03	24	07		25
26			03				135	42	12	01	26	04		26
27			02	15		12		57	13	01	07	29		27
28		18	03			17	02				03	61		28
29		X	08						91		09	05		29
30	01	x	13	07					48		12	52		30
31	01	x	08	x		x			x	19	x	10		31
TOTAL	44·2	33·3	9·0	49·3	44·9	13·0	78·1	39·3	97·1	48·5	35·4	~~60·7~~ 86·0	Year's Total 578·1	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Ex. Ca. B. 4/2/20

2352

5 FEB 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Skegness [M.O.]
in the County of Lincoln
by Mrs Jenkins, for U.D.C.

Lat. 53° 9′ N Long. 0° 20′ E
Time of Observation 9h, 18h G.M.T. (winter), 9h, 17h G.M.T. (summer)
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·8	0·2	0·2	-	4·1	-	8·2	-	-	2·7	1·4	14·4	1
2	2·6	-	-	-	-	-	3·7	-	2·5	-	3·9	10·2	2
3	9·6	-	1·5	-	0·2	-	4·6	-	1·0	-	6·0	-	3
4	0·7	-	7·7	-	-	0·9	-	0·9	-	-	2·9	1·9	4
5	8·9	-	-	-	-	-	-	-	17·1	-	0·7	2·2	5
6	0·5	-	2·1	-	-	-	-	-	-	-	0·8	1·8	6
7	-	-	2·9	-	0·9	-	0·2	-	-	-	0·5	5·2	7
8	2·1	-	-	1·3	-	-	-	-	-	-	2·0	11·0	8
9	-	-	-	-	-	-	-	-	-	2·1	2·1	-	9
10	-	-	5·4	0·3	0·6	-	-	-	-	3·4	7·4	2·8	10
11	2·0	-	3·7	1·2	6·5	-	12·7	-	-	0·2	1·1	1·1	11
12	1·0	-	9·6	2·1	-	1·6	0·1	-	0·2	0·3	2·5	1·3	12
13	3·2	-	0·3	4·7	-	-	2·7	-	-	2·1	3·1	0·8	13
14	11·8	-	-	5·4	-	-	2·4	-	0·7	-	1·2	-	14
15	5·4	1·9	0·6	5·7	-	-	0·2	-	-	-	3·5	0·8	15
16	-	24·6	0·2	1·8	-	-	-	0·1	-	-	-	0·7	16
17	-	11·4	-	0·3	0·1	-	0·2	-	-	-	3·2	-	17
18	-	-	-	-	-	-	-	3·0	0·4	-	0·6	1·1	18
19	0·2	4·8	6·5	-	-	4·6	6·6	13·7	1·4	-	1·4	1·0	19
20	5·7	0·5	5·5	-	-	0·7	17·5	6·5	0·8	-	0·2	0·7	20
21	5·8	11·6	1·2	-	-	1·3	5·6	-	-	-	0·3	5·8	21
22	-	2·7	0·8	-	-	-	2·0	-	11·4	-	1·6	10·6	22
23	-	-	0·3	0·4	-	0·4	4·0	0·1	-	2·2	0·2	4·4	23
24	-	-	-	0·3	3·9	0·6	-	-	-	0·1	1·3	1·6	24
25	2·0	-	-	5·2	7·3	0·9	0·1	13·3	-	-	-	1·2	25
26	1·7	1·5	5·1	4·2	-	-	-	4·3	1·8	5·1	0·1	7·2	26
27	-	2·0	-	5·0	-	-	1·0	1·1	-	4·4	-	4·9	27
28	0·7	-	-	0·1	-	-	0·1	14·1	-	12·0	-	-	28
29	1·1	X	-	-	-	2·0	-	7·3	-	5·0	4·0	3·6	29
30	-	X	0·8	4·4	-	4·8	-	-	-	3·3	2·9	3·4	30
31	0·8	X	0·5	X	-	X	1·6	-	X	1·9	X	1·2	31
TOTAL	69·6	61·2	54·~~7~~ 9	42·4	23·6	17·8	73·5	64·4	37·3	44·8	54·9	100·9	YEAR'S TOTAL 645·~~1~~ 3
Days with 0·2 mm. or more	20	10	19	15	7	10	16	9	10	13	25	26	180

646

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 3202

2252

~~70 Cm~~

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(MO)

Kept at Skegness

in the County of Lincoln

by Mrs Jenkins, for the U.D.C.

Lat. 53°8'30"N Long. 0°20'E.

Time of Observation 9h & 18h. 9h & 17h (in Summer)

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.2	-	-	-	7.6	-	8.5	-	-	2.3	-	0.1	1
2	-	-	-	-	-	-	-	-	1.7	0.8	-	11.5	2
3	.	0.3	-	:	-	0.2	-	-	1.7	0.7	-	1.8	3
4	.	.	-	3.6	0.6	-	0.6	7.1	0.2	-	-	2.4	4
5	-	.	1.9	-	8.8	-	10.4	4.4	1.4	-	-	0.7	5
6	-	-	3.5	0.8	0.6	-	1.9	0.2	-	-	-	3.6	6
7	1.4	-	1.8	3.3	-	-	6.1	-	-	-	-	0.3	7
8	-	0.1	-	7.5	0.3	-	0.1	-	-	0.2	-	0.1	8
9	4.9	0.6	-	17.9	-	-	-	3.6	-	-	0.3	2.0	9
10	5.7	1.2	2.0	1.4	-	-	-	-	-	-	-	0.4	10
11	4.7	-	2.8	2.2	2.3	-	-	-	-	-	-	9.3	11
12	1.6	-	-	3.4	0.1	1.5	-	-	-	-	0.7	7.2	12
13	0.3	-	-	2.5	-	12.3	-	-	4.2	-	0.2	2.5	13
14	0.3	-	7.7	2.9	-	2.9	0.3	-	7.8	-	3.8	0.2	14
15	-	1.4	5.8	0.6	-	-	-	-	10.4	0.6	0.4	2.1	15
16	-	-	-	1.1	-	-	-	-	2.5	-	-	0.7	16
17	-	-	-	-	5.4	-	-	-	11.3	0.6	-	2.1	17
18	2.1	0.1	-	-	0.5	5.3	-	4.4	2.6	-	-	1.0	18
19	1.7	6.3	-	2.6	-	-	-	5.5	0.3	-	0.1	1.5	19
20	2.6	8.7	0.1	2.8	-	9.6	0.8	-	-	-	0.3	-	20
21	0.2	-	-	0.3	-	-	6.5	0.6	2.2	-	-	0.8	21
22	-	-	-	1.5	-	-	-	0.6	0.8	-	0.2	-	22
23	0.1	0.3	-	-	-	-	6.7	-	.	0.2	-	4.0	23
24	-	-	6.4	-	-	-	2.1	-	-	-	-	1.1	24
25	-	0.6	-	1.1	0.1	1.4	15.2	-	-	-	-	1.3	25
26	2.0	-	1.1	1.3	1.8	0.4	4.8	-	-	-	-	-	26
27	1.8	1.9	-	3.6	0.5	13.6	-	-	0.1	-	1.7	4.0	27
28	9.4	0.1	1.3	2.9	5.9	-	0.9	-	-	-	1.5	0.6	28
29	1.5	-	6.1	0.3	6.2	-	2.1	-	-	-	1.6	8.2	29
30	0.3		-	3.0	0.1	-	1.4	-	3.5	-	2.3	5.4	30
31	6.0		-		-		-	-		-		5.2	31
TOTAL	46.8 ✓	21.6 ✓	40.5 ✓	66.6 ✓	40.8 ✓	47.2 ✓	68.4 ✓	26.4 ✓	50.7 ✓	5.4 ✓	13.1 ✓	80.1 ✓	YEAR'S TOTAL 507.6
Days with 0·2 mm. or more	18 ✓	9 ✓	11 ✓	22 ✓	12 ✓	9 ✓	15 ✓	8 ✓	14 ✓	7 ✓	11 ✓	26 ✓	162
	13	[illegible]	11	[illegible]	9	9	11	5	11	1	5	19	113

4. (40,284). Wt. [illegible] 500. 10/[illegible] Gp.132 [illegible] &E.W.

Copied from 101 3202.

S. Pode

LINCOLN SHIRE
SPALDING.
PODE HOLE
1911 – 1920

FORM A2.
BRITISH RAINFALL.
23 MAY 1912

1911.

Raisher's

Kept at Pode

...p 8 in.

...bove Ground 1 ft. 3 in.

in the County of

„ Sea Level 12½ ft. above Ordnance Datum

9 a.m

by The Deeping

Name North Drove. Mr. Gt. N. Ry

Distance ½ mile Direction N.E.

IMPORTANT N... ...nd the result entered to the previous day. If an ... ...niversal rule, he is earnestly requested to add the ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	·	·	·	·01	·	·	·	·	·03	1
2	·15	–	·	·	·03	·	·	·	·	·	·02	·05	2
3	·01	·01	·	·04 [illegible]	·05	·	·	·	·	·03	·	·01	3
4	·06	·03	·12	·09	·	·	·	·	·04	·37	·14	·25	4
5	·01	–	·	·10	·	·	·	·09	·	·05	·02	·14	5
6	·34	–	·	·	·	·	·	·	·	·15	·	·21	6
7	–	–	·	·	·	·	·	·	·	·	·09	·35	7
8	·32	–	·01	·	·	·	·	·	·06	·	·08	·12	8
9	·05	–	·08	·02	·	·	·	·	·	·	·17	·01	9
10	–	·02	·05	·	·	·	·	·	·	·	·02	·27	10
11	·19	–	·	·	·	·	·	·01	·	·	·31	·01	11
12	·06 [illegible]	–	·29	·	·	·	·	·	·27	·	·09	·01	12
13	–	–	·16	·	·	·01	·	·	·16	·	·	·44	13
14	–	·01	·14	·	·27	·10	·	·	·	·	·	·53	14
15	–	·05	·16	·	·	·	·	·	·	·05	·10	·02	15
16	–	–	·05	·	·	·02	·	·	·	·	·32	·06	16
17	–	–	·	·	·	·	·	·	·	·	·07	·08	17
18	–	·13	·	·	·	·09	·	·	·	·	·29	·01	18
19	·01	–	·	·	·03	·06	·	·02	·03	·04	·12	·03	19
20	–	–	·	·01	·	·	·	·43	·23	·	·	·33	20
21	–	·26	·02	·	·	·	·	·36	·	·03	·02	·07	21
22	·03	·01	·01	·	·	·08	·	·08	·	·21	·	·29	22
23	–	·01	·18	·	·	1·12	·	·	·47	·	·05	·08	23
24	–	·02	·05	·	·	·49	·	·	·	·46	·	·18	24
25	–	·02	·02	·07	·	·03	·	·	·	·	·	·02	25
26	–	–	·	·07	·07	·	·12	·	·	·20	·38	·43	26
27	–	·12	·11	·25	·	·	·01	·16	·22	·04	·02	·03	27
28	–	·08	·	·16	·	·	·	·13	·	·	·05	·11	28
29	–	×	·	·05	·	·10	·10	·	·20	·27	·01	·01	29
30	–	×	·02	·02	·06	·	·	·18	·02	·	·	·01	30
31	–	×	·01	×	·	×	·	·	×	·12	×	·02	31
Total	1·24	0·77 ~~2·01~~	1·48 ~~3·49~~	0·88 ~~4·37~~	0·51 ~~4·88~~	2·10 ~~6·98~~	0·24 ~~7·22~~	1·46 ~~8·68~~	1·70 ~~10·38~~	2·02 ~~12·40~~	2·37 ~~14·77~~	4·21 ~~18·98~~	TOTAL for year 18·98
No. of Rain Days.	12	13	17	11	6	10	4	9	10	13	20	31	156

3,000, X. '11.

FORM A2.
BRITISH RAINFALL.
23 MAY 1912

[illegible]

REGISTER OF RAINFALL IN 1911.

Kept at Pode Hole. Nr Spalding
in the County of Lincoln
by The Deeping Fen Drainage Trust
(Mr A. Tate.)

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 12½ ft. above Ordnance Datum

Time of Observation 9 a.m.

Nearest Railway Station
Name North Drove. Mid. Gt. N. Ry
Distance ½ mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	–	–	.	.	.	·01	.	.	.	.	·03	1
2	·15	–	.	.	·03	.	.	.	.	.	·02	·05	2
3	·01	·01	.	·04	·05	.	.	.	.	·03	.	·01	3
4	·06	·03	·12	·09	.	.	.	.	·04	·37	·14	·25	4
5	·01	–	.	·10	.	.	.	·09	.	·05	·02	·14	5
6	·34	–	.	.	.	.	.	.	.	·15	.	·21	6
7	–	–	.	.	.	.	.	.	.	.	·09	·35	7
8	·32	–	·01	.	.	.	.	.	·06	.	·08	·12	8
9	·05	–	·08	·02	.	.	.	.	.	.	·17	·01	9
10	–	·02	·05	.	.	.	.	.	.	.	·02	·27	10
11	·19	–	.	.	.	.	.	·01	.	.	·31	·01	11
12	·06	–	·29	.	.	.	.	.	·27	.	·09	·01	12
13	–	–	·16	.	.	·01	.	.	·16	.	.	·44	13
14	–	·01	·14	.	·27	·10	.	.	.	.	.	·53	14
15	–	·05	·16	.	.	.	.	.	.	·05	·10	·02	15
16	–	–	·05	.	.	·02	.	.	.	.	·32	·06	16
17	–	–	.	.	.	.	.	.	.	.	·07	·08	17
18	–	·13	.	.	.	·09	.	.	.	.	·29	·01	18
19	·01	–	.	.	·03	·06	.	·02	·03	·04	·12	·03	19
20	–	–	.	·01	.	.	.	·43	·23	.	.	·33	20
21	–	·26	·02	.	.	.	.	·36	.	·03	·02	·07	21
22	·03	·01	·01	.	.	·08	.	·08	.	·21	.	·29	22
23	–	·01	·18	.	.	1·12	.	.	·47	.	·05	·08	23
24	–	·02	·05	.	.	·49	.	.	.	·46	.	·18	24
25	–	·02	·02	·07	.	·03	.	.	.	.	.	·02	25
26	–	–	.	·07	·07	.	·12	.	.	·20	·38	·43	26
27	–	·12	·11	·25	.	.	·01	·16	·22	·04	·02	·03	27
28	–	·08	.	·16	.	.	.	·13	.	.	·05	·11	28
29	–	X	.	·05	.	·10	·10	.	·20	·27	·01	·01	29
30	–	X	·02	·02	·06	.	.	·18	·02	.	.	·01	30
31	–	X	·01	X	.	X	.	.	X	·12	X	·02	31
Total	1·24	0·77 ~~2·01~~	1·48 ~~3·49~~	0·88 ~~4·37~~	0·51 ~~4·88~~	2·10 ~~6·98~~	0·24 ~~7·22~~	1·46 ~~8·68~~	1·70 ~~10·38~~	2·02 ~~12·40~~	2·37 ~~14·77~~	4·21 ~~18·98~~	TOTAL for year 18·98
No. of Rain Days.	12	13	17	11	6	10	4	9	10	13	20	31	156

3,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
9 - JAN 19

Kept at Pode Hole Nr Spalding
in the County of Lincoln 2
by The Deeping Fen Drainage Trust.

Lat. 52·48 N Long. 0·9 W.
Time of Observation 9 a.m
Nearest Railway Station North Drove. M. & G. N. Ry. C
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12½ ft. above O. Datum

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·	·	·	·	·02	·20	·	·	·06	·	·	·33	1
2	·	·02	·01	·02	·	·05	·52	·	·01	·	·	·01	2
3	·13	·	·02	·	·04	·59	·01	·30	·03	·	·	·07	3
4	·02	·	·39	·	·02	·14	·	·09	·	·	·35	·	4
5	·03	·05	·32	·	·	·06	·	·07	·	·	·02	·	5
6	·58	·06	·	·	·	·22	·54	·24	·	·	·	·02	6
7	·02	·	·	·	·	·20	·01	·04	·	·	·	·	7
8	·29	·13	·11	·	·	·02	·04	·	·07	·	·	·03	8
9	·01	·16	·02	·14	·	·54	·01	·03	·	·	·	·15	9
10	·12	·	·01	·	·	·13	·	·10	·08	·	·10	·	10
11	·	·07	·	·	·	·	·	·	·02	·	·	·16	11
12	·09	·18	·07	·	·11	·04	·	·	·	·	·17	·	12
13	·02	·06	·	·	·	·02	·04	·01	·	·	·33	·	13
14	·03	·	·07	·	·04	·05	·	·02	·02	·02	·	·	14
15	·	·01	·01	·	·52	·13	·	·01	·	·	·	·03	15
16	·31	·	·08	·	·20	·03	·	·07	·	·07	·	·	16
17	·34	·	·16	·	·	·13	·	·15	·	·	·03	·07	17
18	·09	·01	·07	·	·	·	·01	·04	·	·01	·02	·	18
19	·25	·11	·	·	·	·	·15	·11	·02	·01	·01	·	19
20	·22	·	·06	·	·03	·	·67	·39	·	·20	·	·	20
21	·	·01	·18	·	·35	·	·15	·25	·	·03	·06	·02	21
22	·01	·07	·03	·	·42	·	·66	·26	·	·	·	·05	22
23	·09	·19	·26	·	·	·02	·45	·47	·	·	·09	·25	23
24	·12	·	·	·	·	·	·07	·08	·	·	·	·13	24
25	·01	·	·	·	·	·27	·02	·44	·	·	·25	·25	25
26	·	·02	·	·	·	·	·44	1·70	·	·48	·37	·34	26
27	·	·	·	·	·02	·09	·56	·04	·	·30	·	·11	27
28	·	·	·	·	·01	·02	·08	·44	·	·33	·22	·47	28
29	·	·	·01	·	·	·06	·22	·01	·52	·25	·17	·	29
30	·02	X	·	·	·41	·01	·	·	·25	·05	·	·	30
31	·	X	·10	X	·04	X	·33	·19	X	·	X	·	31
Total	2·80	1·15	1·98	0·16	2·23	3·02	4·98	5·55	1·08	1·75	2·19	2·49	YEAR'S TOTAL 29·38
Rain Days.	21	15	19	2	14	22	20	25	10	11	14	17	190

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

6X 910

FORM A.
BRITISH RAINFALL.

-6 MAY 1914

Kept at Pode Hole nr. Spalding.
in the County of Lincolnshire 2
by The Deeping Fen Drainage Trustees

Lat. 52·48N Long. 0·9W
Time of Observation 9 a.m.
Nearest Railway Station "North Drove" M+G.N.Ry.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·5 ft. above O.D.

H. Bain

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04	·	·08	·02	·	·	·	·	·69	·	·04	·	1
2	·02	·04	·02	·	·09	·	·16	·	·01	·	·09	·	2
3	·	·	·05	·	·52	·	·	·	·	·	·01	·01	3
4	·31	·	·01	·	·04	·02	·	·	·	·	·18	·06	4
5	·	·	·	·	·	·03	·01	·	·01	·84	·04	·01	5
6	·	·03	·02	·	·49	·32	·02	·05	·	·12	·	·	6
7	·	·01	·	·	·18	·09	·	·	·	·55	·	·01	7
8	·	·	·	·	·28	·23	·04	·	·01	·18	·09	·	8
9	·	·25	·02	·01	·01	·05	·	·	·	·	·11	·	9
10	·02	·	·	·04	·05	·	·11	·03	·	·	·59	·	10
11	·86	·	·	·54	·	·	·	·10	·	·	·03	·	11
12	·	·02	·	·	·	·	·	·	·	·	·44	·	12
13	·03	·01	·02	·02	·	·	·	·10	·01	·	·40	·	13
14	·04	·02	·70	·01	·	·	·12	·	·	·07	·01	·	14
15	·15	·02	·19	·15	·	·	·	·	·04	·	·03	·	15
16	·04	·02	·64	·06	·	·	·	·	·22	·01	·01	·	16
17	·05	·05	·13	·04	·	·67	·03	·	·	·	·03	·10	17
18	·	·	·15	·09	·	·	·05	·	·	·	·	·01	18
19	·06	·	·04	·	·	·	·	·	·07	·	·	·02	19
20	·22	·	·26	·01	·	·	·	·	·28	·49	·	·	20
21	·03	·	·12	·	·06	·	·25	·	·	·	·16	·01	21
22	·16	·	·10	·	·	·	·01	·06	·13	·	·	·	22
23	·	·	·	·	·	·03	·02	·02	·05	·	·01	·	23
24	·01	·	·	·14	·	·05	·	·	·	·02	·01	·	24
25	·01	·	·	·09	·	·02	·	·	·	·	·	·01	25
26	·	·08	·13	·05	·	·	·	·	·	·54	·03	·16	26
27	·	·02	·01	·02	·04	·05	·	·	·	·01	·01	·	27
28	·14	·	·08	·17	·	·	·	·	·	·06	·01	·	28
29	·06	X	·14	·60	·05	·	·	·09	·	·05	·	·11	29
30	·15	X	·	·03	·	·	·	·01	·	·06	·05	·	30
31	·	X	·	X	·01	X	·	1·07	X	·	X	·	31
Total	2·40	·57	2·91	2·09	1·82	1·56	·82	1·53	1·52	3·00	2·38	·51	YEAR'S TOTAL 21·11
Rain Days.	19	12	20	18	12	11	11	9	11	13	22	11	169

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
22 JAN 1915

Kept at Pode Hole Nr Spalding
in the County of Lincolnshire 2
by The Deeping Fen Drainage Trust

Lat. 52·48 N Long. 0·9 W.
Time of Observation 9 a.m.
Nearest Railway Station "North Drove" M & G.N. Ry.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·5 ft. above O. Datum

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·05	·	·	·18	·31	·	·	·06	·01	1
2	·	·	·	·07	·	·	·05	·20	·	·	·07	·07	2
3	·	·	·04	·	·12	·	·04	·10	·	·	·03	·	3
4	·12	·	·	·19	·	·	·	·06	·	·	·56	·05	4
5	·01	·	·08	·10	·20	·	·09	·15	·	·	·01	·	5
6	·	·05	·	·02	·06	·	·13	·01	·	·	·17	·01	6
7	·	·03	·42	·03	·04	·39	·	·	·	·	·	·01	7
8	·10	·04	·02	·03	·15	·71	·01	·13	·16	·	·	·	8
9	·59	·	·22	·18	·02	1·00	·	·	·	·	·	·	9
10	·41	·05	·04	·02	·02	·	·	·	·08	·	·	·	10
11	·	·04	·26	·14	·27	·05	·	·	·05	·	·26	·23	11
12	·08	·01	·02	·	·	·01	·21	·	·28	·	·01	·18	12
13	·03	·10	·15	·	·	·	·	·	·	·20	·09	·20	13
14	·	·02	·15	·01	·	·	·	·	·	·38	·16	·21	14
15	·	·	·12	·	·	·01	·	·08	·	·	·06	·38	15
16	·	·	·04	·	·	·01	·02	·	·01	·	·02	·	16
17	·05	·15	·01	·	·	·	·	·	·	·	·01	·08	17
18	·	·	·01	·	·	·	·10	·	·	·	·02	·32	18
19	·	·07	·24	·	·	·67	·11	·	·07	·	·06	·	19
20	·	·05	·23	·	·	·	·	·	·	·06	·	·02	20
21	·01	·13	·13	·	·	·12	·	·	·	·04	·02	·04	21
22	·02	·01	·	·09	·21	·	·12	·10	·	·13	·	·02	22
23	·	·03	·04	·	·02	·	·04	·	·	·03	·	·15	23
24	·01	·01	·	·06	·	·	·	·05	·	·14	·20	·	24
25	·	·02	·	·	·	·	·01	·09	·	·56	·	·13	25
26	·	·	·22	·	·	·	·02	·25	·	·07	·09	·25	26
27	·01	·	·01	·	·	·	·01	·	·	·	·01	·15	27
28	·	·01	·	·	·03	·	·	·	·	·05	·11	1·37	28
29	·01	✕	·11	·	·04	·	·	·	·	·26	·01	·	29
30	·	✕	·	·	·	·05	·	·	·	·02	·16	·25	30
31	·	✕	·	✕	·02	✕	·11	·	✕	·04	✕	·06	31
Total	1·45	0·82	2·58	0·99	1·20	3·02	1·25	1·53	0·65	1·98	2·19	4·19	YEAR'S TOTAL 21·85
Rain Days.	13	17	22	13	13	10	16	12	6	13	22	22	179

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL

7 MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Pode Hole
in the County of Lincolnshire
by The Deeping Fen Drainage Trust

Lat. 52·48 N Long. 0·9 W.
Time of Observation 9 a.m.
Nearest Railway Station "North Drove." M. & G. N. Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·5 ft. above O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·14	-	-	·32	-	·01	-	·10	-	·13	·06	1
2	·11	·12	·22	·05	-	·03	-	1·39	·20	-	·04	·02	2
3	·25	-	·08	·05	-	-	·20	·22	·02	-	·02	·17	3
4	·32	-	-	-	-	·04	1·23	·31	-	·01	-	·59	4
5	·03	·09	·05	-	·14	-	·16	·01	-	-	·05	·23	5
6	·07	·14	-	·11	-	-	·62	·02	-	·03	-	·01	6
7	·07	·19	·27	-	-	-	·16	·11	-	-	-	·13	7
8	·01	·08	-	·04	-	-	·10	-	-	-	·04	-	8
9	·03	·05	-	-	-	-	-	-	-	-	·05	·47	9
10	·23	-	·05	-	-	-	-	·11	-	-	·03	·01	10
11	-	·01	·03	-	·17	-	·15	-	-	-	·38	·20	11
12	·07	-	-	·24	·28	-	-	·22	-	-	1·26	-	12
13	-	·54	-	-	·78	-	-	-	-	-	-	-	13
14	-	·05	-	-	-	-	·01	·38	-	·03	-	·21	14
15	·13	-	-	-	·03	-	-	·20	-	·01	·25	·10	15
16	-	·18	-	-	-	-	·78	-	-	·01	-	·03	16
17	-	·09	-	-	-	-	·06	-	-	-	-	·01	17
18	-	-	·26	-	-	-	-	-	-	-	·09	-	18
19	-	-	·01	-	-	-	·05	-	-	-	-	-	19
20	·14	-	-	-	-	-	-	·03	-	-	-	·36	20
21	·11	·03	-	-	·03	-	·08	-	-	-	-	·02	21
22	·14	-	·15	·02	-	-	·17	-	-	-	-	·13	22
23	·01	·16	·01	-	-	-	·23	-	·09	·11	·02	·26	23
24	·01	-	·22	-	-	-	·32	-	·44	·18	-	·18	24
25	-	-	·02	-	-	·16	·04	-	-	·07	-	·11	25
26	-	·07	·01	-	-	-	·14	-	·02	-	·01	·32	26
27	-	·03	·03	-	-	·13	·35	-	-	·51	-	·03	27
28	-	·10	·02	-	-	·24	-	·15	-	·26	-	-	28
29	-	×	·01	-	-	·13	·06	·14	-	·01	·22	·30	29
30	·05	×	-	-	-	·04	-	-	-	-	·01	·02	30
31	·01	×	-	×	-	×	-	·16	×	·05	×	·09	31
Total	2·02	2·07	1·44	·51	1·75	·77	4·92	3·45	·87	1·28	2·60	4·06	YEAR'S TOTAL 25·74
Rain Days.	19	17	16	6	7	7	20	14	6	12	15	25	164

W. 8,000. X. 15.

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

25. JAN. 1917

2529

Kept at Pode Hole

in the County of Lincolnshire

by The Deeping Fen Drainage Trust

Lat. 52·48 N Long. 0·9 W

Time of Observation 9. am

Nearest Railway Station "North Drove" M. & G. N. Ry

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·5 ft. above O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·	·04	·	·	·12	·14	·	·	·	·39	·	1
2	·25	·02	·07	·	·34	·03	·11	·	·01	·14	·04	·	2
3	·	·13	·02	·	·	·	·50	·	·44	·17	·04	·	3
4	·22	·24	·	·	·14	·17	·	·	·46	·04	·21	·	4
5	·01	·	·	·	·01	·05	·37	·	·	·14	·10	·03	5
6	·12	·11	·30	·16	·	·	·17	·	·	·	·25	·	6
7	·01	·	·31	·	·12	·	·24	·	·	·	·29	·07	7
8	·	·	·01	·	·	·	·	·	·01	·01	·	·24	8
9	·	·	·03	·	·44	·25	·	·	·	·03	·	·08	9
10	·	·	·15	·02	·	·67	·	·	·09	·	·	·07	10
11	·06	·48	·17	·15	·04	·13	·	·	·03	·	·	·01	11
12	·03	·	·03	·03	·38	·24	·02	·02	·	·03	·	·	12
13	·	·16	·06	·	·20	·08	·09	·03	·	·	·	·	13
14	·	·38	·03	·02	·09	·	·	·05	·	·	·	·	14
15	·	·16	·30	·	·02	·	·10	·	·01	·01	·	·	15
16	·	·05	·07	·14	·02	·	·05	·14	·	·	·	·	16
17	·02	·01	·01	·11	·	·	·17	·34	·18	·29	·	·03	17
18	·01	·11	·01	·05	·	·	·	·69	·06	·05	1·05	·	18
19	·03	·03	·04	·14	·	·02	·	·06	·06	·	·25	·14	19
20	·05	·01	·35	·03	·	·	·	·	·	·	·13	·26	20
21	·	·09	·13	·	·	·	·03	·	·	·	·	·60	21
22	·	·	·01	·	·09	·02	·	·	·	·05	·02	·48	22
23	·03	·35	·	·	·	·37	·01	·03	·	·02	·06	·29	23
24	·	·52	·	·06	·	·03	·	·09	·	·06	·01	·13	24
25	·	·16	·16	·	·	·	·	·26	·	·03	·04	·01	25
26	·01	·07	·	·	·	·02	·	·02	·	·05	·05	·	26
27	·	·12	1·00	·	·02	·01	·	·03	·	·09	·	·02	27
28	·	·26	·67	·	·	·	·	·	·	·03	·01	·19	28
29	·	·08	·	·	·	·32	·	1·47	·	·31	·	·07	29
30	·	X	·	·	·	·03	·	·17	·	·09	·	·01	30
31	·	X	·	X	·	X	·	·02	X	·05	X	·01	31
Total	·86	3·54	3·97	·91	1·91	2·56	2·00	3·42	1·35	1·69	2·94	2·74	YEAR'S TOTAL 27·89
Rain Days.	14	21	23	11	13	17	13	15	10	20	16	19	192

W. 8,000, VIII. 16

2458
2529

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Pode Hole, Nr Spalding
in the County of Lincolnshire
by The Deeping Fen Drainage Trust.

Lat. 52·48 N Long. 0·9 W.
Time of Observation 9 a.m.
Nearest Railway Station "North Drove" M.&G.N.Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·5 ft. above O. Datum

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·01	·	·09	·	·	·	1·04	·09	·01	·02	·03	1
2	·01	·02	·	Snow ·09	·	·12	·	·07	·	·	·04	·	2
3	·02	·03	·	Snow ·01	·	·	·	·60	·	·14	·	·01	3
4	·	·02	·13	·01	·	·	·	·01	·	·53	·01	·	4
5	·21	·	·02	·18	·	·	·	·03	·01	·	·12	·	5
6	·01	·	·	·	·	·06	·	·01	·	·06	·03	·02	6
7	·34	·	·	·	·	·02	·	·	·01	·38	·01	·01	7
8	·51	·	·03	·10	·	·	·21	·25	·	·32	·07	·	8
9	·15	·	·04	Snow ·02	·	·	·	·13	·	·01	·05	·03	9
10	·24	·	·26	Snow ·14	·01	·	·	·09	·01	·06	·02	·01	10
11	·02	·02	·06	Snow ·28	·	·	·	·07	·02	·17	·01	·	11
12	·06	·03	·01	Snow ·03	·12	·	·	·13	·	·33	·01	·02	12
13	·03	·	·01	·	·	·	·01	·18	·02	·01	·01	·01	13
14	·27	·	·	·10	·	·	·	·13	·	·01	·01	·02	14
15	·04	·	·	·	·	·	·28	·09	·	·04	·	·04	15
16	·07	·11	·01	·10	·	·17	·02	·	·	·17	·	·20 Snow	16
17	·	·01	·02	·20	·54	·19	·12	·	·02	·07	·	·03	17
18	·04	·	·	·02	·03	·	·18	·02	·56	·01	·	·	18
19	·02	·08	·07	·	·04	·	·	·	·09	·01	·	·	19
20	·	·32	·08	·	·23	·	·	·	·01	·01	·14	·	20
21	·01	·02	·04	·	·	·	·	·	·	·01	·	·01	21
22	·01	·	·09	·	·	·	·	·04	·05	·15	·	·	22
23	·	·01	·	·	·15	·	·	·16	·05	·02	·	·	23
24	·	·01	·	·	·	·58	·	·02	·01	·15	·13	·03 Snow	24
25	·	·	·01	·	·	·	·	·	·	·01	·05	·05 —"—	25
26	·	·	·05	·	·	·	·	·34	·09	·	·32	·11	26
27	·	·	·03	·	·	·06	·02	·46	·	·01	·	·03	27
28	·	·02	·13	·	·	·49	·	·10	·	·05	·	·06	28
29	·		·02	·	·01	·10	·10	·	·	·46	·	·	29
30	·07		·	·	·	·	·11	·19	·01	·02	·	·06	30
31	Snow ·02		·01		·		·15	·13		·		·08	31
Total	2·15	·71	1·12	1·37	1·13	1·79	1·20	4·29	1·05	3·22	1·05	·86	YEAR'S TOTAL 19·94
Rain Days.	20	14	29	14	8	9	10	23	15	27	17	20	197

2·07

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL JAN 1919 2529

REGISTER OF RAINFALL IN 1918

Kept at Pode Hole, Nr Spalding

in the County of Lincolnshire

by The Deeping Fen Drainage Trust.

Lat. 52·48 N Long. 0·9 W

Time of Observation 9 am

Nearest Railway Station "North Drove" M. & G. N. Ry

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 12·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·02	·03					·02		·13	·05	1
2	·01	·16		·12				·73		·03	·04	·14	2
3	·03	·03	·08		·43			·99	·05		·80		3
4		·02	·05				·03	·03	1·06	·01	·43	·02	4
5		·05		·02	·08			·39	·28	·06		·01	5
6	·01	·04		·15		·02		·02	·03	·01		·02	6
7	·17	·07	·02	·01		·09		·01		·07	·08	·02	7
8		·04		·02					·19	·01	·02	13	8
9	·05	·14		·15		·06	·08		·28	·36	·01	·03	9
10	·04	·01		·03			·27	·01		·13	·01	·05	10
11	·03	·04		·01	·36		·18		·15	·46		·08	11
12		·22	·02	·01	·17		·09		·02	·02		·03	12
13		·01		·03	·17	·01		·01	·17		·01	·02	13
14	·30			·02			·23		·15	·16	·01	·03	14
15	·70			·60			·27		·05	·01	·01	·14	15
16	·03			·27		·18		·01	·50				16
17	·29			·10	1·12	·01	·78		·01	·01		·20	17
18	·23				·01	·04	·06		·29			·19	18
19	·07	·05	·08	·05			·01			·12		·17	19
20	·03	·06		·02		·06	·35		·07	·08	·02		20
21	·03						·01		·14	·17	·01	·02	21
22	·08				·19	·03	·02		·01	·01	·01	27	22
23	·09			·01	·46		·19		·01	·01	·01		23
24		·16			·01		·02		·02	·01	·14	·01	24
25							·01	·22	·03	·01	·18		25
26							·22	·02	·02	·01	·12	·05	26
27				·01		·05	·14	·30	·07		·21	·02	27
28	·01	·13	·08	·01				·02			·23	·44	28
29	·02	×							·86		·02	·03	29
30		×	·21		·01				·05		·09	·21	30
31	·02	×	·04	×		×		·01	×	·08	×	·07	31
Total	2·24 ✓	1·25 ✓	·60 ✓	1·67 ✓	3·01 ✓	·55 ✓	2·96 ✓	2·77 ✓	4·53 ✓	1·84 ✓	2·59 ✓	2·45 ✓	YEAR'S TOTAL 26·46 ✓
Rain Days.	20 ✓	17 ✓	9 ✓	20 ✓	11 ✓	10 ✓	18 ✓	14 ✓	25 ✓	22 ✓	22 ✓	26 ✓	214 ✓

W, 6,500, VII. 18. W W C

2311
2529

JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Pode Hole, Spalding
in the County of Lincoln
by H. Bain, Spt. Deeping Fen Drainage Trust

Lat. 52° 48' N. Long. ·0° 9' W
Time of Observation 9 a.m. "North Drove." M&GN Ry
Nearest Railway Station ~~or~~ Spalding. G.N. Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12·50 ft. above O.D.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·05	·04	·01	·10		·26			·09	·05	·61	1
2	·12		·01				·13		·04		·38	·24	2
3	·55		·04		·01		·05	·01	·08		·21		3
4	·05		·42		·01	·09	·02	·16			·02	·15	4
5	·07		·01					·02	·97			·03	5
6		·06	·01		·03			·01			·05	·05	6
7	·03		·20								·02	·02	7
8	·09			·08							·08	·02	8
9			·01	·02						·04	·05		9
10			·24	·03						·01	·14	·08	10
11	·13		·28	·03	·08		·89				·06	·01	11
12			·27	·06		·06	·02				·01	·01	12
13	·16		·01	·14						·07	·03	·01	13
14	·27			·15			·02		·03	·01	·01	·01	14
15	·15	·06	·10	·19						·04	·27	·28	15
16	·03	1·03		·04							·06	·02	16
17		·45	·08	·02		·01					·20	·01	17
18			·04				·02	·13				·09	18
19	·02	·14	·62	·01		·17	·61	·45	·18		·09	·03	19
20	·38	·03	·26			·06	·39	·27	·04			·05	20
21	·30	·42	·14			·02	·34		·01		·02	·15	21
22		·11	·02				·05		·24		·03	·34	22
23			·08	·15		·12	·04			·26	·01	·02	23
24		·01		·08	·13	·08		·04		·06		·01	24
25	·08			·11	·15	·16		·46			·01	·01	25
26	·07		·16	·19		·01		·10	·07			·27	26
27	·25	·22	·01	·74				·09		·12	·01	·02	27
28	·02			·03				·63	·02	·23	·02	·35	28
29	·05	×		·05		·05	·01	·08		·24	·16	·18	29
30	·02	×	·04	·26		·21				·12	·05	·24	30
31	·05	×		×		×	·02		×	·16	×	·03	31
Total	3·12	2·58	3·04	2·39	·51	1·04	2·87	2·48	1·68	1·45	2·04	3·34	Year's Total 26·49
Days with ·01 in. or more	22	11	23	20	7	12	15	13	10	13	25	29	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2217
2529

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pode Hole, Nr Spalding
in the County of Lincoln
by H. Rain

Lat. 52·48 N Long. 0·9 W
Time of Observation 9 a.m.
Nearest Railway Station "North Drove"
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 12½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	·17	-	·28	-	-	·81	-	·08	1
2	·01	-	·02	·07	-	-	-	·06	·11	·19	-	·08	2
3	-	·01	-	-	-	·09	·70	-	·08	·04	-	·01	3
4	-	-	·02	·22	-	-	·11	·42	·09	·12	-	·05	4
5	-	·01	·04	·02	·20	-	·69	·08	·06	-	·01 fog	·04	5
6	-	-	·06	·03	·01	-	·20	-	-	-	-	·08	6
7	·01	·02	·08	·07	-	-	·04	-	-	-	-	·02	7
8	·02	·02	-	·41	·03	·01	·02	-	-	·02	-	-	8
9	·29	-	-	·90	-	-	-	·02	-	-	-	·02	9
10	·08	·03	·05	·23	-	-	·03	·03	-	-	·02	·01	10
11	·14	-	·05	·22	·14	·02	·02	·02	-	-	·01	·26 melted snow.	11
12	·08	-	·01	·19	-	·09	-	·01	-	·01	·01	·08 "	12
13	·02	·02	·05	·11.	-	·61	-	-	·09	-	·02	·03	13
14	·01	-	·49	·08	-	·11	·02	-	·20	·11	·23	·01 melted snow	14
15	·01	·01 fog	·82	·02	-	-	-	-	·13	·17	·02 fog	·05 "	15
16	-	-	-	·03	·02	-	-	-	·16	-	-	·02	16
17	·01	·01 fog	-	-	·09	·01	·01	-	·62	-	·01 fog	·11	17
18	·07	-	-	-	·01	·11	-	·15	·24	-	-	·03	18
19	·07	·17	-	·05	-	·11	·01	·20	·01	·01 fog	·02 fog	·04	19
20	·08	·38	-	45	-	·44	·02	-	·01	-	·01 fog	-	20
21	-	-	-	·21	-	-	·18	·07	·23	·01 fog	-	·01	21
22	·01	-	-	·15	-	-	·04	-	·14	-	01	-	22
23	-	·01 fog	-	-	-	-	·08	·01	·01	·02 fog	·02 fog	·35	23
24	·01	-	·15	03 [illegible]	-	-	-	-	-	·01 fog	-	·05	24
25	·01	·07	·01	·08	·71	·08	·39	-	-	·01 fog	·01	-	25
26	·10	-	·09	·02	·21	-	·03	-	-	·01 fog	-	·01	26
27	·09	·01	·01	·08	·02	·63	-	-	-	·01 fog	·14	·17	27
28	·42	·01	·20	-	·24	-	·08	-	-	·01 fog	·02	·07	28
29	·04	-	·04	-	·11	-	·06	-	·01	-	·04	·25	29
30	·03	╳	·01	·06	·02	·06	·02	-	·12	-	·09	·22	30
31	·15	╳	·03	╳	-	╳	·11	-	╳	·20	╳	·11	31
Total	1·76	·78	2·23	3·73	1·98	2·37	3·14	1·07	2·31	1·76	0·69	2·26	Year's Total 24·08
Days with ·01 in. or more	23	14	19	23	14	13	22	11	17	17	17	27	217
Days with ·04 in. or more	12	3	12	17	8	10	13	6	13	7	4	17	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made ✓

FORM A.
BRITISH RAINFALL.

9- JAN 1914

— LINCOLNSHIRE

2541. SLEAFORD

KESTEVEN MENTAL HOSP.

1913 - 20

REG

Kept at Kesteven … r. m. … auceby G. R.

in the County of … in.

by Dr. John Alf… Ground — ft. 9 in.

Sea Level 100 ft.

IMPORTANT NOT… he result entered to the previous day. If an Ob… sal rule, he is earnestly requested to add the rea… in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

was 0.8 … 0.3 check with H.R. Smith

Returned from H.R. Smith 5.11.60

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
13 1	—		1.5 ~~0.06~~	0.8 ~~0.03~~	—	—	—	—	14.7 ~~0.58~~	—	0.8 ~~0.03~~	—	1
2	0.3 ~~0.01~~	1.0 ~~0.04~~	0.3 0.01	1.5 ~~0.06~~	—	—	1.0 ~~0.04~~	—	1.5 ~~0.06~~	0.3 ~~0.01~~	0.3 0.01	—	2
3	—		1.3 ~~0.05~~	—	9.7 ~~0.38~~	—	—	—	0.3 ~~0.01~~	—	—	0.5 0.02	3
4	7.8 ~~0.31~~	—	—	—	0.8 ~~0.03~~	—	0.5 ~~0.02~~	—	—	22.9 ~~0.90~~	5.1 0.20	2.0 0.08	4
5	0.8 ~~0.03~~	—	—	—	—	0.5 ~~0.02~~	0.5 ~~0.02~~	—	—	67.3 2.65	0.5 0.02	0.3 0.01	5
6	—	—	0.8 ~~0.03~~	—	14.0 ~~0.55~~	6.1 ~~0.24~~	11.9 ~~0.47~~	—	—	18.3 0.72	—	—	6
7	—	0.8 ~~0.03~~	—	—	2.3 ~~0.09~~	0.5 ~~0.02~~	—	—	—	16.8 ~~0.66~~	—	—	7
8	—	—	—	—	8.4 ~~0.33~~	8.4 0.33	—	—	—	4.6 0.18	1.5 ~~0.06~~	—	8
9	—	6.6 ~~0.26~~	0.8 0.03	—	0.3 ~~0.01~~	1.0 0.04	1.3 0.05	—	—	—	2.0 ~~0.08~~	—	9
10	—		—	1.5 ~~0.06~~	0.8 ~~0.03~~	0.3 ~~0.01~~	0.5 0.02	—	—	—	9.1 ~~0.36~~	—	10
11	—	—	—	10.7 ~~0.42~~	—	—	—	—	—	—	5.6 0.22	—	11
12	41.9 ~~1.65~~	—	—	—	0.3 ~~0.01~~	—	—	—	—	—	5.3 0.21	—	12
13	1.5 ~~0.06~~	—	0.8 ~~0.03~~	0.8 ~~0.03~~	—	—	—	1.3 ~~0.05~~	—	—	5.6 0.22	—	13
14	1.0 ~~0.04~~	—	8.9 ~~0.35~~	0.5 ~~0.02~~	—	—	—	—	0.5 ~~0.02~~	1.8 ~~0.07~~	—	—	14
15	2.5 ~~0.10~~	0.8 ~~0.03~~	5.1 ~~0.20~~	2.8 ~~0.11~~	—	—	—	—	0.5 0.02	—	1.8 ~~0.07~~	—	15
16	0.5 ~~0.02~~	1.8 ~~0.07~~	12.9 ~~0.51~~	2.5 ~~0.10~~	—	—	—	—	9.4 ~~0.37~~	—	0.3 0.02	—	16
17	0.3 ~~0.01~~	0.8 ~~0.03~~	7.1 ~~0.28~~	0.8 ~~0.03~~	—	1.3 ~~0.05~~	—	—	4.1 0.16	—	0.3 0.02	—	17
18	—	—	1.8 ~~0.07~~	2.5 0.11	—	—	0.8 ~~0.03~~	—	—	—	—	0.8 ~~0.03~~	18
19	1.5 ~~0.06~~	—	1.8 0.07	—	—	—	0.5 0.02	—	0.5 ~~0.02~~	—	—	0.8 ~~0.03~~	19
20	3.3 ~~0.13~~	—	2.5 0.10	1.3 0.05	—	—	—	—	—	7.6 0.30	0.3 ~~0.01~~	—	20
21	0.5 ~~0.02~~	—	2.0 ~~0.08~~	—	0.5 ~~0.02~~	—	1.5 0.06	—	—	—	3.3 ~~0.13~~	—	21
22	2.5 ~~0.10~~	—	4.3 0.17	—	—	—	—	0.3 ~~0.01~~	4.1 ~~0.16~~	—	—	—	22
23	0.3 0.01	—	0.3 ~~0.01~~	—	—	1.5 ~~0.06~~	0.3 0.01	—	1.8 ~~0.07~~	—	0.3 ~~0.01~~	—	
24	0.3 ~~0.01~~	—	—	0.8 ~~0.03~~	—	1.0 0.04	—	0.8 ~~0.03~~	—	—	0.3 ~~0.01~~	—	24
25	—	—	—	1.8 ~~0.07~~	—	0.5 0.02	—	—	—	—	—	—	25
26	—	3.0 ~~0.12~~	4.3 0.17	1.0 ~~0.04~~	—	1.3 0.05	—	—	—	7.1 ~~0.28~~	1.3 0.05	4.6 ~~0.18~~	26
27	—	0.8 ~~0.03~~	0.8 ~~0.03~~	0.5 ~~0.02~~	0.8 0.03	1.0 0.04	—	—	—	0.3 0.01	0.3 ~~0.01~~	2.0 ~~0.08~~	27
28	3.8 0.15	—	4.3 ~~0.17~~	4.6 0.18	—	—	—	—	—	1.0 ~~0.04~~	—	5.6 0.22	28
29	0.3 0.01		3.3 ~~0.13~~	7.6 0.30	0.8 ~~0.03~~	—	—	1.5 ~~0.06~~	—	0.5 0.02	—	—	29
30	7.1 0.28		0.3 ~~0.01~~	0.8 0.03	—	—	—	—	—	1.8 0.07	—	—	30
31	—		—		1.3 0.05		—	—	—	—		—	31
99 Total	76.2 ~~3.00~~	15.6 ~~0.61~~	65.0 ~~2.56~~	42.9 ~~1.69~~	40.0 ~~1.56~~	23.4 ~~0.92~~	18.8 ~~0.74~~	3.9 ~~0.15~~	39 ~~37.4~~ ~~1.47~~	150.1 ~~5.91~~	44.0 ~~1.74~~	16.6 ~~0.65~~	YEAR'S TOTAL [illegible] ~~21.00~~
Rain Days.	18	8	21	18	12	12	10	4	10	13	19	8	15

W. 7,500, XI. 12

S. made

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL 9 JAN 1914

Kept at Kesteven County Asylum nr. Sleaford
in the County of Lincoln
by Dr. John Alfred Ewan

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Rauceby G. N. R.
Diameter of Rain Gauge in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

was 0·8 scaled 0·3 — check with H.R. Smith

Returned from H R Smith 5·11·60

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
13 1	—		1·5 ~~0·06~~	0·8 ~~0·03~~	—	—	—	—	14·7 ~~0·58~~	—	0·8 ~~0·03~~	—	1
2	0·3 ~~0·01~~	1·0 ~~0·04~~	0·3 ~~0·01~~	1·5 ~~0·06~~	—	—	1·0 ~~0·04~~	—	1·5 ~~0·06~~	0·3 ~~0·01~~	0·3 ~~0·01~~	—	2
3	—	—	1·3 ~~0·05~~	—	9·7 ~~0·38~~	—	—	—	0·3 ~~0·01~~	—	—	0·5 ~~0·02~~	3
4	7·8 ~~0·31~~	—	—	—	0·8 ~~0·03~~	—	0·5 ~~0·02~~	—	—	22·9 ~~0·90~~	5·1 0·20	2·0 0·08	4
5	0·8 ~~0·03~~	—	—	—	—	0·5 ~~0·02~~	0·5 ~~0·02~~	—	—	67·3 ~~2·65~~	0·5 ~~0·02~~	0·3 ~~0·01~~	5
6	—	—	0·8 ~~0·03~~	—	14·0 ~~0·55~~	6·1 ~~0·24~~	11·9 ~~0·47~~	—	—	18·3 ~~0·72~~	—	—	6
7	—	0·8 0·03	—	—	2·3 ~~0·09~~	0·5 ~~0·02~~	—	—	—	16·8 0·66	—	—	7
8	—	—	—	—	8·4 ~~0·33~~	8·4 ~~0·33~~	—	—	—	4·6 ~~0·18~~	1·5 ~~0·06~~	—	8
9	—	6·6 ~~0·26~~	0·8 ~~0·03~~	—	0·3 ~~0·01~~	1·0 0·04	1·3 ~~0·05~~	—	—	—	2·0 ~~0·08~~	—	9
10	—	—	—	1·5 ~~0·06~~	0·8 ~~0·03~~	0·3 ~~0·01~~	0·5 ~~0·02~~	—	—	—	9·1 ~~0·36~~	—	10
11	—	—	—	10·7 ~~0·42~~	—	—	—	—	—	—	5·6 ~~0·22~~	—	11
12	41·9 ~~1·65~~	—	—	—	0·3 ~~0·01~~	—	—	—	—	—	5·3 0·21	—	12
13	1·5 ~~0·06~~	—	0·8 ~~0·03~~	0·8 ~~0·03~~	—	—	—	1·3 ~~0·05~~	—	—	5·6 0·22	—	13
14	1·0 ~~0·04~~	—	8·9 ~~0·35~~	0·5 ~~0·02~~	—	—	—	—	0·5 ~~0·02~~	1·8 ~~0·07~~	—	—	14
15	2·5 ~~0·10~~	0·8 ~~0·03~~	5·1 ~~0·20~~	2·8 ~~0·11~~	—	—	—	—	0·5 ~~0·02~~	—	1·8 ~~0·07~~	—	15
16	0·5 ~~0·02~~	1·8 ~~0·07~~	12·9 ~~0·51~~	2·5 ~~0·10~~	—	—	—	—	9·4 ~~0·37~~	—	0·3 ~~0·02~~	—	16
17	0·3 ~~0·01~~	0·8 ~~0·03~~	7·1 ~~0·28~~	0·8 ~~0·03~~	—	1·3 ~~0·05~~	—	—	4·1 0·16	—	0·3 0·02	—	17
18	—	—	1·8 ~~0·07~~	2·5 0·11	—	—	0·8 ~~0·03~~	—	—	—	—	0·8 ~~0·03~~	18
19	1·5 ~~0·06~~	—	1·8 ~~0·07~~	—	—	—	0·5 ~~0·02~~	—	0·5 ~~0·02~~	—	—	0·8 ~~0·03~~	19
20	3·3 ~~0·13~~	—	2·5 ~~0·10~~	1·3 ~~0·05~~	—	—	—	—	—	7·6 ~~0·30~~	0·3 ~~0·01~~	—	20
21	0·5 ~~0·02~~	—	2·0 ~~0·08~~	—	0·5 ~~0·02~~	—	1·5 0·06	—	—	—	3·3 ~~0·13~~	—	21
22	2·5 ~~0·10~~	—	4·3 0·17	—	—	—	—	0·3 ~~0·01~~	4·1 ~~0·16~~	—	—	—	22
23	0·3 0·01	—	0·3 ~~0·01~~	—	—	1·5 ~~0·06~~	0·3 0·01	—	1·8 ~~0·07~~	—	0·3 0·01	—	23
24	0·3 ~~0·01~~	—	—	0·8 ~~0·03~~	—	1·0 0·04	—	0·8 ~~0·03~~	—	—	0·3 ~~0·01~~	—	24
25	—	—	—	1·8 ~~0·07~~	—	0·5 0·02	—	—	—	—	—	—	25
26	—	3·0 ~~0·12~~	4·3 ~~0·17~~	1·0 ~~0·04~~	—	1·3 0·05	—	—	—	7·1 ~~0·28~~	1·3 0·05	4·6 ~~0·18~~	26
27	—	0·8 ~~0·03~~	0·8 ~~0·03~~	0·5 ~~0·02~~	0·8 ~~0·03~~	1·0 0·04	—	—	—	0·3 ~~0·01~~	0·3 ~~0·01~~	2·0 ~~0·08~~	27
28	3·8 ~~0·15~~	—	4·3 ~~0·17~~	4·6 ~~0·18~~	—	—	—	—	—	1·0 ~~0·04~~	—	5·6 ~~0·22~~	28
29	0·3 0·01		3·3 ~~0·13~~	7·6 ~~0·30~~	0·8 ~~0·03~~	—	—	1·5 ~~0·06~~	—	0·5 0·02	—	—	29
30	7·1 0·28		0·3 ~~0·01~~	0·8 0·03	—	—	—	—	—	1·8 0·07	—	—	30
31	—		—		1·3 ~~0·05~~		—	—		—		—	31
99 Total	76·2 ~~3·00~~	15·6 ~~0·61~~	65·0 ~~2·56~~	42·9 ~~1·69~~	40·0 ~~1·56~~	23·4 ~~0·92~~	18·8 ~~0·74~~	3·9 ~~0·15~~	39 ~~37·4~~ ~~1·47~~	150·3 5·91	44·0 ~~1·74~~	16·6 0·65	YEAR'S TOTAL 3 ~~534·7~~ ~~21·06~~
Rain Days.	18	8	21	18	12	12	10	4	10	13	19	8	153

W. 7,500, XI. ·12

Eye DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 19 JAN 1915

Kept at Kesteven County Asylum

in the County of Lincolnshire 3

by Dr John Alfred Ewan

Lat. 52° 59½' Long. 0° 27' W

Time of Observation 9 a.m.

Nearest Railway Station Rauceby G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	0.8 ~~0.03~~	—	—	—	12.7 ~~0.50~~	4.1 0.16	—	—	1.3 ~~0.05~~	—	1
2	—	—	—	—	—	—	1.5 0.06	2.3 ~~0.09~~	—	—	1.5 0.06	6.4 ~~0.25~~	2
3	—	—	2.0 ~~0.08~~	—	2.8 ~~0.11~~	—	1.8 0.07	2.0 ~~0.08~~	—	—	0.8 0.03	—	3
4	0.8 ~~0.03~~	—	0.3 ~~0.01~~	4.9 ~~0.19~~	—	—	—	1.0 ~~0.04~~	—	—	12.7 ~~0.50~~	3.8 ~~0.15~~	4
5	—	—	2.0 ~~0.08~~	4.3 ~~0.17~~	2.0 ~~0.08~~	0.3 ~~0.01~~	4.8 ~~0.19~~	3.6 ~~0.14~~	—	—	0.3 ~~0.01~~	—	5
6	—	0.8 ~~0.03~~	—	0.5 ~~0.02~~	2.0 ~~0.08~~	—	1.0 ~~0.04~~	—	—	—	—	0.5 0.02	6
7	—	1.5 ~~0.06~~	9.9 ~~0.39~~	0.5 ~~0.02~~	1.5 0.06	6.4 ~~0.25~~	—	—	—	—	—	1.3 0.05	7
8	2.5 ~~0.10~~	0.5 ~~0.02~~	0.5 ~~0.02~~	—	3.1 ~~0.12~~	15.8 ~~0.62~~	2.0 0.08	3.0 ~~0.12~~	4.6 ~~0.18~~	—	—	—	8
9	10.2 ~~0.40~~	0.3 ~~0.01~~	4.1 0.16	1.8 ~~0.07~~	—	25.5 ~~1.03~~	—	0.5 ~~0.02~~	1.0 ~~0.04~~	0.5 ~~0.02~~	—	—	9
10	12.4 ~~0.49~~	1.3 ~~0.05~~	1.8 ~~0.07~~	1.3 0.05	—	—	—	—	0.8 ~~0.03~~	—	—	—	10
11	—	0.8 ~~0.03~~	6.1 ~~0.24~~	7.9 ~~0.31~~	1.0 ~~0.04~~	2.3 ~~0.09~~	—	—	1.8 ~~0.07~~	—	11.9 ~~0.47~~	6.4 ~~0.25~~	11
12	0.5 ~~0.02~~	—	0.8 ~~0.03~~	—	—	—	6.4 ~~0.25~~	—	7.6 ~~0.30~~	—	—	6.4 ~~0.25~~	12
13	0.5 ~~0.02~~	1.8 ~~0.07~~	3.6 ~~0.14~~	—	—	—	—	—	0.3 ~~0.01~~	6.1 0.24	5.1 ~~0.20~~	3.8 ~~0.15~~	13
14	—	0.5 ~~0.02~~	2.5 ~~0.10~~	—	—	—	2.0 ~~0.08~~	—	—	6.3 ~~0.25~~	6.9 ~~0.27~~	4.3 ~~0.17~~	14
15	2.0 ~~0.08~~	—	2.8 ~~0.11~~	—	—	—	—	—	—	—	1.0 ~~0.04~~	9.2 0.36	15
16	0.3 ~~0.01~~	—	1.0 ~~0.04~~	—	—	—	0.8 ~~0.02~~	—	0.3 ~~0.01~~	—	1.0 ~~0.04~~	—	× 16
17	0.5 ~~0.02~~	2.8 ~~0.11~~	—	—	—	—	0.3 ~~0.01~~	—	2.5 ~~0.10~~	—	—	2.5 ~~0.10~~	17
18	—	—	1.0 ~~0.04~~	—	—	3.3 ~~0.13~~	4.1 ~~0.16~~	—	—	—	—	7.6 ~~0.30~~	18
19	—	1.5 ~~0.06~~	3.0 ~~0.12~~	—	—	—	1.3 ~~0.05~~	—	—	—	1.0 ~~0.04~~	0.8 ~~0.03~~	19
20	0.5 ~~0.02~~	2.0 ~~0.08~~	6.1 ~~0.24~~	—	—	—	—	—	0.5 ~~0.02~~	0.3 ~~0.01~~	—	—	20
21	0.3 ~~0.01~~	5.6 ~~0.22~~	3.8 ~~0.15~~	—	—	1.3 ~~0.05~~	—	0.5 ~~0.02~~	—	4.3 ~~0.17~~	1.0 ~~0.04~~	3.0 ~~0.12~~	21
22	—	—	—	—	16.5 ~~0.65~~	—	4.3 ~~0.17~~	0.8 ~~0.03~~	—	5.1 0.20	—	0.5 ~~0.02~~	22
23	—	0.8 ~~0.03~~	0.5 ~~0.02~~	—	0.8 ~~0.03~~	1.8 ~~0.07~~	1.0 ~~0.04~~	—	—	—	—	1.0 ~~0.04~~	23
24	—	—	1.0 ~~0.04~~	2.0 ~~0.08~~	—	—	—	—	—	1.3 ~~0.05~~	7.1 ~~0.28~~	—	24
25	—	—	—	—	—	—	1.5 0.06	1.3 ~~0.05~~	—	15.0 ~~0.59~~	—	8.9 ~~0.35~~	25
26	—	0.3 ~~0.01~~	1.3 0.05	—	—	—	—	7.1 ~~0.28~~	—	2.0 ~~0.08~~	4.3 ~~0.17~~	8.9 ~~0.35~~	26
27	0.3 ~~0.01~~	—	—	—	—	—	—	—	—	—	—	3.8 ~~0.15~~	27
28	1.0 ~~0.04~~	0.5 ~~0.02~~	—	—	—	—	—	—	—	0.5 ~~0.02~~	6.9 ~~0.27~~	30.5 ~~1.20~~	28
29	0.5 ~~0.02~~	×	1.5 ~~0.06~~	0.5 0.02	0.8 ~~0.03~~	—	—	—	—	8.4 ~~0.33~~	—	—	29
30	—	×	—	0.5 ~~0.02~~	—	1.3 ~~0.05~~	—	—	—	1.3 ~~0.05~~	5.1 ~~0.20~~	3.8 ~~0.15~~	30
31	—	×	—	×	—	×	6.6 0.26	—	×	1.5 ~~0.06~~	×	1.3 0.05	31
99 Total	32.3 1.27	21.0 0.82	56.4 2.22	24.2 0.95	30.5 1.20	58.0 2.30	52.1 2.04	26.2 1.03	19.4 0.76	52.6 2.07	67.9 2.67	114.7 4.51	YEAR'S TOTAL ~~21.84~~ 555.2
Rain Days.	14	15	22	10	9	9	16	11	9	13	16	21	165

W. 8,000. X. 14.

cnd for auth 29.III.16 W.J.

2(b)

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Kesteven County Asylum

in the County of Lincolnshire

by Dr. John Alfred Ewan

Lat. 52.59 N Long. 0.27 W

Time of Observation 9 a.m.

Nearest Railway Station Rauceby G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	4.8 ~~0.19~~	1.3 ~~0.05~~	2.5 ~~0.10~~	—	6.6 ~~0.26~~	—	4.1 ~~0.16~~	—	4.1 ~~0.16~~	—	3.8 ~~0.15~~	1.5 ~~0.06~~	1
2	0.8 ~~0.03~~	0.8 ~~0.03~~	1.3 ~~0.05~~	2.5 ~~0.10~~	—	1.3 ~~0.05~~	—	19.3 ~~0.76~~	2.5 ~~0.10~~	—	0.8 ~~0.03~~	0.5 ~~0.02~~	2
3	8.4 ~~0.33~~	—	—	1.5 0.06	—	—	6.6 ~~0.26~~	8.4 ~~0.33~~	4.3 ~~0.17~~	—	0.3 0.01	4.3 ~~0.17~~	3
4	7.9 ~~0.31~~	—	—	—	—	—	23.9 ~~0.94~~	2.8 ~~0.11~~	—	—	—	23.6 ~~0.93~~	4
5	0.8 ~~0.03~~	4.1 ~~0.16~~	1.3 ~~0.05~~	—	2.3 ~~0.09~~	—	—	1.3 ~~0.05~~	—	—	1.8 ~~0.07~~	8.6 ~~0.34~~	5
6	1.3 ~~0.05~~	4.1 ~~0.16~~	1.8 ~~0.07~~	0.8 ~~0.03~~	—	—	19.6 ~~0.77~~	1.0 ~~0.04~~	—	—	—	0.5 ~~0.02~~	6
7	5.1 ~~0.20~~	5.9 ~~0.23~~	0.3 ~~0.01~~	—	—	—	6.6 ~~0.26~~	9.4 ~~0.37~~	—	—	—	12.2 0.48	7
8	2.3 ~~0.09~~	1.8 ~~0.07~~	—	1.5 0.06	—	—	2.5 ~~0.10~~	1.0 ~~0.04~~	—	—	0.5 ~~0.02~~	—	8
9	1.8 ~~0.07~~	1.8 ~~0.07~~	0.3 ~~0.01~~	—	—	—	—	0.3 ~~0.01~~	—	—	0.5 0.02	10.4 ~~0.41~~	9
10	5.6 ~~0.22~~	—	—	—	—	—	—	1.3 ~~0.05~~	—	—	0.8 ~~0.03~~	0.3 ~~0.01~~	10
11	0.8 ~~0.03~~	—	0.3 ~~0.01~~	0.3 ~~0.01~~	8.2 ~~0.32~~	—	2.3 ~~0.09~~	2.5 ~~0.10~~	—	—	10.7 ~~0.42~~	6.3 ~~0.25~~	11
12	2.5 ~~0.10~~	—	—	5.1 ~~0.20~~	3.0 ~~0.12~~	—	—	9.4 ~~0.37~~	—	—	21.8 ~~0.86~~	—	12
13	0.3 ~~0.01~~	1.3 ~~0.05~~	—	—	13.5 ~~0.53~~	—	—	—	0.5 ~~0.02~~	—	—	—	13
14	—	2.0 ~~0.08~~	—	—	—	—	—	—	0.5 ~~0.02~~	0.8 ~~0.03~~	—	5.3 ~~0.21~~	14
15	5.1 ~~0.20~~	—	—	—	0.3 0.01	—	0.8 ~~0.03~~	20.3 ~~0.80~~		0.3 ~~0.01~~	9.4 ~~0.37~~	2.5 ~~0.10~~	15
16	—	4.3 ~~0.17~~	—	—	—	—	17.8 ~~0.70~~	—	—	—	—	0.5 ~~0.02~~	16
17	—	1.8 ~~0.07~~	—	—	—	—	3.6 ~~0.14~~	—	—	—	—	0.5 ~~0.02~~	17
18	—	2.5 ~~0.10~~	7.6 ~~0.30~~	—	—	—	—	—	—	—	1.5 ~~0.06~~	0.3 ~~0.01~~	18
19	—	0.5 0.02	0.5 ~~0.02~~	—	—	—	1.3 ~~0.05~~	—	—	1.0 ~~0.04~~	—	—	19
20	0.8 ~~0.03~~	—	0.3 ~~0.01~~	—	—	—	—	2.3 ~~0.09~~	—	—	0.3 ~~0.01~~	9.4 ~~0.37~~	× 20
21	5.3 ~~0.21~~	0.8 ~~0.03~~	—	—	—	—	4.1 ~~0.16~~	—	—	—	—	0.5 ~~0.02~~	21
22	2.5 ~~0.10~~	—	5.6 ~~0.22~~	2.0 ~~0.08~~	—	—	5.1 ~~0.20~~	—	—	—	—	3.8 ~~0.15~~	22
23	2.3 ~~0.09~~	3.6 ~~0.14~~	0.3 0.01	0.3 ~~0.01~~	—	—	6.3 ~~0.25~~	—	1.8 ~~0.07~~	1.3 0.05	0.5 ~~0.02~~	3.8 ~~0.15~~	23
24	0.5 0.02	—	3.1 ~~0.12~~	—	—	—	1.8 ~~0.07~~	—	12.7 0.50	1.5 ~~0.06~~	—	2.5 ~~0.10~~	24
25	0.3 0.01	—	0.5 ~~0.02~~	—	—	8.4 ~~0.33~~	0.5 ~~0.02~~	—	—	0.5 ~~0.02~~	—	3.1 ~~0.12~~	25
26	0.5 ~~0.02~~	2.5 ~~0.10~~	—	—	—	—	0.5 ~~0.02~~	—	—	—	—	8.1 ~~0.32~~	26
27	—	1.5 0.06	—	—	—	0.3 ~~0.01~~	11.7 ~~0.46~~	—	—	14.0 ~~0.55~~	—	1.8 ~~0.07~~	27
28	—	3.3 ~~0.13~~	3.1 ~~0.12~~	—	—	2.0 ~~0.08~~	—	7.4 ~~0.29~~	—	3.8 0.15	—	—	28
29	—	×	—	—	—	0.8 ~~0.03~~	—	1.0 ~~0.04~~	—	—	4.8 0.19	13.2 ~~0.52~~	29
30	2.0 0.08	×	—	—	—	0.3 ~~0.01~~	0.5 ~~0.02~~	—	—	0.3 ~~0.01~~	0.3 ~~0.01~~	1.8 ~~0.07~~	30
31	0.8 ~~0.03~~	×	—	×	—	×	—	3.8 ~~0.15~~	×	3.0 ~~0.12~~	×	2.0 ~~0.08~~	31
99 Total	62.5 ~~2.45~~	43.7 ~~1.72~~	28.8 ~~1.12~~	14.0 ~~0.55~~	33.9 ~~1.33~~	13.1 ~~0.51~~	119.6 ~~4.70~~	91.5 ~~3.60~~	26.4 ~~1.04~~	26.5 ~~1.04~~	57.9 ~~2.27~~	127.3 ~~5.02~~	645.4 YEAR'S TOTAL ~~25.25~~ ~~25.35~~
Rain Days.	23	18	15	8	6	6	19	16	7	10	15	26	169

W. 8,000. X. 15.

esdgs 26[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Kesteven County Asylum

in the County of Lincoln

by Dr. John Alfred Ewan

Lat. 52′ 59″ N Long. 0. 27″ W

Time of Observation 9 am

Nearest Railway Station Rauceby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	-	0·10	-	-	0·14	0·15	-	-	-	0·35	-	1
2	0·17	0·02	0·16	-	0·52	0·03	0·22	-	0·01	0·16	0·05	-	2
3		0·20	0·04	0·02	-	-	0·35	-	0·29	0·24	0·04	-	3
4	0·15	0·27	-	-	0·31	0·21	-	-	0·45	0·15	0·28	-	4
5	0·01	0·01	0·01	-	0·02	0·05	0·12	-	-	0·07	0·10	-	5
6	0·03	0·12	0·40	0·06	0·04	-	0·22	-	-	-	0·25	-	6
7	0·01	-	0·22	-	0·12	-	0·24	-	-	0·02	0·12	0·12	7
8	-	-	0·13	-	-	-	-	-	-	0·06	0·01	0·21	8
9	-	-	0·08	-	0·34	0·03	-	-	0·02	-	-	0·07	9
10	-	0·01	0·13	0·05	-	-	-	-	0·03	0·07	-	0·05	10
11	0·08	0·54	0·33	0·13	-	0·05	-	-	-	-	-	0·04	11
12	0·03	0·01	0·08	0·05	0·40	0·20	0·05	-	-	0·01	-	-	12
13	-	0·12	0·10	0·02	0·25	0·03	-	0·09	-	0·01	-	0·02	13
14	-	0·22	0·03	0·02	0·04	-	-	0·13	0·02	0·01	-	-	14
15	-	0·30	0·40	0·01	0·03	-	0·05	0·03	0·01	0·02	-	-	15
16	-	0·15	0·10	0·20	-	-	0·04	0·07	-	-	-	0·02	16
17	0·03	0·04	-	0·47	-	-	0·07	0·07	0·22	0·23	-	-	17
18	-	0·13	0·03	0·04	-	-	-	0·07	0·12	0·03	1·40	-	18
19	0·02	0·01	0·05	0·14	-	-	-	0·05	0·08	-	0·28	0·40	19
20	0·17	-	0·13	0·17	-	-		-	-	-	0·04	0·10	20
21	-	-	0·28	0·04	0·01	-	0·04	-	-	-	-	0·42	21
22	-	0·12	0·01	-	0·05	0·04	-		-	0·05	0·01	0·48	22
23	0·02	0·35	-	0·01	-	0·13	-	0·03	-	0·01	0·10	0·35	23
24	-	1·28	-	0·06	-	-	-	0·03	-	-	-	0·13	24
25	-	0·08	0·15	-	0·01	-	-	0·15	-	0·08	0·10	0·02	25
26	0·03	0·13	-	-	-	0·02	-	-	-	0·11	0·07	-	26
27	-	0·14	0·21	-	-	-	-	0·03	-	0·11	-	-	27
28	-	0·20	1·00	-	-	0·02	-	-	-	0·02	-	0·15	28
29	-	0·37	-	-	-	0·22	-	0·92	-	0·25	-	0·10	29
30	-	X	-	-	0·02	0·02	-	0·10	-	0·04	-	-	30
31	-	X	-	X	-	X	-	0·02	X	0·01	X	0·01	31
Total	0·78	4·82	4·17	1·49	2·16	1·19	1·55	1·79	1·25	1·76	3·20	2·69	YEAR'S TOTAL 26·85
Rain Days.	13	23	23	16	14	14	11	14	10	22	15	17	192

W. 8,000, VIII. 16

Section **A** **for the entry of Daily Observations** **Station No.**..........

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 19~~5~~16

Kept at Kesteven County Asylum - Sleaford.

in the County of Lincolnshire

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft. Diameter of Funnel of Gauge..........in.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf.**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0·8	-	2·5	-	-	3·5	3·8	-	-	-	8·9	-		1
2	4·3	0·5	4·1	-	13·2	0·8	5·6	-	0·3	4·0	1·3	-		2
3		5·1	1·0	0·5		-	8·9	-	7·4	6·0	1·0	-		3
4	3·8	6·8	-	-	7·9	5·3	-	-	11·4	3·8	7·1	-		4
5	0·2	0·3	0·3	-	0·5	1·3	3·0	-	-	1·8	2·5	-		5
6	0·8	3·1	10·1	1·5	1·0	-	5·6	-	-	-	6·3	-		6
7	0·2	-	5·6	-	3·1	-	6·1	-	-	0·5	3·1	3·1		7
8	-	-	3·3	-	-	-	-	-	-	1·5	0·3	5·3		8
9	-	-	2·0	-	8·6	0·8	-	-	0·5	-	-	1·8		9
10	-	0·3	3·3	1·3	-	-	-	-	0·8	1·8	-	1·3		10
11	2·0	13·7	8·4	3·3	-	1·3	-	-	-	-	-	1·0		11
12	0·8	0·3	2·0	1·3	10·1	5·1	1·3	-	-	0·3	-	-		12
13	-	3·0	2·5	0·5	6·3	0·8	-	2·3	-	0·3	-	0·5		13
14	-	5·6	0·8	0·5	1·0	-	-	3·3	0·5	0·3	-	-		14
15	-	7·6	10·2	0·3	0·8	-	1·3	0·8	0·3	0·5	-	-		15
16	-	3·8	2·5	5·1	-	-	1·0	1·8	-	-	-	0·5		16
17	0·8	1·0	-	11·9	-	-	1·8	1·8	5·5	5·8	-	-		17
18	-	3·3	0·8	1·0	-	-	-	1·8	3·0	0·8	35·6	-		18
19	0·5	0·3	1·3	3·6	-	-	-	1·3	2·0	-	7·1	10·1		19
20	4·3	-	3·3	4·3	-	-	-	-	-	-	1·0	2·5		20
21	-	-	7·1	1·0	0·3	-	1·0	-	-	-	-	10·7		21
22	-	3·0	0·3	-	1·3	1·0	-	-	-	1·3	0·3	12·2		22
23	0·5	8·9	-	0·3	-	3·3	-	0·8	-	0·3	2·5	8·9		23
24	-	32·5	-	1·5	-	-	-	0·8	-	-	-	3·3		24
25	-	2·0	3·8	-	0·3	-	-	3·7	-	2·0	2·5	0·5		25
26	0·8	3·3	-	-	-	0·5	-	-	-	2·8	1·8	-		26
27	-	3·5	5·3	-	-	-	-	0·8	-	2·8	-	-		27
28	-	5·1	25·4	-	-	0·5	-	-	-	0·5	-	3·8		28
29	-	9·4	-	-	-	5·5	-	23·3	-	6·3	-	2·5		29
30	-	×	-	-	0·5	0·5	-	2·5	-	1·0	-	-		30
31	-	×	-	×	-	×	-	0·5	×	0·3	×	0·3		31
99 TOTAL	19·8	122·4	105·9	37·9	54·9	30·2	39·4	45·5	31·7	44·7	81·3	68·3	682·0	
* Days with 0.2 mm. or more														
* Days with 1.0 mm. or more														
OFFICE USE ONLY	·78	4·82	4·17	1·49	2·16	1·19	1·55	1·79	1·25	1·76	3·20	2·69	26·85	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed).......... [P.T.O.

Exd C

2472

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
7. FEB 1918

Kept at Kesteven County Asylum Sleaford
in the County of Lincoln
by Dr. John Alfred Ewan

Lat. 52' 59" N Long. 0. 27 W
Time of Observation 9 a. m
Nearest Railway Station Rauceby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0.01	-	0.17	-	-	-	0.75	0.15	-	0.02	0.03	1
2	0.03	-	-	-	-	0.10	-	0.22	-	-	0.04	-	2
3	-	0.09	-	0.03	-	-	-	0.63	-	0.14	-	-	3
4	-	0.13	0.10	-	-	-	-	0.05	-	0.48	-	-	4
5	0.23	-	0.04	0.14	-	-	-	0.02	-	-	0.11	-	5
6	-	-	-	-	-	-	-	-	-	0.10	0.05	-	6
7	0.25	-	0.08	-	-	-	-	-	-	0.25	-	-	7
8	0.40	-	-	0.10	-	-	0.13	0.85	-	0.35	0.07	-	8
9	0.10	-	0.07	0.06	-	-	-	0.06	-	-	0.05	0.02	9
10	0.20	0.01	0.41	0.05	0.04	-	-	0.11	-	0.10	0.02	-	10
11	0.01	-	0.06	0.20	-	-	-	0.08	-	0.17	-	-	11
12	0.1.0	0.02	-	0.03	0.20	-	-	0.13	-	0.16	-	0.02	12
13	0.02	-	0.03	-	-	0.02	-	0.17	-	0.02	0.02	-	13
14	0.20	-	-	0.06		-	-	0.02	-	-	-	0.02	14
15	0.06	-	-	-	0.05	-	0.07	0.05	-	0.08	0.02	0.05	15
16	0.08	0.20	-	0.07	-	-	-	-	-	0.03	-	0.15	16
17	-	0.03	0.03	0.18	0.34	0.05	0.05	-	0.04	0.10	-	0.05	17
18	0.10	-	-	0.03	0.03	-	0.45	-	0.45	-	-	-	18
19	0.09	0.09	0.11	-	0.54	-	-	0.01	0.09	-	-	-	19
20	0.02	0.28	0.08	-	0.16	-	-	0.05	0.20	-	0.31	-	20
21	-	0.03	0.05	0.01	-	0.15	-	-	-	0.01	-	-	21
22	0.04	-	0.25	-	-	-	-	0.06	0.01	0.07	-	-	22
23	-	0.01	-	-	0.07	-	-	0.27	0.07	0.02	-	-	23
24	-	-	-	-	-	0.21	0.18	-	-	0.13	0.10	-	24
25	-	0.02	0.04	-	-	-	-	-	-	-	0.04	0.02	25
26	-	-	0.08	-	-	-	-	0.38	0.08	-	0.25	0.04	26
27	-	-	0.01	-	-	0.14	0.03	0.43	-	-	-	0.04	27
28	-	0.01	0.07	-	-	0.30	-	0.23	-	-	-	0.11	28
29	-	X	-	-	0.18	0.08	0.04	-	-	0.28	-	0.04	29
30	0.14	X	-	-	-	-	0.05	0.16	-	-	-	0.10	30
31	-	X	0.21	X	-	X	0.03	0.11	X	-	X	-	31
Total	2.07	0.93	1.72	1.13	1.61	1.05	1.03	4.84	1.09	2.49	1.10	0.69	YEAR'S TOTAL 19.75
Rain Days.	17	13	17	13	9	8	9	22	8	17	13	13	169

W. 8,000, IX. 17.

1.72

Section A **for the entry of Daily Observations**

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 19~~5~~17

Kept at Kesteven County Asylum. Sleaford.

in the County of Lincolnshire

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 100 ft.

Diameter of Funnel of Gauge .... in.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf.**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
17	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	0.2	-	4.3	-	-	-	19.0	3.8	-	0.5	0.8		1
2	0.8	-	-	-	-	2.6	-	5.6	-	-	1.0	-		2
3	-	2.3	-	0.8	-	-	-	16.0	-	3.6	-	-		3
4	-	3.3	2.5	-	-	-	-	1.3	-	12.2	-	-		4
5	5.9	-	1.0	3.5	-	-	-	0.5	-	-	2.8	-		5
6	-	-	-	-	-	-	-	-	-	2.5	1.3	-		6
7	6.4	-	2.0	-	-	-	-	-	-	6.4	-	-		7
8	10.1	-	-	2.5	-	-	3.3	21.6	-	8.9	1.8	-		8
9	2.5	-	1.8	1.5	-	-	-	1.5	-	-	1.3	0.5		9
10	5.1	0.2	10.4	1.3	1.0	-	-	2.8	-	2.5	0.5	-		10
11	0.3	-	1.5	5.1	-	-	-	2.0	-	4.3	-	-		11
12	2.5	0.5	-	0.8	5.1	-	-	3.3	-	4.1	-	0.5		12
13	0.5	-	0.8	-	-	0.5	-	4.3	-	0.5	0.5	-		13
14	5.1	-	-	1.5	-	-	-	0.5	-	-	-	0.5		14
15	1.5	-	-	-	1.3	-	1.8	1.3	-	2.0	0.5	1.3		15
16	2.0	5.1	-	1.8	-	-	-	-	-	0.8	-	3.8		16
17	-	0.8	0.8	4.6	8.6	1.3	1.3	-	1.0	2.5	-	1.3		17
18	2.5	-	-	0.8	0.8	-	11.3	-	11.4	-	-	-		18
19	2.3	2.3	2.8	-	13.6	-	-	0.3	2.3	-	-	-		19
20	0.5	7.1	2.0	-	4.1	-	-	1.3	5.1	-	7.9	-		20
21	-	0.8	1.3	0.2	-	3.8	-	-	-	0.3	-	-		21
22	1.0	-	6.4	-	-	-	-	1.5	0.3	1.8	-	-		22
23	-	0.2	-	-	1.8	-	-	6.9	1.8	0.5	-	-		23
24	-	-	-	-	-	5.3	4.6	-	-	3.3	2.5	-		24
25	-	0.5	1.0	-	-	-	-	-	-	-	1.0	0.5		25
26	-	-	2.0	-	-	-	-	9.6	2.0	-	6.3	1.0		26
27	-	-	0.3	-	-	3.6	0.8	10.9	-	-	-	1.0		27
28	-	0.3	1.8	-	-	7.6	-	5.8	-	-	-	2.8		28
29	-	×	-	-	4.6	2.0	1.0	-	-	7.1	-	1.0		29
30	3.6	×	-	-	-	-	1.3	4.1	-	-	-	2.5		30
31	-	×	5.3	×	-	×	0.8	2.8	×	-	×	-		31
99 TOTAL	52.6	23.6	43.7	28.7	40.9	26.7	26.2	122.9	27.7	63.3	27.9	17.5	501.7	
* Days with 0.2 mm. or more														
* Days with 1.0 mm. or more														
OFFICE USE ONLY	2.07	.93	1.72	1.13	1.61	1.05	1.03	4.84	1.09	2.49	1.10	.69	19.75	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(*Signed*) .... [P.T.O.

Exd CJe

21

FORM A.
BRITISH RAINFALL
16.1.19

REGISTER OF RAINFALL IN 1918

Kept at Kesteven County Asylum
Sleaford
in the County of Lincoln
by Dr. John Alfred Ewan

Lat. 52.5.9" n Long. 0.27 W
Time of Observation 9 am
Nearest Railway Station Rauceby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01								0·10	0·01	0·13	0·07	1
2	0·03	0·20	0·01	0·05				0·68		0·03	0·02	0·20	2
3	0·01	0·05	0·07		0·41	—		0·20	0·03		0·64		3
4		0·02	0·04					0·03	0·80	0·01	0·30	0·02	4
5			0·05	0·01	0·10			0·39	0·20	0·03			5
6		0·02		0·18		0·05			0·30	0·03		0·01	6
7	0·25	0·02		0·02		0·03			0·03	0·10	0·07		7
8			0·01	0·01					0·11	0·03		0·05	8
9	0·03	0·55		0·20		0·03	0·03		0·25	0·41		0·02	9
10		0·02		0·02		0·01	0·28			0·22		0·04	10
11	0·03	0·02		0·10	0·37				0·05	0·29		0·03	11
12	0·08	0·18	0·01	0·01	0·12		0·12		0·02	0·01		0·01	12
13		0·01		0·05	0·13				0·21			0·01	13
14	0·27	0·01		0·05		0·02	0·15		0·18	0·04		0·07	14
15	0·39			0·25		0·03	0·08		0·12			0·10	15
16				0·20					0·17			0·03	16
17	0·15			0·03	0·91		0·60		0·05	0·04		0·15	17
18	0·21			0·03		0·02	0·20		0·25			0·21	18
19	0·03	0·01	0·05	0·04		0·01				0·07		0·30	19
20	0·03	0·03		0·05		0·03	0·05						20
21	0·03			0·01					0·15	0·10			21
22	0·13				0·03	0·05	0·02			0·02		0·30	22
23	0·06				0·30		0·10				0·03		23
24		0·15			0·01		0·14		0·03	0·02	0·02	0·03	24
25						0·05	0·20	0·15			0·12		25
26							0·13	0·07	0·02		0·19	0·02	26
27		0·01		0·05		0·03	0·11	0·23	0·08		0·12	0·05	27
28		0·24	0·14						0·02		0·25	0·50	28
29									0·51		0·01	0·04	29
30		X	0·18	0·03					0·03		0·14	0·21	30
31		X	0·05	X		X			X		X	0·07	31
Total	1·74	1·54	0·61	1·39	2·38	0·36	2·21	1·75	3·71	1·46	2·04	2·49	YEAR'S TOTAL 21·68 ✓
Rain Days.	16	16	10	20	9	12	14	7	23	17	13	24	181 ✓

W, 6,500. VII. 18. W W C

2324

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Kesteven County Asylum
in the County of Lincoln
by Dr. Alfred Ewan

Lat 52' 59 n Long 0.27 W
Time of Observation 9 a.m
Nearest Railway Station Rauceby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·17	0·05	0·03		0·17		0·37			0·02	0·08	0·38	1
2	0·16	0·02					0·40		0·30		0·12	0·06	2
3	0·70		0·01				0·53		0·14		0·35	0·02	3
4	0·06		0·38			0·08		0·08	0·02		0·05	0·28	4
5	0·08	0·03						0·01	0·67			0·07	5
6	0·01		0·02		0·10						0·06	0·07	6
7	0·02		0·20										7
8	0·06		0·01	0·08							0·10	0·02	8
9										0·01	0·03		9
10			0·14	0·02						0·02	0·05	0·07	10
11	0·06		0·35	0·03	0·08		0·32				0·05	0·01	11
12			0·42	0·07		0·07	0·03				0·02		12
13	0·15			0·20					0·15	0·02	0·02		13
14	0·24			0·10			0·03		0·07	0·01	0·03	0·01	14
15	0·13	0·10	0·07	0·17							0·10	0·25	15
16		1·04		0·03				0·02			0·05		16
17		0·37				0·03					0·20	0·01	17
18								0·10				0·09	18
19		0·15	0·65			0·05	0·63	0·43	0·20		0·03	0·02	19
20	0·33	0·07	0·35			0·07	0·26	0·30	0·03		0·01	0·07	20
21	0·27	0·40	0·07			0·03	0·33		0·01		0·02	0·15	21
22		0·25	0·02				0·01		0·33		0·03	0·35	22
23			0·01	0·06		0·06	0·03		0·03	0·70		0·02	23
24				0·08	0·20	0·13	0·01			0·10	0·07		24
25	0·08	0·02		0·15	0·36	0·02		0·65			0·02	0·02	25
26	0·03	0·01	0·09	0·08				0·13	0·07	0·02	0·04	0·28	26
27	0·20	0·10		0·55						0·08	0·01	0·08	27
28				0·03			0·01	0·65		0·15		0·35	28
29	0·11					0·06		0·18		0·35	0·35	0·06	29
30	0·03	×	0·02	0·25		0·23				0·02	0·04	0·28	30
31	0·05	×	0·01	×		×	0·05		×	0·25	×	0·10	31
TOTAL	2·94	2·61	2·85	1·90	0·91	0·83	3·01	2·55	2·02	1·75	1·93	3·12	YEAR'S TOTAL 26·42
Days with ·01 in. or more	20	13	18	15	5	11	14	10	12	13	25	25	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1.04 in on Feb 16

[illegible]

2229

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kesteven County Asylum
in the County of Lincoln
by Dr. John Alfred Ewan

Lat. 52'55" N Long. 0.27" W
Time of Observation 9 a.m.
Nearest Railway Station Rauceby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·26	0·21		0·15			0·25	0·02	0·07	1
2				0·35			0·02		0·10	0·04		0·07	2
3		0·03		0·12		0·06	0·12		0·09	0·05		0·01	3
4				0·20			0·05	0·33	0·08	0·27		0·03	4
5			0·04	0·03	0·13		0·09	0·11	0·04			0·04	5
6			0·04	0·02	0·02		0·17	0·01				0·10	6
7	0·02	0·02	0·05	0·15			0·03					0·03	7
8	0·01	0·03		0·45									8
9	0·22	0·07		0·70				0·47		0·01			9
10	0·17	0·03	0·03	0·05			0·01	0·06			0·03	0·02	10
11	0·20		0·05	0·45	0·08		0·01	0·02				0·24	11
12	0·08			0·17		0·12	0·04	0·02	0·01		0·02	0·20	12
13	0·03	0·02	0·10	0·35		0·57		0·03	0·01			0·13	13
14	0·01	0·02	0·52	0·11		0·12	0·02		0·10	0·06	0·12	0·02	14
15	0·01	0·06	1·20	0·10			0·02		0·02	0·12	0·03	0·11	15
16				0·12	0·03				0·05	0·02		0·01	16
17					0·08		0·01		0·35	0·03		0·01	17
18	0·11				0·17	0·09		0·10	0·11			0·01	18
19	0·06	0·32		0·11		0·10		0·09	0·01			0·02	19
20	0·11	0·46		0·56		0·30	0·03				0·02		20
21				0·10			0·13	0·06	0·01				21
22	0·02			0·16			0·03	0·02	0·20				22
23							0·17		0·01			0·25	23
24			0·15	0·02								0·05	24
25	0·07	0·08	0·06	0·12	0·11	0·08	0·65						25
26	0·08		0·03	0·02	0·23		0·06	0·01				0·02	26
27	0·08	0·02		0·09	0·02	0·33					0·27	0·25	27
28	0·46		0·10	0·02	0·16		0·05				0·03	0·04	28
29	0·06		0·20	0·01	0·56		0·04		0·01	0·04	0·05	0·35	29
30		✕		0·11		0·05	0·02		0·13		0·07	0·25	30
31	0·13	✕	0·03	✕		✕	0·10		✕	0·25	✕	0·15	31
TOTAL	1·87	1·16	2·60	4·95	1·80	1·82	2·02	1·33	1·33	1·14	0·66	2·48	YEAR'S TOTAL 23·16
Days with ·01 in. or more	19	12	14	27	12	10	23	13	17	11	10	25	193
Days with ·04 in. or more	11	5	11	21	9	10	13	7	10	8	4	15	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.
SLEAFORD
RAUCEBY HALL GDNS.
1911–1918
1917 A/B

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIS

Kept at Rauceby Ha ... 5 in.

Ground 1 ft.

in the County of Lin ... Sea Level 124 ft.

by Head Gardener. J ... m.

Name Rauceby

Distance 1 mile Direction S

IMPORTANT NOTE.—R ... measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.02	04			.01	.03	1
2	.16		01		.07			.09			.01	.04	2
3	.02	.03		03	.08			.14		.01	.03	.01	3
4	.03	04	22	.10					.08	.09	.09	.27	4
5	.03			07				.07		.06		.04	5
6	.36		.01					.01		.17	05	.28	6
7	.01										.09	.17	7
8	.26		.12								.01	.14	8
9	.02										.30	.04	9
10		.04	.03					.02			.26	.48	10
11	.25										.30		11
12	.06		.26						.10		.04	.01	12
13			.14			.15			.07	.04	.04	.33	13
14	.01		05		.27	.06					.01	.45	14
15		.05	.16						08	.06	.03	.01	15
16			.12			.05				.01	.15	.07	16
17			.02			.06					.03	.06	17
18		.20	.02			.03					.50	.03	18
19	.03	.05				.08	.01	.03		.05	.25	.07	19
20		.05		.03			.02	.30	03		.01	.33	20
21		.38								.10	.02	.04	21
22			.06					23		.33	.06	.17	22
23		.05	.18		.01	1.07		03	.55			.08	23
24	.01	.01	.06	.03		.63				.46		.20	24
25		.12	.02	.09				02	.01		.03	.04	25
26				.15	.26					.26	.30	.38	26
27		.10	.17	.08			.22	35	.18	.02	02	.03	27
28		.33		.13		06				.01	04	08	28
29			.01	03		.06	.14		18	.16	01	02	29
30					.22	.05		.03	02	07			30
31			.05		.03					.06		02	31
Total	1.25	1.45	1.71	.74	.94	2.30	.41	1.36	1.30	1.96	2.69	3.92	TOTAL for year 20.03
No. of Rain Days.	13	13	19	10	7	11	5	13	10	17	26	29	173

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Rauceby Hall Gardens

in the County of Lincoln 3

by Head Gardener. J. Hope

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 124 ft.

Time of Observation 9 am.

Nearest Railway Station Name Rauceby
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.02	04			.01	.03	1
2	.16		01		.07			.09			.01	.04	2
3	.02	.03		03	.08			.14		.01	.03	.01	3
4	.03	04	22	.10					.08	.09	.09	.27	4
5	.03			07				.07		.06		.04	5
6	.36		.01					.01		.17	05	.28	6
7	.01										.09	.17	7
8	.26		.12								.01	.14	8
9	.02										.30	.04	9
10		.04	.03					.02			.26	.48	10
11	.25										.30		11
12	.06		.26						.10		.04	.01	12
13			.14			.15			.07	.04	.04	.33	13
14	.01		05		.27	.06					.01	.45	14
15		.05	.16						08	.06	.03	.01	15
16			.12			.05				.01	.15	.07	16
17			.02			.06					.03	.06	17
18		.20	.02			.03					.50	.03	18
19	.03	.05				.08	.01	.03		.05	.25	.07	19
20		.05		.03			.02	.30	03		.01	.33	20
21		.38								.10	.02	.04	21
22			.06					23		.33	.06	.17	22
23		.06	.18		.01	1.07		03	.55			.08	23
24	.01	.01	.06	.03		.63				.46		.20	24
25		.12	.02	.09				02	.01		.03	.04	25
26				.15	.26					.26	.30	.38	26
27		.10	.17	.08			.22	35	.18	.02	02	.03	27
28		.33		.13		06				.01	04	08	28
29			.01	03		.06	.14		18	.16	01	02	29
30					.22	.05		.03	02	07			30
31			.05		03					.06		02	31
Total	1.25	1.45	1.71	.74	.94	2.30	.41	1.36	1.30	1.96	2.69	3.92	TOTAL for year 20.03
No. of Rain Days.	13	13	19	10	7	11	5	13	10	17	26	29	173

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
7 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rauceby Hall Gds.

in the County of Lincoln 3

by John Hope for Rev V. F. Willson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 3 ft. in.
„ „ „ Sea Level 125 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Rauceby
Distance 1 Mile Direction S to SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						'11	'12		'10			Melted Snow '40	1
2		Snow '09	'01	'01			'50		'01				2
3	'19		'10		'02	'31		'50	'10	'01		'08	3
4	'03		'38		'06	'12		'21	'01		'31		4
5	Snow&rain '02	Snow '02				'23		'08	'02		'01		5
6	'72	Snow&rain '12			'01		'25	'15				'03	6
7		'03				'06		'12	'10			'01	7
8	Snow '36	'21	'17	'01		'01	'05	'01	'33			'05	8
9	'04	'10	'07	'20		'38				Fog '01		'14	9
10		'01		'03		'17		'34	'01	"	'10		10
11	'05	'04	'01		'01	'04		'03	'02	"	'06	'60	11
12	'09	'27	'05			'58	T&Lightning 27	'02		"	'26		12
13	'01	'02				'02		'03		'03	'31		13
14	09		'33			19		'07	'01				14
15		'02	'03		'27	'15		'01				'07	15
16	'34		'09		12	'02		'10		'08	'02		16
17	Snow '17		'24			'25		'15				'35	17
18	Snow&rain '10		'10							'02	'03	'01	18
19	rain '28	'12					'17	'32		'06	'02		19
20	'16	'01	'20		T&Lightning '07		'88	'02		'21			20
21			'29		'45		'59	'04		'01	Fog 04	'01	21
22	'01	'05	'02		Thunder&light. '97	'01	'39	'46		'01		'10	22
23	'12	'07	'21				'82	'57		Fog	Fog '08	'03	23
24	'19		'01			'05	'21	'07	'01	"		'15	24
25	'04					52		'29		Dense fog '02	'25	'18	25
26			'03				'21	1 '47		Dense fog '59	'12	27	26
27	'01					'13	'09	'04		'49		'10	27
28					'27	'04	'02	'40	'01	Gale '25	Snow&rain '48	'48	28
29		'01				·03	'13	'01	'68	Gale 21	Snow&rain '17		29
30	04		01		25	'42			'10	'03			30
31			05		Thunder&light 54		48	'26		'03		02	31
Total	3 '09	1 '19	2 '40	'25	3 '04	3 '84	5 '18	5 '77	1 '51	2 '06	2 '26	3 '08	TOTAL for year 33 '67
No. of Rain Days.	21	16	20	4	12	22	16	26	14	16	15	19	201

W. 8,000, X. '11. Our Rainfall is +9 '01 above our Twenty three years Average

Cor. by B. & sur. stats. 11. IV. 14
J. by obs. 4. V. 14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Rauceby Hall Gardens
in the County of Lincoln 3 24 Rl
by J Hope gardener

Lat. .... Long. ....
Time of Observation 9 a
Nearest Railway Station Rauceby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 152 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·03					·72		·03		1
2	·01	·04	·01	·06			·05		·02				2
3			·06		·42				·01			·02	3
4	·39				·07						to ·17	11	4
5	·03					·06	·03		·09	·70	·02		5
6	·01		·01		·65	15	·51			2·57			6
7					·08	·04				·77			7
8			·01		·36	·23				·66	·08		8
9		·31	·04	·02	·01	06	·07			·34	·08		9
10	·02			·06	·02		·02				·38		10
11	1·52			·56		01					·38		11
12		·01		·31							·25		12
13	·08	·01	·03	·03				·06	·02		·24	·01	13
14	·08	·02	·39	·02						08			14
15	09		·31	·26					·02		·09		15
16	·01	·08	·77	·06					·22		·02		16
17	·01	·03	·15	·02		07			·28		·01		17
18			·18	·12			·04					·03	18
19	·05		·03				01		·04			·02	19
20	·12		·04	·07					·03	·43	·02		20
21			·15		·03		·07				·18		21
22	·20		·26					·04	·20				22
23			·02			15	·01	·01	·05				23
24	03			·04		·04		05			·01		24
25	01	·01		·07		·02				01		01	25
26		·13	·15	·07		·07				31	·06	·18	26
27		·03	·01	·02		·05				02	·01		27
28	·20		·38	·16						03		·03 ✕	28
29	·01		·18	·36	·04				·01	03		·16 ✕	29
30	·30			·13				·07		·07		02 ✕	30
31					·11								31
Total	~~2·17~~	·67	3·28	2·17	1·79	·85	·81	·23	1·71	6·02	2·03	·59	YEAR'S TOTAL ~~22·32~~
Rain Days.	19	10	21	20	10	12	9	5	13	13	17	10	159

W.7,000, XI. 13 3·17

23·32

3 JUN 1914

Rainfall at Rauceby January 1913

1		
2		·01
3		
4		·39
5		·03
6		·01
7		
8		
9		
10		·02
11	1	·52
12		
13		·08
14		·08
15		·09
16		·01
17		·01
18		
19		·05
20		·12
21		
22		·20
23		
24		·03
25		·01
26		
27		
28		·20
29		·01
30		·30
31		
	3	·17.

Rauceby Hall
~~June~~
June 2/14

Sir

The observations & records are made by J Hope the head gardener here. I showed him yr letter & here is his answer. I may perhaps give another example of the variableness of rainfall at two stations close together. On May 22-23/14 the rainfall here was 1·94 & at the County Asylum 1¼ miles South under ·70 & at Sleaford 2½ East not what we had

Yrs truly
Vere F H Willson

W ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
8 - JAN 1915

Kept at Rauceby Hall
in the County of Lincoln 3
by J Hope for Rev Tere F Willson

Lat. Long.
Time of Observation 9a
Nearest Railway Station Rauceby
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·40	·28		·01	·05		1
2	·01		·02				·06	·12			·09	·25	2
3			·11		·15		·14	·20			·02		3
4	·20			·24				·03			·54	·17	4
5		·01	·11	·15	·07	·01	·19	·14					5
6		·03		03	·10		04				·02	·07	6
7		·10	·32	·04	·07	·26					·01	·10	7
8	·11	·02			·16	70	02	·15	·23			·01	8
9	·46	·01	·17	·13		1·05		·03	·05	·01			9
10	·47	·06	·09	·07					·06			·01	10
11		·03	·26	·30	·06	·06			·05		·47	·25	11
12		·01	·04				·23		·32			·30	12
13	·02	·07	·16							·16	·24	·10	13
14	·02	·01	·10				·09			·22	·07	·26	14
15	·02		·14				01			·01	·03	·34	15
16	·08		·05				03		·02		·02		16
17	·02	·15	·03						·12		·01	·13	17
18	·02		·02			·27	·21					·31	18
19		07	*15				·02		·01		·05	·03	19
20	·01	09	*37							·02		·02	20
21		24	·12			07		·08		·08	·02	14	21
22			·02		1·16		·21	·06		·18			22
23		03	·02		·05	10	·04			·01		*13	23
24	·01		·04	·09			01			·03	·32		24
25		·01	·09				·05	·08		·61		·32	25
26			·07					·12		·08	27	·36	26
27	·01									·01	·09	·16	27
28	·04	03								·02	·25	1·15 *	28
29	·02		·08	·02	·06					·40	·02		29
30		╳		·02		·05				·04	·20	·19	30
31		╳		╳		╳	·30		╳	·07	╳	·34	31
Total	1·52	·97	2·49	1·09	1·88	2·57	2·05 ✓	1·29	·86	1·96	2·79	4·84	YEAR'S TOTAL 24·31 ✓
Rain Days.	16	17	22	10	9	9	17	11	8	17	20	23	179

W. 8,000. X. 14.

2168

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

12 JAN 1916

Kept at Rauceby Hall
in the County of Lincoln
by J Hope gardener to Rev Vere F Willson

Lat. .... Long. ....
Time of Observation 9a
Nearest Railway Station Rauceby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·09			29		·19		·09		·18	·11	1
2	·02	·03	·12	·13		·06		·86	·11		·03	01	2
3	·40		·07	·08			·25	50	·09		·01	·17	3
4	30				·10		1·06	·22				·99	4
5	·03	·20						·07			·08	·41	5
6	·05	·16	·05	·04			·78	·01				·03	6
7	·23	·29	·06				·31	·41				53	7
8	·10	·08		·07			·19	·01			·04		8
9	·06	·05							01		·02	42	9
10	·25	·01	·01			01		·02			·02		10
11	·02		·05	·01	·39		·06	·08			·45	*19	11
12	·10		·01	·23	·15			·17			·95		12
13		·67			·55				·04				13
14									·03	·04	·01	·23	14
15	·25	·03			·01			·48			*·43	·11	15
16		·30					·65					·02	16
17		04					·15					·01	17
18		·13	*·18								·06	·01	18
19		·02	*02				·06			·02			19
20	*·25		01					·09				·40	20
21	·25	·04					·17					·02	21
22	·12		·22	·07			·21					·19	22
23	·02	*21	·01	·01			·10		08	·04	·02	·17	23
24	·03		·12				·03		·52	·05		·10	24
25	·01		·03			·42	·07			·01		·17	25
26	·01	*13	·01				·03					·29	26
27	01	*14	·02			01	·41			·65		·08	27
28		·14	·14			11		·22		·18			28
29	f·				·01			·06			·20	·53	29
30	·10	X				01	01			·01	·03	·06	30
31	·02	X		X		X		·19	X	·13	X	12	31
Total	2·81	2·76	1·13	·64	1·50	·62	4·67	3·39	·97	1·13	2·53	5·37	YEAR'S TOTAL 27·52
Rain Days.	23	19	17	8	7	6	18	15	·8	9	15	25	170

W. 8,000. X. 15.

✓ 2604

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Rauceby Hall
in the County of Lincoln
by J Hope Head Gardener

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·03	·18			·10	·12				·22		1
2	·16	·18	·21		·56		·34		·09	·20	·09		2
3		·29	05	·03			·54		·24	·29	·04		3
4	·14			·01	·33	·26			·51	·14	·39		4
5	·01	·10	·01*	8	03	·10	·07			07	·11		5
6	·03		·35*	·07	·09		·26				·30	·02	6
7			·26*		·14		·24			·06	·14	·13	7
8			·11*							·04	·01	·24	8
9			·09*		·40	·03			·02				9
10		·06	·20*	·06			·01		·04	·11		·10	10
11	·10	·50	25	·15		·07	·02		·01			·04	11
12	·03	·02	·06	·07	·44	·20	·04			·01			12
13		·12*	·09	·02	·26	·02		·14				·03	13
14		·16		·02	·04			·17	·01	·02		·01	14
15		·20	·45		·03		·08	·02	·01	·01			15
16		·13	·10	·25	·01		·03	·07				02	16
17	·03	·05	·01	·40			07	·04	·27	·26			17
18	·01	13		·04		·01		·11	·16	·06			18
19	·02	·01	·05	16				·07	13		1·50	·14*	19
20	·21		·21	·17							·32	·21*	20
21			·29	·04	·01		·04				·02	·38*	21
22		·13*	01		·10	·12				·06	·01	·52*	22
23	02	·43*				·11		·03		·02	·01	·39*	23
24		1·21+		·07				·03		·05	·11	·15	24
25		·10	·19				·01	·17		·04		·01	25
26	·03	·18				·01				·10	·15		26
27		·13	·90					02	·01	·26	·07	·02	27
28		·22	·78			·03				·02		·14	28
29		·30	·01			·38		·94		·28		·12	29
30		X						·08		·08			30
31		X		X		X		·01	X	·03	X		31
Total	·83	4·68	4·86	1·56	2·44	1·44	1·87	1·90	1·50	2·21	3·49	2·67	YEAR'S TOTAL 29·45
Rain Days.	13	22	·23	15	13	13	14	14.	·12	22	·16	18	195

W. 8,000, VIII. 16

Excd 920

22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7. 1. 19

Kept at Rauceby Hall

in the County of Lincoln

by Arthur Willson

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Rauceby

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	.03	·01						.13	.02	·14	·07	1
2	·01	·19	.02	·05				.60		.02	·06	·24	2
3		·03	.07		·42			·16	·03	.01	·55		3
4		·01	·05					·03	.72	·01	·35	.02	4
5	·01		·02	·02	·13			·25	·19	.05		.01	5
6		·03				·05			.15	·07		.02	6
7	·13	·03		.16		·02			·01	.03	·10	·01	7
8	·05						·04		·10	·04		·04	8
9	·01	·49		·20		·04	.13		·28	·44		.02	9
10	·03			·02			·35			·24		.05	10
11	.10	·03		.08	·35				·08	.27	·01	.03	11
12		.18	·01		.19		·11		.02	·02		.02	12
13				·04	·11				·23	·01		.02	13
14	·32	·01		.06		·03	·15		·24	·07		.13	14
15	·62			·25		·04	·09		·07		·01	·09	15
16				·26		·03			·13			·03	16
17	·16			·02	1·16		·61		·07	·06		·16	17
18	·19			·03		.04	·14		·25			·25	18
19	·03	·02	·05	·05						·07		·31	19
20	·03	·05		·05		·04	·29		·01	·02	·01		20
21	·03					·04			·19	·11	·01	·02	21
22	·16				.08		·02			·01	.02	·30	22
23	.06				.27		.12				·01		23
24		.16			·01		.05		·05	·03	.04	·01	24
25						·10	·21	.20	·02		.09	·02	25
26							·30	·11	.02	·01	·15	.03	26
27		·01		·02		·04	·09	·25	.12		·21	.06	27
28		·32	·17								·25	·53	28
29	·01								·52		·01	·02	29
30	·01	X	·23	·02					·03		·15	·28	30
31	·01	X	·06	X		X			X		X	·01	31
Total	1·99	1·59	·69	1·33	2.72	·47	2·70	1·60	3·66	1·61	2·17	2·80	YEAR'S TOTAL 23·33
Rain Days.	20	15	10	16	9	11	15	7	24	21	18	28	194

W. 6,500, VII. 18. w w c

FORM A.
BRITISH RAINFALL
15.1.19

REGI

LINCOLN
—
SLEAFORD.

1918.

Kept at West Sea H
m.
Sleaford.
in the County of Lincol
auge 5 in.
by Vernon B. Forg
Ground 1 ft. – in.
Sea Level 62 ft.

IMPORTANT NOTI the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02							·14	·02	·13	·09	1
2	·01	·19		·03				·55			·02	·23	2
3		·05	·06		·38			·22	·03	·01	·69		3
4		·01	·04					·04	·75	·01	·29	·02	4
5			·03	·02	·09			·32	·16	·02		·01	5
6		·03		·16		·04			·13	·04		·01	6
7	·09	·02		·04		·03				·07	·08		7
8	·03			·01					·10	·02	·01	·08	8
9	·02	·51		·19		·02	·05		·24	·45		·01	9
10	·03	·01		·02		·04	·25		·01	·23		·04	10
11	·08	·02		·13	·42				·10	·31		·04	11
12		·17	·01		·07		·10		·02	·01		·02	12
13		·02		·03	·16				·19			·01	13
14	·28			·05		·02	·16		·14	·05		·09	14
15	·58			·22		·02	·10		·15			·10	15
16				·22		·05			·19			·02	16
17	·14			·02	·55		·53	·06	·06	·04		·14	17
18	·21			·02		·02	·18		·23				18
19	·03	·02	·07	·04		·03	·01			·07		·21	19
20	·02	·04		·04		·04	·10		·01	·01		·37	20
21	·03								·15	·10			21
22	·13				·02	·03	·03		·01			·29	22
23	·06				·23		·13						23
24		·15			·02		·09		·05	·03	·02	·01	24
25						·23	·23	·19			·17		25
26							·17	·10	·02	·01	·15	·02	26
27		·01		·03		·03	·15	·22	·10		·18	·06	27
28		·28	·13						·01		·25	·46	28
29		X							·51		·01	·02	29
30		X	·19	·03					·03		·15	·10	30
31		X	·04	X		X		·01	X		X		31
Total	1·75	1·55	·57	1·30	1·94	·60	2·28	1·71	3·53	1·50	2·15	2·45	YEAR'S TOTAL 21·33
Rain Days.	16	16	8	18	9	13	15	9	25	18	13	24	18~~5~~4

W. 6,500, VII. 18. W W O

FORM A.
BRITISH RAINFALL
15. 1. 19

REGI

Kept at West Sea House, Sleaford,
in the County of Lincoln,
by Vernon B. Loughbutt

Time of Observation 9 a.m.
Nearest Railway Station Sleaford.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 62 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02							·14	·02	·13	·09	1
2	·01	·19		·03				·55			·02	·23	2
3		·05	·06		·38			·22	·03	·01	·69		3
4		·01	·04					·04	·75	·01	·29	·02	4
5			·03	·02	·09			·32	·16	·02		·01	5
6		·03		·16		·04			·13	·04		·01	6
7	·09	·02		·04		·03				·07	·08		7
8	·03			·01					·10	·02	·01	·08	8
9	·02	·51		·19		·02	·05		·24	·45		·01	9
10	·03	·01		·02		·04	·25		·01	·23		·04	10
11	·08	·02		·13	·42				·10	·31		·04	11
12		·17	·01		·07		·10		·02	·01		·02	12
13		·02		·03	·16				·19			·01	13
14	·28			·05		·02	·16		·14	·05		·09	14
15	·58			·22		·02	·10		·15			·10	15
16				·22		·05			·19			·02	16
17	·14			·02	·55		·53	·06	·06	·04		·14	17
18	·21			·02		·02	·18		·23				18
19	·03	·02	·07	·04		·03	·01			·07		·21	19
20	·02	·04		·04		·04	·10		·01	·01		·37	20
21	·03								·15	·10			21
22	·13				·02	·03	·03		·01			·29	22
23	·06				·23		·13						23
24		·15			·02		·09		·05	·03	·02	·01	24
25						·23	·23	·19			·17		25
26							·17	·10	·02	·01	·15	·02	26
27		·01		·03		·03	·15	·22	·10		·18	·06	27
28		·28	·13						·01		·25	·46	28
29		✕							·51		·01	·02	29
30		✕	·19	·03					·03		·15	·10	30
31		✕	·04	✕		✕		·01	✕		✕		31
Total	1·75	1·55	·57	1·30	1·94	·60	2·28	1·71	3·53	1·50	2·15	2·45	YEAR'S TOTAL 21·33
Rain Days.	16	16	8	18	9	13	15	9	25	18	13	24	184

W. 6,500, VII. 18. W W O

LINCOLN.

SPILSBY.

1911 – 1916

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG

Kept at Spilsb

in the County of Lin

by Dr. J. W.-

in.

nd 1 ft. 0 in.

Level 160 ft.

Spilsby (G.N.R.)

nce 400 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29		·01							·10	·05	·03	1
2	·35		·02		·12	·16	·03			·06	·04	·11	2
3	·04	·03		·06	·12			·19		·13	·02	·01	3
4	·10	·01	·15	·14					·07	·42	·13	·29	4
5	·02			·11				·04		·03		·20	5
6	·30		·03					·05		·26	·18	·26	6
7	·01		·01								·14	·27	7
8	·23	·01	·20							·04	·10	·11	8
9	·02		·18	·02							·02	·01	9
10	·07	·02	·14								·33	·25	10
11	·35	·20									·39		11
12	·29		·38						·18		·04	·03	12
13			·35			·25						·33	13
14		·06	·16		·49					·05	·07	·39	14
15		·21	·15						·10	·01	·06	·06	15
16			·09			·05					·21	·15	16
17	·01		·01			·02					·04	·12	17
18		·06	·02			·56					·34	·04	18
19					·01	·61	·09	·60	·05	·04	·21	·01	19
20	·02	·06		·12			·05	1·22	·30	·06	·04	·41	20
21		·31						·47		·03	·02	·04	21
22	·04	·01	·08			·04		·06		·11	·09	·21	22
23		·06	·33			1·57			·74			·08	23
24		·08	·05	·06		1·18				·62		·09	24
25			·04	·26		·10					·06	·12	25
26				·13						·33	·36	·30	26
27		·14	·15	·39				·64	·25	·04	·01	·05	27
28		·30		·28		·02		·06		·05	·05	·07	28
29	·01		·01	·03		·21	·23		·62	·41	·01	·03	29
30					·15	·01			·30	·12			30
31			·03									·04	31
Total	2·15	1·56	2·59	1·60	·89	4·78	·40	3·33	2·61	2·91	3·01	4·11	TOTAL for year 29·94
No. of Rain Days.	16	15	22	11	5	13	4	9	9	19	25	29	177

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Spilsby

in the County of Lincoln

by Dr. J. W. Walker

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 160 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Spilsby (G.N.R.)
Distance 400 yds Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29		·01							·10	·05	·03	1
2	·35		·02		·12	·16	·03			·06	·04	·11	2
3	·04	·03		·06	·12			·19		·13	·02	·01	3
4	·10	·01	·15	·14					·07	·42	·13	·29	4
5	·02			·11				·04		·03		·20	5
6	·30		·03					·05		·26	·18	·26	6
7	·01		·01								·14	·27	7
8	·23	·01	·20							·04	·10	·11	8
9	·02		·18	·02							·02	·01	9
10	·07	·02	·14								·33	·25	10
11	·35	·20									·39		11
12	·29		·38						·18		·04	·03	12
13			·35			·25						·33	13
14		·06	·16		·49					·05	·07	·39	14
15		·21	·15						·10	·01	·06	·06	15
16			·09			·05					·21	·15	16
17	·01		·01			·02					·04	·12	17
18		·06	·02			·56					·34	·04	18
19					·01	·61	·09	·60	·05	·04	·21	·01	19
20	·02	·06		·12			·05	1·22	·30	·06	·04	·41	20
21		·31						·47		·03	·02	·04	21
22	·04	·01	·08			·04		·06		·11	·09	·21	22
23		·06	·33			1·57			·74			·08	23
24		·08	·05	·06		1·18				·62		·09	24
25			·04	·26		·10					·06	·12	25
26				·13						·33	·36	·30	26
27		·14	·15	·39				·64	·25	·04	·01	·05	27
28		·30		·28		·02		·06		·05	·05	·07	28
29	·01		·01	·03		·21	·23		·62	·41	·01	·03	29
30					·15	·01			·30	·12			30
31			·03									·04	31
Total	2·15	1·56	2·59	1·60	·89	4·78	·40	3·33	2·61	2·91	3·01	4·11	TOTAL for year 29·94
No. of Rain Days.	16	15	22	11	5	13	4	9	9	19	25	29	177

W. 8,000, X. '11.

cor for with 10-11-13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

24 JAN 1913

Kept at Spilsby, Lincs

in the County of Lincolnshire 4

by S. Thompson Dran

Lat. 53° 10' N. Long. 0° 5' E

Time of Observation 9 am

Nearest Railway Station Spilsby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·04	—	·20	·21	·08	·12	—	—	·61	1
2	—	·10	—	—	—	·05	·46	—	—	·05	—	·05	2
3	·22	·07	—	—	·07	·29	—	·36	·10	—	—	·10	3
4	·07	—	·29	—	·02	·42	—	·04	·01	—	·37	—	4
5	·07	·10	—	—	—	·13	—	·06	—	—	—	—	5
6	·76	·11	—	—	·05	—	·39	·12	·21	r	·01	·04	6
7	·03	—	—	—	—	·10	—	·10	·10	—	—	—	7
8	·28	·09	·08	·02	—	·07	·25	—	·31	—	—	·02	8
9	·02	·11	·02	·10	—	·09	—	—	·06	—	—	·30	9
10	—	—	—	—	—	·01	—	·32	·25	·02	·08	—	10
11	·13	—	—	—	·01	—	—	—	·03	—	·06	·38	11
12	·07	·24	·21	—	—	·17	—	—	—	—	·82	—	12
13	·02	·03	—	—	—	—	·02	·04	—	·02	·66	—	13
14	·07	—	·08	—	—	·07	—	·10	·01	—	·03	·02	14
15	—	—	·22	—	·41	·29	—	—	—	—	—	—	15
16	·13	—	·15	—	·09	·13	—	·20	—	·21	—	—	16
17	·19	—	·23	—	—	·40	—	·25	—	—	—	·12	17
18	·21	—	·13	—	—	—	·08	·01	—	·06	—	·05	18
19	·36	·26	—	—	—	·02	·07	·30	·01	·01	·04	—	19
20	·13	—	—	—	·13	—	·82	·08	—	·20	—	—	20
21	—	—	·49	—	·37	—	·08	—	—	—	·06	·02	21
22	—	·12	—	—	·95	·11	·36	·15	—	·62	—	·19	22
23	·14	·08	·16	—	·04	—	·01	·47	—	—	·15	·07	23
24	·20	—	·04	—	—	·10	·24	·01	—	—	·18	·12	24
25	·02	—	—	—	—	·21	·02	·58	—	·01	·14	·39	25
26	—	·02	·06	—	—	·02	·08	1·86	—	·47	—	·15	26
27	—	—	—	—	—	·04	·05	·20	—	·38	·44	·21	27
28	—	—	—	·07	·03	—	—	·55	—	·26	·60	·45	28
29	—	—	—	—	—	—	·34	·03	·56	·17	—	—	29
30	·02	—	·01	—	·08	·01	·05	—	·34	·07	—	—	30
31	—	—	·15	—	·10	—	·50	·26	—	·11	—	—	31
Total	3·14	1·33	2·35	·23	2·35	2·93	4·03	6·07	2·21 2·11	2·06	3·64	3·29	YEAR'S TOTAL 33·53 33·53
Rain Days.	20	12	16	4	13	21	18	23	13	15	14	18	187

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 JAN 1914

Ex. Hol

Kept at Spilsby

in the County of Lincs 4

by L. Thompson Dean

Lat. 53° 10' N Long. 0° 5' E

Time of Observation 9 am

Nearest Railway Station Spilsby

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·09	·05	–	–	–	–	1·42	–	·05	–	1
2	·01	·01	·04	–	·03	–	·10	–	–	–	~~·0~~	–	2
3	–	–	·12	–	·33	–	–	–	–	–	–	–	3
4	·45	–	–	–	·14	–	·06	–	·03	·39	·25	·08	4
5	–	–	–	–	–	–	–	–	·04	2·18	·01	–	5
6	–	–	–	–	·27	·14	–	·01	–	·94	–	–	6
7	–	·02	–	–	·06	·06	–	–	–	·72	–	–	7
8	–	–	–	–	·63	·15	–	–	–	–	·13	–	8
9	–	·26	·02	·02	·09	·03	–	·22	–	–	·07	–	9
10	–	–	–	·04	–	–	·14	–	–	–	·31	–	10
11	·77	–	–	·49	–	·02	–	–	–	–	·02	–	11
12	–	–	–	–	–	·02	–	–	–	–	·10	–	12
13	·05	·01	·02	–	–	–	–	·01	–	–	·39	–	13
14	·05	–	·37	·01	–	–	–	–	–	·07	–	–	14
15	·09	·02	·15	·34	–	–	–	–	·23	–	·03	–	15
16	·04	·06	·49	·04	–	–	–	–	·23	–	·04	·03	16
17	·03	·02	·27	·06	–	·20	–	–	·50	·01	–	·07	17
18	–	–	·13	·05	–	–	·01	–	–	~~·01~~	–	·05	18
19	·10	–	–	–	–	–	–	–	·13	–	–	·01	19
20	·35	–	·03	·01	–	–	–	–	·01	·30	·06	–	20
21	·13	–	·05	–	·03	–	·34	–	–	–	·14	–	21
22	·09	–	·13	–	–	–	·18	·33	·07	–	–	–	22
23	·04	–	–	–	–	–	·04	·04	·04	·03	–	–	23
24	·04	–	–	·06	–	–	–	·10	–	–	·05	–	24
25	–	–	–	·10	–	–	–	–	–	–	–	·02	25
26	–	·18	·02	·02	·12	–	–	–	–	·40	·10	·15	26
27	–	·05	–	–	–	·04	–	–	–	–	–	–	27
28	·21	–	·10	·12	–	–	–	–	·01	·10	–	·02	28
29	·14	–	·12	·32	·01	–	–	·02	–	·03	–	·28	29
30	·29	–	–	·02	·11	–	–	–	–	·03	–	–	30
31	–	–	–	–	·03	–	–	·01	–	–	–	–	31
Total	2·88	·63	2·15	1·75	1·85	·66	·87	·74	2·71	5·20	1·75	·71	YEAR'S TOTAL 21·90
Rain Days.	17	9	16	16	12	8	7	8	11	12	15	9	140

W. 7,500, XI. 12

~~W.~~ hg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Spilsby
in the County of Lincoln 4
by Dr. L. Thompson Dean

Lat. 53° 10' N Long. 0° 5' E
Time of Observation 9 a.m.
Nearest Railway Station Spilsby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·07	·55			·11		1
2								·11			·07	·06	2
3			·11		·15		·04						3
4	·13		·07	·17							·30	·06	4
5			·18		·03		·03	·17					5
6		·06		·06	·15		·09	·02			·09	·06	6
7		·01	·26		(·05)	·09						·05	7
8	·21	·05	·02		·18	·93		·14	·11				8
9	·30		·14	·18		1·08			·03				9
10	·58	·05							·06				10
11			·28	·34	·04	·03			·11		·36	·18	11
12	·07						·16		·16			·40	12
13	·04	·10	·26							·08	·09	·15	13
14			·16				·06			·10	·26	·23	14
15	·05		·25								·26	·40	15
16	·04		·05				·02		·04		·07		16
17		·21							·20	·01	·01	·18	17
18							·02		·02			·30	18
19			·17				·04		·18		·11	·04	19
20	·03	·01	·36			·06	~~·04~~			·17			20
21		·14	·11					·01		·01		·20	21
22				·03	·28		·09	·08		·16		·12	22
23		·07	·01	·03		·01	·04					·11	23
24			·01	·05				·06		·08	·21		24
25	·01			·07			·01	·04		·60	·01	·06	25
26							·03	·13		·09	·19	·35	26
27												·24	27
28	·03	·05								·06	·21	1·55	28
29	·06		·07							·46			29
30		×								·02	·25	·26	30
31		×		×		×	·25	·01	×	·08	×		31
Total	1·55	·75	2·51	·93	·88	2·20	~~[illegible]~~ ·95	1·31	·91	1·92	2·60	5·00	YEAR'S TOTAL 21·51
Rain Days.	12	10	17	8	7	6	14	11	9	13	16	20	143

W. 8,000. X. 14.

cndly mm stats 29·III·16 ~~N~~ 78

2701

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Spilsby

in the County of Lincoln

by Dr. L. Thompson Dean

Lat. 53°10′ N. Long. 0°5′ E.

Time of Observation 9 a.m.

Nearest Railway Station Spilsby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·30			·41				·23		·25	·06	1
2	·01	·04	·35	·11		·01		·54	·09		·19		2
3	·33		·03	·05			·45				·05	·21	3
4							1·77	·04			·04	·97	4
5	·08	·03			·13			·25			·09	·28	5
6	·05	·22	·08	·06	·01		·73	(·17) ·07				·05	6
7	·30	·30	·30				·73	·21			·03	·64	7
8	·04	·05					·03	·01		·02	·02		8
9		·05						·20			·05	·36	9
10	·37												10
11	·02				·20		·31	·07			·30	·14	11
12	·09			·20	·19			·45		·04	1·43	·01	12
13		·45			·40			·03	·03			·28	13
14		·34			·01			·40		·01		·07	14
15	·43	·02					·18	·01		·01	·63	·10	15
16		·23					·75	·07				·10	16
17	·35	·09					·12			·01	·13		17
18		·03	·18							·01	·08		18
19		·08	·01				·08			·30			19
20	·20			·01						·01		·38	20
21	·14	·15					·35					·05	21
22	·39		·14				·17					·18	22
23	·07	·16					·30		·05	·01	·07	·10	23
24			·18				·31		·25	·08		·21	24
25	·02					·20	·02			·10	·08	·13	25
26	·05	·12	·02	·01		·01	·03			·01	·01	·48	26
27	·01	·06	·05				·07			·47		·06	27
28		·05	·07			·26		·15	·06	·27			28
29							·01	·07		·01	·31	·25	29
30	·13	✕		·01			·01				·01	·01	30
31	·14	✕		✕		✕		·20	✕	·17	✕	·15	31
Total	3·62	2·77	1·41	·45	1·35	·48	6·42	2·87	·71	1·53	3·77	5·27	YEAR'S TOTAL 30·65
Rain Days.	21	19	11	7	7	4	19	16	6	16	18	24	168

90. X. 15.

2636

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 19

Kept at Spilsby
in the County of Lincoln
by Dr. L. T. Dean

Lat. 53°10′N. Long. 0° 5′E.
Time of Observation 9 a.m.
Nearest Railway Station Spilsby (G.N.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·02			·08	·18				·35		1
2	·20	·09	·08		·31		·18		·01	·08	·10		2
3		·07	·03				·75		·29	·27	·03		3
4	·20	·23	·02		·20	·31			·06	·13	·26	·18	4
5	·05		·11		·01	·66				·24	·07	·09	5
6	·02	·15	·44	·16	·06		·08				·23		6
7	·01		·28		·31		·20				·62	·09	7
8			·09		·04				·01		·03	·19	8
9			·11		·42	·25			·03			·20	9
10		·02	·12	·05		·27	·03	·21	·11	·15		·06	10
11	·08	·50	·27	·15		·36	·01					·01	11
12	·01	·02	·13		·10	·35	·10			·02		·03	12
13		·10	·07		·08			·12				·01	13
14		·02			·15			·01		·01			14
15		·18	·61					·07	·03	·07			15
16		·11	·06	·30			·04	·21		·02		·17	16
17	·03		·01	·45			·15	·03	·27	·12			17
18		·13		·16				·39	·08	·12	·72		18
19	·21			·19				·30	·04		·26	·08	19
20	·09		·12	·01				·12			·12	·23	20
21		·09	·20	·43			·07				·02	·59	21
22		·20	·01		·09					·06		·40	22
23	·01	·33				·20	·03	·01		·04	·09	·45	23
24		1·11				·02		·08		·19		·10	24
25		·13	·13					·21		·13	·11	·05	25
26		·30						·02		·05	·19		26
27		·15	·70							·11			27
28		·20	1·00			·10				·03		·20	28
29		·13				·32		·59		·14		·20	29
30		✗						·16		·09			30
31	·02	✗		✗		✗		·12	✗	·01	✗		31
Total	·96	4·26	4·61	1·90	1·77	2·92	1·82	2·65	·93	2·08	3·20	3·33	YEAR'S TOTAL 30·43
Rain Days.	13	21	22	9	11	11	12	16	10	21	15	19	180

W. 8,000, VIII. 16

LINCOLN.
SPILSBY
HAGNABY PRIORY
1911 - 1918

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIST

Kept at Hagnaby Prior
in the County of Lincol
by S Pocklington

in.
ound ft. in.
Level 46 ft.
me Spilsby
(Distance 4½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-30		-02				-01	-14		-04	-04	-03	1
2	-28		-03		-12	-07		-02		-07	-03	-10	2
3	-04	-07		-10	-15			-15		-16	-03		3
4	-10	-03	-14	-17					-10	-33	-13	-26	4
5			-06	-18				-06		-02		-19	5
6	-35			-01				-05		-16	-11	-25	6
7	-02	-02	-18								-15	-27	7
8	-24	-01								-04	-13	-10	8
9	-02		-03	-06		-02					-01		9
10	-04	·06	·11	-01				-21			-40	-27	10
11	-40	-13									-41		11
12	-25	-01	·30		-02				-42		-02	-02	12
13			-56		-58	-18				-05		-35	13
14		-04	-20			-02			-04		-07	·43	14
15		-16	-21							-03	-07	-04	15
16			-09			-07					-23	-15	16
17			-01			-04					-03	-13	17
18		-06	-04			-34					-44	-06	18
19	-02	-02			·02	-50		-41	-04	-05	-21	-02	19
20	-02			-12			-13	-68	-28	-10	-03	-41	20
21		-35						-41		-02	-04		21
22	-03	-04	-03	-02		·05		-06	-72	-12	-10	-21	22
23		-09	-40	-01	-01	1-35						-08	23
24		-09	-06	-06		1-19				-68		-10	24
25			-10	-29		-12				-05	-13	-11	25
26				-19	-03					-32	·38	-33	26
27		-11	-18	·25				62	-23	-03		-05	27
28	-01	-29	-01	-29		-01		05		-05	-03	-08	28
29			-01	-03		-18	-13		-54	-37		-04	29
30				-01	-19	-03			-18	-15	-02	-01	30
31			-03									-10	31
Total	2:12	1·58	2·80	1·80	1.12	4·17	-27	2·86	2.55	2·84	3.24	4·19	TOTAL for year 29·54
No. of Rain Days	15	17	22	16	8	15	3	12	9	20	24	27	188

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIST

Kept at Hagnaby Priory Spilsby

in the County of Lincolnshire 3

by S Pocklington

RAIN GAUGE
- Pattern
- Diameter of top 8 in.
- Height of top above Ground ft. in.
- " " " Sea Level 46 ft.

Time of Observation 9 AM

Nearest Railway Station
- Name Spilsby
- Distance 4 1/2 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-30		-02				-01	-14		-04	-04	-03	1
2	-28		-03		-12	-07		-02		-07	-03	-10	2
3	-04	-07		-10	-15			-15		-16	-03		3
4	-10	-03	-14	-17					-10	-33	-13	-26	4
5			-06	-18				-06		-02		-19	5
6	-35			-01				-05		-16	-11	-25	6
7	-02	-02	-18								-15	-27	7
8	-24	-01								-04	-13	-10	8
9	-02		-03	-06		-02					-01		9
10	-04	-06	-11	-01				-21			-40	-27	10
11	-40	-13									-41		11
12	-25	-01	-30		-02				-42		-02	-02	12
13			-56		-58	-18				-05		-35	13
14		-04	-20			-02			-04		-07	-43	14
15		-16	-21							-03	-07	-04	15
16			-09			-07					-23	-15	16
17			-01			-04					-03	-13	17
18		-06	-04			-34					-44	-06	18
19	-02	-02			-02	-50		-41	-04	-05	-21	-02	19
20	-02			-12			-13	-68	-28	-10	-03	-41	20
21		-35						-41		-02	-04		21
22	-03	-04	-03	-02		-05		-06	-72	-12	-10	-21	22
23		-09	-40	-01	-01	1-35						-08	23
24		-09	-06	-06		1-19				-68		-10	24
25			-10	-29		-12				-05	-13	-11	25
26				-19	-03					-32	-38	-33	26
27		-11	-18	-25				62	-23	-03		-05	27
28	-01	-29	-01	-29		-01		05		-05	-03	-08	28
29			-01	-03		-18	-13		-54	-37		-04	29
30				-01	-19	-03			-18	-15	-02	-01	30
31			-03									-10	31
Total	2: 12	1.58	2.80	1.80	1.12	4.17	-27	2.86	2.55	2.84	3.24	4.19	TOTAL for year 29.54
No. of Rain Days	15	17	22	16	8	15	3	12	9	20	24	27	188

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

11 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hagnaby Priory Nr Spilsby
in the County of Lincolnshire
by E Pocklington

Lat. 53° 8' 20" Long. 0° 0' 10" E
Time of Observation 9 AM
Nearest Railway Station Spilsby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 46 ft 8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·01		·20	·17	·05	·10	·01	·01	·69	1
2	·01	·15	·03	·01		·04	·54	·33	·10	·05		·05	2
3	·22	·04			·10	·36				·03		·13	3
4	·06		·32		·04	·44		·06	·02		·42	·02	4
5	·11	·11				·14		·11			·02		5
6	·74	·11			·07		·43	·15	·16		·01	·04	6
7	·05					·15		·27	·13			·02	7
8	·33	·11	·08	·07		·10	·31	·02	·32			·02	8
9	·03	·15	·02	·16		·17			·04		·11	·30	9
10	·01	·01		·01		·09		·33	·08				10
11	·11	·02		·01	·01				·02		·02	·50	11
12	·08	·27	·21			·06				·01	·74	·01	12
13	·03	·03						·06		·02	·39		13
14	·05		·11			·18		·14	·02		·02	·03	14
15		·10	·18		·38	·14						·02	15
16	·14		·14		·14	·16		·18		·21	·02		16
17	·26		·23			·31		·18				·19	17
18	·23		·13			·02	·09		·03	·09		·08	18
19	·34	·25				·03	·06	·32		·03	·04	·01	19
20	·11		·01		·14		·55	·14		·24			20
21		·03	·33		·41		·25			·01	·08	·03	21
22		·13			·94	·04	·38	·23				·21	22
23	·11	·06	·20			·17	·30	·57			·15	·07	23
24	·20		·03		·03		·07	·02	·02			·13	24
25	·03					·40	·03	·52		·01	·18	·31	25
26	·02	·02				·03	·07	1·94		·45	·11	·31	26
27			·05				·10	·06		·40		·16	27
28				·05	·07	·09	·10	·53		·24	·44	·41	28
29		·01	·04				·26	·06	·58	·20	·41		29
30			·02		·07	15	·10		·25	·10			30
31			·12		·09		·49	·31		·05			31
Total	3·27	1·64	2·25	=32	2·49	3·47	4·30	6·58	1·87	2·15	3·17	3·74	YEAR'S TOTAL 35·25
Rain Days.	22	18	18	7	13	22	18	23	14	17	17	23	212

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 JAN 1914

Kept at Hagnaby Priory - Spilsby
in the County of Lincolnshire
by Miss Pocklington

Lat. 53 - 8 - 20 N Long. 0 - 0 - 10 E
Time of Observation 9 AM
Nearest Railway Station Spilsby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 46 - 8 in ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			-13	·07					1=10				1
2	01	·03	·04	·02	·11		·08		-01				2
3			·11		·39				·01	·02		·02	3
4	·47	·01			·13	·01	·05		·04	·56	·33	·10	4
5							·01		·06	·95			5
6	·02		·05	·02	·38	·20		·04		·72	·02		6
7		·05		·01	·07	·07				·11	·02	·02	7
8			·02	·04	·54	·20					·10		8
9		·29	·05		·07	·04		·17			·10		9
10				·07	·03		·08				·46		10
11	1·13			·56	·07	·04	·01	·02			·06	·01	11
12		·02				·03					·26		12
13	·05		·04	·02				·04			·29		13
14	·03	·01	·40				·08			·09	·01		14
15	·14	·02	·20	·36					·10		·09		15
16	·12	·07	·45	·11					·33		·07	·02	16
17	·02	·03	·35	·02		·14					·01	·08	17
18	·02		-13	·12			·03	·03				·04	18
19	·10		·07					·03	·21			·02	19
20	·27		·04						·09		·06		20
21	·14	·02	·03	·01	·05		·27	·01		·31	·18		21
22	·12		·14	·01			·13	·16	·10				22
23	·03		·02			·05	04	·05	·08	·01	·05		23
24	·06			·03		·09		·14			·10		24
25				·15						·02		·04	25
26		·20	·04	·06	·15					·52		·17	26
27		·06				07				·01	·02		27
28	-27		·08	·15						·13			28
29	·12		·14	·38	·02			·04		·04		·24	29
30	·30			·02				·01		·09		·02	30
31	01				11			·08		·09			31
Total.	3·43	-81	2·53	2·23	2·12	-94	-78	-82	2-13	3-67	2·23	-78	YEAR'S TOTAL 22·47
Rain Days.	20	12	20	20	13	11	10	13	11	15	18	12	175

W.7,000, XI. 13

Exc MQ.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 -JAN 1915

Kept at Hagnaby Priory Nr Spilsby
in the County of Lincolnshire 3
by E Pocklington

Lat. 53·8 Long. 10 E
Time of Observation 9 AM
Nearest Railway Station Spilsby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 46ft·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·14			·02	·11		1
2							·03	·04			·10	·10	2
3	0·2		·20		·17		·04	·02			·30		3
4	·14		·07	·26		·02		·03					4
5			·16	·03	·22		·05	·25			·01	·10	5
6		·07		·05	·19		·07	·03			·07	·10	6
7		·04	·27		·03	·09						·06	7
8	·30	·06	·04	·03	·20	·91		·15	·02				8
9	·44	·02	·15	·25	·01	1·13		·01	·04	·02		·01	9
10	·52	·07		·03	·01				·06				10
11	·02	·03	·30	·37		·04			·15		·34	·20	11
12	07	·02	·02				·20		·23			·38	12
13	06	·13	·26						·02	·10	·19	·19	13
14		·03	·17							16	·27	·22	14
15	·06		·26								·26	·57	15
16	·06		·10				·04		·04		·07		16
17	04	·25	·01				·02		·19		·03	·18	17
18		·04	·02				·04		·02		·03	·32	18
19			·15				·09		·26		·16	·03	19
20	02		·32			·01				·22			20
21		·12	·20			·02		·07	03	·07		·27	21
22		·01		·05	·77	·02	·09	·10		·20		·11	22
23		·08	·04	·04	·02	·07	09					·10	23
24			·01	·07				·04		·07	·23		24
25					·01		·06	·07		·65	·02	·10	25
26							·04	·18		·10	·27	·42	26
27								·02		·01	·01	·23	27
28	·05	·04					·02			·14	·25	1·50	28
29	·07		12		·02					·45	·02		29
30		X	01	·02		·02	·29			·03	·30	·31	30
31		X		X		X	42		X	·09	X	·09	31
Total	1·87	1-01	2·88	1·20	1.65	2:33	1-73	1.01	1.06	2:33	3=04	5:59	YEAR'S TOTAL 25-70
Rain Days.	14	15	21	11	11	10	17	13	11	15	20	22	180

W. 8,000. X. 14.

2 ✓

2681

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

6 - JAN 1916

Kept at Hagnaby Priory, Spilsby
in the County of Lincoln
by Miss Pocklington

Lat. 53·8·20 Long. - ·10 E
Time of Observation 9 am
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 46 ft 8 ~~ft~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-29	-26	-01		-43				-08		·22		1
2	-02	05	-34	-13		-03		-84	-03		·11	·24	2
3	-35		-06				-39				·09	·92	3
4	·04		-08				1·31	-13			02	·28	4
5	-07	-05			-12		·84	·24			·07	·03	5
6	-08	-22	-30	-09	-03			-21		·03	-05	·74	6
7	-28	-26		·04			·55	·20	-03				7
8	07	-03	-01	·02			·03	-02		·02	·04		8
9		-12	-02			-04		-18			·05	·38	9
10	-35		-02					-02				·01	10
11	-02			-02	·21		-08	-17			·35	·16	11
12	-14			-18	·25		-03	·70		04	1·06		12
13	-02	-54			·40			·49	05		·03		13
14		-27			-06			·39		02		·34	14
15	-25	-03					-10	·31		03	·58	·07	15
16		-24					-80					·06	16
17	-16	-09					·12					·05	17
18		-06	-13								·20	·01	18
19		04	-03				-11			·63			19
20	-23		-02	·04						·11		·43	20
21	-19	-11					-35					·06	21
22	-15		·23	-03			-19					-25	22
23	-07	19	·02				-21		·05	·03	-05	·10	23
24			·20			·01	-02		·35	·08		·20	24
25	-04		-02			·20	-03			·11	·03	·14	25
26	-04	-14	-03			·01	-02			·02	·03	·53	26
27	-01	-08	-03			·02	-10	03		·60			27
28	-01		-09			-12		·10		·32		·07	28
29		-07	-02					·11			·35	·28	29
30	-13	×					-03	·01	-02	·01	·13	·04	30
31	-10	×		×		×		·27	×	·15	×	·19	31
Total	3·11	2·85	1·66	-55	1·50	-43	5·31	4·42	-61	2·20	3·46	5·58	YEAR'S TOTAL 31·68
Rain Days.	24	19	19	8	7	7	19	18	7	15	18	24	185

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

Kept at Hagnaby Priory nr Spilsby
in the County of Lincolnshire
by E Pocklington

RAIN GAUGE.
Lat. 53-8 N Lon. 0 0-18 E
Time of Observation 9 am
Diameter 8 in
Height of top above Ground
" " Sea Level 46 ft

Note.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. Sowerby Wallis or Dr. H. R. Mill, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·03			·09	·28				·33		1
2	·22	·09	·11				·27		·04	12	·07		2
3		·11	·05		·32		·55		·77	·34	·04		3
4	·23	·26	·02		·21	·34	·02		·19	·17	·28	·13	4
5	·06		·10		·02	·17				·25	·10	·09	5
6	·04	·08	·42	·13	·14		·15			·02	·35		6
7	·02	·02	·28		·39		·33			·04	94	·14	7
8	·01		·14		·07						·01	·20	8
9		·02	·11		·40	·30			·03		·02	·22	9
10		·03	·13	·06		·43	·03		·09	·22	·01	·04	10
11	·08	·52	·28	·24	03	·42	·03		·02			·02	11
12	·02	·04	·13	·03	18	·38	·08			·03			12
13		·12	·07	·01	11	·02	·03	·18					13
14		·08	·01		19	·02	·20	·13	·01	·03		·02	14
15		·11	·68		01		·04	·23	·03	·21		·02	15
16		·10	·07	·35			·08	·31		·02		·08	16
17	·05		·02	·56			14	·09	·32	·12	·02	·09	17
18		·16		·12				·32	·07	·20	·83		18
19	·21	·02	·03	·46				·03	·14		·27	·10	19
20	·12		·06	·01				·02			·11	·22	20
21		·02	·18	·27			·16					·59	21
22		20	·02		12	·02				·03		·40	22
23	·02	·36				·84	·02	·01			·12	41	23
24		1·35	·01	·03				·08		·18		·10	24
25		18	20			·03		·25		·11	·14	·07	25
26		13						·03		06	·19		26
27		05	64			03				·14			27
28		21	1.16		01	·03				04	·01	·22	28
29		15	·02			34		·48		·18		·22	29
30								·22		·11			30
31	·02							·08		04		·05	31
Totals	1·17	4·41	4·97	2·27	2·20	3.43	2·41	2·36	1·71	2.66	3·84	3·43	34·86
Rain Days.	14	24	26	12	14	14	16	15	11	22	18	21	207

K/3,000/12/00. EDWARD STANFORD, Cockspur Street, Charing Cross. PRICE 3d.

2483

BRITISH RAINFALL FORM A.
7 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hagnaby Priory Spilsby
in the County of Lincolnshire
by E Pocklington

Lat. 53·8 Long. 0·010E
Time of Observation 9 AM
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 46 ft 8 in ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·1	·06	—	·14				·80	·19		·04		1
2	·17		—	·14		·21		·29	·02		·04		2
3		·32		·15		·03		·54		·37			3
4		01	·09	·02				·01		·47			4
5	25		·07	·15					·16		·20		5
6						·18				·04	·03		6
7	39		07	—		·19				·55			7
8	80		·02	·19				·49		·39	18		8
9	10		·05	·12				·08			·21		9
10	·38		·41	·13	·01			·17	·01	·09	·09		10
11	·10		·02	·86				·05		·26			11
12	·17	·06		03	·66			·91		·20		·05	12
13	25			07				·48	·15	·01			13
14	·27			·13			15	·20				·04	14
15	16			·03			03	·55		·06	·01	·10	15
16	11	·27	·01	·32		09				·07		·41	16
17	02	03	·06	·24	·67			·06	·04	·10		·02	17
18	07	·02		04			48	·11	·43				18
19	12	·16	·12		·02	01			·05			·02	19
20	04	·44	·15					·01	·14		32		20
21	03	·03	·12			·29					·06		21
22			·11		·20			·02		·20			22
23	02	·04						·25		·03		·03	23
24						·28	·07	·01		·21	10		24
25			·03				19			·01	·11	·59	25
26		·01	·13			05		·47	·10		62	·24	26
27			·05			10	·03	·62			—	·05	27
28	01	·03	·15		61	·34		·22			·02	·16	28
29						·05	·03			·35		·04	29
30	10	✕	·10				·08	·16			·01		30
31	05	✕		✕		✕	·31	·13	✕		✕	12	31
Total	3·62	1.48	1·76	2·76	2·17	1.82	1·37	6·63	1.29	3·41	2.04	1.87	YEAR'S TOTAL 30.22
Rain Days.	22	13	18	16	6	12	9	23	10	17	15	13	174

W. 8,000, IX. 17.

35

FORM A.
BRITISH RAINFALL.

7. 1. 19

REGISTER OF ~~exage~~ RAINFALL IN 1918

Kept at Hagnaby Priory nr. Spilsby
in the County of Lincolnshire
by Miss Pocklington

Lat. 53.8.20 Long. 0.0.10
Time of Observation 9 A.M.
Nearest Railway Station Spilsby
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ...... ft. ...... in.
" " " " Sea Level 46-8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					07					03	15	12	1
2	07	14	01	05				20	03	02		42	2
3	02	02	05		24			05	05		89		3
4	02	05	06				03	06	55	01	34	03	4
5		02	02	09	04			49	09	05			5
6		05		24				03		05		03	6
7	23	02		07		09				11	16		7
8			01				13		23	01		18	8
9	19	49		08		05	03		40	54		06	9
10	09	02		02			31			08		08	10
11	11	09		04			34		20	49		23	11
12		24	02	09	17		04		11			03	12
13		03		01	13				12				13
14	33			09			·23		17	10		16	14
15	58			53		03	28		15			19	15
16				18					55			03	16
17	20			04	20		65	02	06	03		17	17
18	23			17		02	09		34	12		28	18
19	08	02	05	09		02		01		09			19
20	04	14				07	07		05	08			20
21	03					10			20	06			21
22	15			03	04		02					47	22
23	14				1.30		14		01				23
24		26			·13		03		08	04	04		24
25			02			77	15	18	03		02		25
26							19	46	08		11	04	26
27			02	12		02		33	04		08	12	27
28	02	14	22								08	32	28
29									65		03	03	29
30		×	29						16		06	15	30
31		×	07	×		×		20	×		×	05	31
Total	2.53	1.73	84	1.94	2.32	1-17	2.73	2.03	4-35	1-91	1.96	3-19	YEAR'S TOTAL 26-70
Rain Days.	17	15	12	17	9	9	16	11	23	17	11	21	178 days

W. 6,500, VII. 18. W W C

REC

LINCOLN.

SPILSBY

"ASHBY ROAD"

1911 – 1920.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at ASHBY ROAD

in the County of LINC

by J. Jarvis Rai

N

in.

round 1 ft. - in.

a Level 160 ft.

me SPILSBY

stance 600 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36		·01							·07	·05	·02	1
2	·55		·02		·12	·13	·04			·04	·02	·10	2
3	·03	·03		·06	·10			·18		·08	·01	·01	3
4	·09	·02	·12	·12					·08	·40	·12	·30	4
5	·01			·04				·03		·01		·19	5
6	·30		·03					·03		·28	·16	·24	6
7	·01		·01								·13	·24	7
8	·23	·01	·19								·09	·10	8
9	·01		·20	·03						·03	·02	·03	9
10	·08	·10	·12								·31	·18	10
11	·31	·20									·37		11
12	·22		·34						·17		·02		12
13	·07		·32			·26				·03		·32	13
14		·06	·35		·46						·05	·32	14
15		·22	·11						·09	·01	·03	·03	15
16			·09			·04					·20	·13	16
17			·02			·02					·02	·12	17
18		·05	·01			·68					·32	·04	18
19	·02				·01	·61	·08	·61	·06	·04	·18	·01	19
20		·06		·09			·05	1·28	·31	·05	·02	·38	20
21		·32						·43		·03	·01	·02	21
22	·04	·01	·06			·04		·05		·08	·07	·18	22
23		·07	·28			1·47			·74			·08	23
24		·06	·04	·08		1·07				·60		·09	24
25			·01	·21		·08					·07	·10	25
26				·13						·29	·33	·30	26
27		·12	·14	·34				·56	·23	·02	·01	·02	27
28	·01	·28		·28		·02		·05		·04	·03	·05	28
29			·01	·03		·21	·23		·52	·37	·01	·03	29
30					·15	·01			·37	·07		·01	30
31			·02									·02	31
Total	2·34	1·61	2·50	1·41	·84	4·64	·40	3·22	2·57	2·54	2·65	3·66	TOTAL for year 28·38
No. of Rain Days	16	15	22	11	5	13	4	9	9	19	25	29	177

9,000, IX. '10.

✓

REC

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at ASHBY ROAD. SPILSBY

in the County of LINCOLN 4

by J. Jarvis Rainey

RAIN GAUGE
Pattern SNOWDON
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 160 ft.

Time of Observation 9 am

Nearest Railway Station
Name SPILSBY
Distance 600 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36		·01							·07	·05	·02	1
2	·55		·02		·12	·13	·04			·24	·02	·10	2
3	·03	·03		·06	·10			·18		·08	·01	·01	3
4	·09	·02	·12	·12					·08	·40	·12	·30	4
5	·01			·04				·03		·01		·19	5
6	·30		·03					·03		·28	·16	·24	6
7	·01		·01								·13	·22	7
8	·23	·01	·19								·09	·10	8
9	·01		·20	·03						·03	·02	·03	9
10	·08	·10	·12								·31	·18	10
11	·31	·20									·37		11
12	·22		·34						·17		·02		12
13	·07		·32			·26				·03		·32	13
14		·06	·35		·46						·05	·32	14
15		·22	·11						·09	·01	·03	·03	15
16			·09			·04					·20	·13	16
17			·02			·02					·02	·12	17
18		·05	·01			·68					·32	·04	18
19	·02				·01	·61	·08	·61	·06	·04	·18	·01	19
20		·06		·09			·05	1·28	·31	·05	·02	·38	20
21		·32						·43		·03	·01	·02	21
22	·04	·01	·06			·04		·05		·08	·07	·18	22
23		·07	·28			1·47			·74			·08	23
24		·06	·04	·08		1·07				·60		·09	24
25			·01	·21		·08					·07	·10	25
26				·13						·29	·33	·30	26
27		·12	·14	·34				·56	·23	·02	·01	·02	27
28	·01	·28		·28		·02		·05		·04	·03	·05	28
29			·01	·03		·21	·23		·52	·37	·01	·03	29
30					·15	·01			·37	·07		·01	30
31			·02									·02	31
Total	2·34	1·61	2·50	1·41	·84	4·64	·40	3·22	2·57	2·54	2·65	3·66	TOTAL for year 28·38
No. of Rain Days	16	15	22	11	5	13	4	9	9	19	25	29	177

9,000, IX. '10.

921 213

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at ASHBY ROAD SPILSBY

in the County of LINCOLN 4

by J. Jarvis Rainey

Lat. 53" 10° N Long. 0" 5° E

Nearest Railway Station SPILSBY

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 160 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·05		·25	·28	·06	·13			·70	1
2		·05				·01	·44			·05		·06	2
3	·13	·08			·06			·33	·12	·01		·12	3
4			·27		·01	·42		·01	·02		·35		4
5	·06					·13		·06			·01		5
6	·56				·03		·37	·13	·24		·01	·03	6
7	·06				·01	·09		·14	·09				7
8	·19	·07	·06	·02		·05	·27		·26			·03	8
9	·02	·10	·02	·08		·11			·04			·30	9
10				·01		·02		·30	·27		·07		10
11	·11	·01	·01		·02				·02		·06	·38	11
12	·06	·21	·19			·18					·80		12
13	·01	·03					·03	·02			·62		13
14	·04		·07			·09		·08	·02	·01	·03	·03	14
15		·01	·21		·40	·27						·01	15
16	·08		·13		·04	·11		·18		·21	·01		16
17	·11		·20			·38		·15				·12	17
18	·19		·10			·01	·10	·01		·06	·01	·05	18
19	·33	·24				·03	·06	·32	·02	·01	·03		19
20	·13				·14		·63	·06		·21			20
21			·48		·36		·04				·05	·02	21
22		·12			·82	·13	·36	·10		·02		·18	22
23	·15	·07	·15		·03	·01	·02	·52			·14	·07	23
24	·15		·03			·12	·24	·01	·01			·12	24
25	·03					·22	·03	·54		·01	·18	·39	25
26		·02	·05			·02	·11	1·72		·45	·12	·15	26
27							·04	·16		·41		·21	27
28				·07	·03	·05	·01	·60		·24	·48	·43	28
29				·01			·32	·02	·51	·19	·48		29
30			·02		·09	·01	·05		·36	·06			30
31			·11		·10		·48	·31		·09			31
Total	2·41	1·01	2·12	·24	2·14	2·71	3·88	5·63	2·11	2·03	3·45	3·40	31·33 TOTAL for year
No. of Rain Days.	18	12	17	6	14	22	19	23	14	15	17	19	196

1000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at ASHBY ROAD. SPILSBY

in the County of LINCOLN

by J JARVIS RAINEY

4

Lat. 53°-10° N Long. 0° 5° E

Time of Observation 9 a.m.

Nearest Railway Station SPILSBY

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·05					1·28		·07		1
2	·01	·02	·05	·01	·01								2
3			·12		·33					·13			3
4	·45				·18		·06		·03	·47	·29	·11	4
5							·01	·01	·01	2·37			5
6	·01				·27	·21		·03		·92			6
7		·03			·06	·15				·64			7
8				·01	·65	·10	·01				·12		8
9		·27	·02	·01	·08	·02		·20			·09		9
10				·04	·01		·13				·33		10
11	·45			·42		·03					·01		11
12		·01		·03		·06					·13		12
13	·10		·02	·01							·39		13
14	·02		·35	·02						·08		·01	14
15	·12	·02	·16	·26					·24		·07		15
16	·04	·06	·10	·03					·26		·06	·03	16
17	·04	·03	·55	·06		·23			·32			·09	17
18	·03		·21	·07	·02		·02					·05	18
19	·08		·01						·12			·02	19
20	·37		·04						·01	·30	·08		20
21	·11		·06	·01	·02		·33				·15		21
22	·09	·01	·09				·10	·33	·05				22
23	·05					·02	·07	·04	·05	·02			23
24	·05			·07		·12		·06			·07		24
25				·10								·01	25
26		·18	·03	·03	·11	·01				·30	·10	·16	26
27		·05				·03					·02		27
28	·18		·09	·12		·02				·12			28
29	·14		·11	·35	·02			·03		·02		·27	29
30	·29			·02	·13					·04			30
31					·05			·01					31
Total	2·63	·68	2·11	1·72	1·94	1·00	·73	·71	2·37	5·41	1·98	·75	YEAR'S TOTAL 22·03
Rain Days.	19	10	17	20	14	12	8	8	10	12	15	9	154

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at ASHBY ROAD SPILSBY
in the County of LINCOLN 4
by J. JARVIS RAINEY

Lat. 53°·10° Long. 0°·5°
Time of Observation 9 a.m.
Nearest Railway Station SPILSBY
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·05	·60					1
2								·12			·18	·05	2
3			·13		·15		·03						3
4	·14		·05	·19							·27	·08	4
5			·20	·03	·05		·02	·16					5
6		·08		·09	·12		·08	·02			·07	·04	6
7		·05	·30		·06	·05						·05	7
8	·20	·02		·01	·21	·74		·12	·10				8
9	·30		·13	·20		·96			·02				9
10	·45	·06		·01	·01				·06				10
11		·01	·27	·34	·04	·02			·10		·32	·14	11
12	·09	·01			·02		·18		·14			·36	12
13	·03	·12	·24							·08	·10	·15	13
14	·01	·01	·21				·07			·11	·18	·15	14
15	·05		·24								·24	·46	15
16	·05		·03				·02		·03		·07		16
17	·01	·22							·20	·01	·01	·16	17
18			·02				·03		·03			·25	18
19			·16				·04		·18		·10	·02	19
20	·02	·02	·30			·07				·16		·01	20
21	·04	·15	·16									·19	21
22				·03	·29	·01	·09	·08		·16		·11	22
23		·08	·02	·03		·05	·04					·13	23
24			·01	·05	·01	·01		·06		·06	·19		24
25		·01					·01			·55	·01	·03	25
26							·02	·18		·09	·19	·39	26
27												·20	27
28	·05	·05								·06	·22	1·25	28
29	·07		·09		·01					·41			29
30		X								·01	·24	·26	30
31		X		X		X	·22	·02	X	·07	X	·12	31
Total	1·51	·89	2·56	·98	·97	1·91	·90	1·36	·86	1·77	2·39	4·60	YEAR'S TOTAL 20·70 ✓
Rain Days.	14	14	17	10	11	8	14	9	9	12	15	22	155 ✓

W. 8,000. X. 14.

2702

FORM A.
BRITISH RAINFALL.
21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at ASHBY ROAD SPILSBY

in the County of LINCOLN

by J. JARVIS RAINEY

Lat. 53°·10° N Long. 0°·5° E

Time of Observation 9 a.m.

Nearest Railway Station SPILSBY

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·28	·01		·41			·02	·22		·20	·05	1
2	·01	·06	·31	·12		·01		·57	·09		·11		2
3	·30		·04	·05			·25					·22	3
4							1·96	·03			·01	·86	4
5	·06				·12			·22			·11	·28	5
6	·03	·21	·08	·07	·01		·75	·21				·03	6
7	·26	·28	·24				·70	·15			·03	·62	7
8	·04						·04	·01		·01			8
9		·10						·24			·06	·35	9
10	·38		·01										10
11	·02				·19		·30	·06			·20	·13	11
12	·08			·19	·09		·06	·44		·04	1·34		12
13		·42			·37			·03	·04		·03		13
14		·22			·02			·46				·28	14
15	·42	·03					·16	·03		·02	·65	·07	15
16		·16					·79	·10			·24	·11	16
17	·20	·13					·07			·04	·03	·10	17
18	·03	·04	·12								·08		18
19		·08					·09			·19			19
20	·19		·02									·36	20
21	·12	·11					·33					·05	21
22	·38	·02	·12				·14					·16	22
23	·07	·15					·31		·05	·01	·08	·11	23
24		·01	·18				·24		·26	·04		·19	24
25	·04					·16	·03			·10	·07	·15	25
26	·06	·11	·02			·03					·03	·39	26
27	·01	·05	·05				·11			·37		·12	27
28		·08	·07			·20	·03	·12	·07	·32			28
29					·01		·02	·04			·28	·24	29
30	·14	X		·02			·01			·01		·01	30
31	·11	X		X		X		·25	X	·15	X	·17	31
Total	3·21	2·54	1·27	·45	1·22	·40	6·39	2·98	·73	1·30	3·55	5·05	YEAR'S TOTAL 29·09
Rain Days.	22	19	13	5	8	4	20	17	6	12	17	23	166

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at ASHBY ROAD. SPILSBY
in the County of LINCOLN
by U. UARVIS. RAINEY.

Lat. 53° 10' N Long. 0° 5' E
Time of Observation 9 am Greenwich
Nearest Railway Station SPILSBY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·01			·08	·21				·32		1
2	·22		·08		·30		·18		·01	·13	·10		2
3		·10					·64		·29	·15	·02		3
4	·21	·25	·05		·19	·29			·07	·18	·25	·17	4
5	·05		·09		·01	·55				·24	·08	·13	5
6	·03	·13	·43	·15	·05	·05	·07				·25		6
7			·35		·32		·21				·63	·10	7
8			·15		·02						·03	·25	8
9			·06		·40	·21			·04			·11	9
10		·02	·08	·06		·18	·05	·24	·08	·16		·05	10
11	·09	·47	·30	·16	·01	·33	·02					·01	11
12	·03	·01	·06		·12	·40	·09			·03		·03	12
13		·12	·07		·07			·11		·01			13
14		·02			·15			·02		·01			14
15		·20	·53				·02	·07	·03	·07		·05	15
16		·12	·05	·32			·03	·21		·01		·12	16
17	·03		·01	·46			·14	·04	·23	·12			17
18		·14		·18				·35	·06	·13	·71		18
19	·12	·01	·01	·19				·41	·06		·19	·05	19
20	·07		·08	·02				·09			·15	·27	20
21		·05	·24	·39			·06				·01	·53	21
22		·18			·10					·05		·40	22
23	·01	·20				·18	·03	·01		·03	·11	·37	23
24		·75		·01		·04	·02	·07		·18		·12	24
25		·45	·14					·21		·13	·11	·02	25
26		·09						·06		·02	·16		26
27		·12	·23							·13			27
28		·16	·53			·13				·02		·23	28
29		·14				·35		·50		·10		·21	29
30		✗						·16		·15			30
31	·02	✗		✗		✗			✗		✗	·02	31
Total	·93	3·43	3·55	1·94	1·74	2·79	1·77	2·55	·87	2·05	3·12	3·24	YEAR'S TOTAL 27·98
Rain Days.	12	21	21	10	12	12	14	15	9	21	15	20	182

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2503

FORM A.
BRITISH RAINFALL.

14 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at ASHBY ROAD. SPILSBY.

in the County of LINCOLN.

by J. JARVIS. RAINEY.

Lat. 53˝ 10° N Long. 0˝ 5° E

Time of Observation 9 am

Nearest Railway Station SPILSBY

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·08				1·00	·11				1
2	·13	·02		·05		·19		·33			·05		2
3		·20		·20		·03		·59		·53			3
4			·01	·04						·23			4
5	·19		·04	·12				·01	·21		·22		5
6						·06					·02		6
7	·37		·02			·55				·64			7
8	·51			·19			·15	·32		·54	·18		8
9	·04		·05	·10				·09			·18		9
10	·27		·35	·08				·19		·18	·11		10
11	·02		·01	·50				·05		·22			11
12	·13	·02		·10	·37			·84		·17			12
13	·13		·01	·05		·01	·07	·20	·20	·01	·01		13
14	·24			·11				·01					14
15	·15			·01			·09	·60		·05		·16	15
16	·10	·23		·35			·03			·06		·45	16
17		·02	·04	·20	·55	·04	·01	·02	·04	·13		·08	17
18	·08			·02	·02		·38	·06	·44				18
19	·10	·07	·13						·01				19
20		·37	·10						·07		·22		20
21		·05	·10			·05					·07	·01	21
22			·06					·01		·11			22
23		·05			·18			·20	·01	·08		·02	23
24					·03	·26	·07			·15	·03	·02	24
25			·03								·10	·19	25
26			·16			·01		·63	·10		·48	·19	26
27							·01	·40				·07	27
28		·02	·11		·23	·46		·17		·02		·14	28
29						·07	·03			·29		·02	29
30	·10	X	·24				·05	·14					30
31	·02	X	·02	X		X	·05	·08	X		X	·06	31
Total	2·58 ✓	1·07 ✓	1·48 ✓	2·20 ✓	1·38 ✓	1·73 ✓	·94 ✓	5·94 ✓	1·19 ✓	3·41 ✓	1·67 ✓	1·41 ✓	YEAR'S TOTAL 25·00 ✓
Rain Days.	16 ✓	11 ✓	17 ✓	16 ✓	6 ✓	11 ✓	11 ✓	21 ✓	9 ✓	16 ✓	12 ✓	12 ✓	158 ✓

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7.2.19

Kept at ASHBY ROAD SPILSBY

in the County of LINCOLN

by J. JARVIS RAINEY.

Lat. 53" 10° N Long. 0" 5° E

Time of Observation 9 a.m.

Nearest Railway Station SPILSBY

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·02					·19		·12	·03	1
2	·08	·07		·10				·21			·03	·48	2
3	·02		·04		·25			·04			·67		3
4	·01	·04						·15	·54		·31	·01	4
5			·01	·09	·05			·37	·05	·04			5
6		·07		·20		·02		·02		·01		·02	6
7	·06	·01		·05		·02			·02	·07	·10		7
8				·01			·27		·11		·04	·15	8
9	·10	·22		·08		·06	·01		·39	·53		·06	9
10	·06			·01			·35			·07		·12	10
11	·10	·05		·06	·42		·42		·14	·37		·18	11
12	·01	·18		·12	·07		·02		·16			·02	12
13		·03			·16				·08				13
14	·25			·07			·23		·25	·11	·02	·19	14
15	·38			·45		·03	·42		·14			·21	15
16	·04			·20					·57	·03		·05	16
17	·20			·07	·25		·64		·02	·03		·16	17
18	·23			·10			·12		·26			·34	18
19	·05		·03	·11						·06		·48	19
20	·02	·09				·02	·12		·04	·03			20
21	·02					·05			·17	·07			21
22	·12			·02		·07					·01	·41	22
23	·13				1·25		·17		·01		·02		23
24		·21		·01	·19		·05		·08	·03	·02		24
25			·04			·35	·25	·21			·04	·02	25
26							·09	·21	·09		·10	·04	26
27				·11		·01		·25	·05		·04	·12	27
28	·01	·15	·13			·02			·02		·03	·25	28
29	·01	X							·59		·03	·02	29
30	·01	X	·28	·02					·17		·07	·20	30
31	·01	X	·06	X		X			X	·05	X	·03	31
Total	1·92	1·13	·59	1·90	2·64	·65	3·16	1·46	4·14	1·50	1·65	3·59	YEAR'S TOTAL 24·33
Rain Days.	22	12	7	20	8	10	14	8	23	14	16	23	177

W. 8,000, IX. 17.

Ex Jl

2354

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 JAN 20

Kept at ASHBY ROAD SPILSBY

in the County of LINCOLN

by J. Jarvis Rainey

Lat. 53" 10° Long. 0" 5° E

Time of Observation 9 a.m.

Nearest Railway Station SPILSBY

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·02	·03		·18		·23			·05	·10	·45	1
2	·15		·01				·19		·08		·12	·13	2
3	·41		·01				·33		·07		·29		3
4	·02		·34			·10		·07			·02	·09	4
5	·14								1·00			·14	5
6			·15								·08	·11	6
7			·11				·01					·09	7
8	·08			·07							·04	·04	8
9										·05	·02		9
10			·19							·13	·12	·07	10
11	·10		·34	·04	·04		·37			·01	·09		11
12			·50			·15	·07		·01	·03			12
13	·27			·17					·03	·09	·18		13
14	·54			·25					·09		·15		14
15	·37	·06		·31							·10	·27	15
16		1·02		·05							·04		16
17		·35			·06	·02					·24	·01	17
18							·03	·14				·16	18
19		·21	·29			·08	·87	·78	·04		·02		19
20	·27	·06	·16			·07	·23	·32	·02			·20	20
21	·27	·49	·05			·14	·15				·04	·15	21
22		·12	·03				·04		·51		·03	·45	22
23			·03	·03		·01	·12	·02	·02	·19	·01	·02	23
24			·01		·34	·08				·03	·08		24
25	·14			·25	·07			·81				·12	25
26		·04	·20	·09				·33	·08	·12	·05	·46	26
27		·05		·51			·01			·45			27
28	·05			·07			·01	·55		·90		·34	28
29	·07			·03		·05		·22		·14	·24	·12	29
30			·04	·11		·19	·13			·04	·13	·25	30
31	·02									·17		·03	31
Total	3·05	2·42	2·49	1·98	·69	·89	2·79	3·24	1·95	2·40	2·21	3·70	YEAR'S TOTAL 27·81
Days with ·01 in. or more	16	10	17	13	5	10	15	9	11	14	22	21	163
Days ·04 in.	14	9	11	11	5	8	11	8	7	11	17	18	130

44,283. Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2254

3 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ASHBY ROAD SPILSBY
in the County of LINCOLN
by J. Jarvis Rainey

Lat. 53° 10' Long. 0° 5' E
Time of Observation 9 a.m.
Nearest Railway Station SPILSBY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·23		·60			·09	·05	·01	1
2				·33	·04		·02		·06	·08		·25	2
3				·04		·02	·07		·07	·03		·15	3
4				·12	·08		·02	·44		·07		·05	4
5			·05		·50		·19	·14	·07			·11	5
6			·03	·04	·08		·09					·15	6
7	·05			·06			·25					·05	7
8	·02	·03		·32	·03						·01		8
9	·24	·04		·86				·30					9
10	·17	·06	·12	·10			·01					·05	10
11	·28		·11	·34	·07		·01					·35	11
12	·06			·19		·02					·04	·17	12
13		·03	·05	·55		·43			·16			·12	13
14	·01		·35	·23		·17	·01		·20		·18	·02	14
15		·07	·58	·01			·01		·18	·22		·02	15
16				·01	·05				·04			·07	16
17					·13				·42			·04	17
18	·05				·03	·36		·72	·07			·01	18
19	·06	·32		·16		·05		·91	·09			·02	19
20	·10	·31		·12		·28	·01		·02				20
21				·03			·26		·18			·03	21
22	·02			·11				·24	·18				22
23							·18					·19	23
24			·25	·02			·02					·10	24
25		·04	·06	·04	·10	·06	·74						25
26	·12	·02	·03	·08	·17		·29						26
27	·06	·06		·15	·02	·37					·19	·15	27
28	·42		·03	·04	·46		·04				·09		28
29	·06		·30		·38		·06				·08	·36	29
30	·09	╳		·13		·05	·04		·10		·07	·26	30
31	·13	╳		╳		╳	·16		╳	·06	╳	·17	31
													YEAR'S TOTAL
TOTAL	1·94	·98	1·96	4·09	2·37	1·81	3·08	2·15	1·84	·55	·71	2·90	24·38
Days with ·01 in. or more	17	10	12	25	15	10	21	6	14	6	8	24	168
Days with ·04 in. or more	14	7	9	20	12	8	13	6	13	5	7	18	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE 1.

LINCOLN.

SPRINGTHORPE RECTORY

1911-1912

FORM A2. BRITISH RAINFALL. 15 APR 1912

Kept at Springtho

in. Ground ft. in.

in the County of

Sea Level ft.

by Rev. B. D

Name Gainsborough

Distance 5 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date | Dec. | Date.

Rev. B. Davies B.D.
Springthorpe Rectory.
Lincoln

24 JAN 1912

A C

September	October	November	December
1			
2		·03	·01
3	·07	·03	·11
4	·18	·18	
5	·11	·04	·02
6	·01	·13	·43 3
7		·04	·16
8		·04	
9			·29
10		·01	·41
11		·18	
12		·05	
13	·11		·39
14		·03	·36
15	·02		
16		·16	
17		·03	·13
18		·46	·06
19	·10	·36	·06
20		·01	·06
21	·09	·05	·42
22	·20	·06	
23		·01	·18
24	·13		·09
25	·05	·08	·11
26	·25	·47	·09
27	·03		·31
28		·02	·02
29	·17		·13
30	·21		·03
31	·04		
Total For Sep. ·94	1·77 ✓	2·47 ✓	3·87 ✓

Total

No. of Rain Days.

TOTAL for year

W. 8,000, X. '11.

RE ... Y.

FORM A2.
BRITISH RAINFALL.
15 APR 1912

Kept at Springthorpe Rectory

in the County of Lincoln

by Rev. B. Davies B.D.

Rain Gauge	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	,, ,, ,, Sea Level ... ft.

Time of Observation

Nearest Railway Station — Name Gainsborough — Distance 5 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Rev. B. Davies B.D.
Springthorpe Rectory.
Lincoln
2 JAN 1912
A.C

	September	October	November	December
1				
2			·03	·01
3		·07	·03	·11
4		·18	·18	
5		·11	·04	·02
6		·01	·13	·43
7			·04	·16
8			·04	
9				·29
10			·01	·41
11			·18	
12			·05	
13		·11		·39
14			·03	·36
15		·02		
16			·16	
17			·03	·13
18			·46	·06
19		·10	·36	·06
20			·01	·06
21		·09	·05	·42
22		·20	·06	
23			·01	·18
24		·13		·09
25		·05	·08	·11
26		·25	·47	·09
27		·03		·31
28			·02	·02
29		·17		·13
30		·21		·03
31		·04		
	Total For Sep ·94	1·77 ✓	2·47 ✓	3·87 ✓

Date	Dec.	Date
1		1
2		2
3		3
4		4
5		5
6		6
7		7
8		8
9		9
10		10
11		11
12		12
13		13
14		14
15		15
16		16
17		17
18		18
19		19
20		20
21		21
22		22
23		23
24		24
25		25
26		26
27		27
28		28
29		29
30		30
31		31
Total		TOTAL for year
No. of Rain Days		

W. 8,000, X. '11.

/

REGISTER OF RAINFALL IN 1912

Ex.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Springthorpe Rectory

in the County of Lincoln 3

by Rev B. Davies B.D.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 75·0 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gainsborough
Distance 5 Direction East by S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
–

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	Snow ·02	·01	–		·20	·08	-	·21	.	·01	·29	1
2	-	-	·05	·02	–	·06	·66	.	·01	-		·12	2
3	·19	-	·05	.	·04	·52	.	·45	-	-		·05	3
4	·04	.	·38	-	·07	·19	-	·06	·16	-	·48		4
5	·01	·02	-	–	·17	·25	-	·01	·02	.			5
6	·60	·21	-	-	·09	·01	·06	·33	+	.			6
7	·02	·07	-	-	·01	·02	.	·18	·06				7
8	·24	·10	·25	·06		·01	-	-	·19			·03	8
9	·02	·17	·01	·14		·33	.	-	.		·03	·02	9
10	-	-	·01	-		·47	-	·01	-		·10	-	10
11	·15	–	.	-		·01	.		.		·03	·77	11
12	·06	·23	·09	-		·28	Thunderstorm ·56		-		·31		12
13	·01	·01	–	-		-		·02	-	·11	·11		13
14	·13	-	·38	.		·08		·05	/				14
15	–	·04	·12	-	·38	·12		-	.				15
16	·29	-	·14	-	·21	·20		·10	.				16
17	Snow ·19	-	·21	–		·19		·19	.	·14		·12	17
18	·16	.	·07	-		-		.	.				18
19	·35	·27	·01	.		·04	·50	·47	.	·03	·03		19
20	·38	·03	.	-	·18	·07	·39	·03		·19	.		20
21	-	.	·34	-	·39	-	·15	.		·04	·02	·17	21
22	-	·06	-	-	·85	·05	·23	·24			.	·01	22
23	·04	-	·17	-	·01	-	·30	·36			·09		23
24	·22	-	.	–	-	-	·05	-					24
25	·02	-	-	-	-	·50	·35	·09			·13	·26	25
26	-	·03	·06	-	-	-	·32	1·13			·10	·19	26
27	-	.	.	–	-	·07	·14	-		·55	-	·09	27
28	-	-	.	-	·06	·07	-	·41		1·09	·97	·32	28
29	.	.	·04	-	-	·25	·13	·02	·65	·24	·14		29
30	.		·01	-	·15	-	-	-	·06	·17	.		30
31	-		·23		·26		·39	·33	.	·05		·01	31
Total	3·12	1·26	2·63	·22	2·87	3·99	4·31	4·48	1·36	2·61	2·55	2·45	TOTAL for year 31·85 ✓
No. of Rain Days.	19	13	20	3	14	23	15	19	8	10	14	14	172 ✓

W. 8,000, X. '11.

LINCOLNSHIRE

STAINBY RECTORY

1911 – 1920

REG

Kept at Stainby

in the County of Lin

by The Rev. W. D

in.

und ft. 9 in.

Level 490 ft.

M.

e Sowd Witham

ance 4 m. Direction S.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

IMPORTANT NOTE.– previous day. If an Obse requested to add the readin for it at the end of this the 'selection and placing Organization are given in " Dr. H. R. Mill, 62, Camde

e result entered to the al rule, he is earnestly in the space provided , of rain, n Rainfall lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-		-	·03	·05	-	-	·05	-	1
2	·12	-	-	-	·8	·		·06	-	-	·03	·07	2
3	·02	-	-	·05	·9	-		·12	-	·03	-	-	3
4	·04	·07	·12	·09		-		-	-	·08	·08	·40	4
5	·03		·03	·07	-	-		·08	-	-	-	-	5
6	·33	-	-	-	-	-		-	-	·25	·	·33	6
7	·02	-	-	-	-	-		·03	-	-	·25	·13	7
8	·22	-	·04	-	-	-		-	·32	-	·03	·10	8
9	·04	-	·12	-	-	-		-	-	-	·15	·03	9
10	·01	-	-	-	-	-		-	-	-	-	·64	10
11	·23	·04	-	-	-	-		·07	-	-	·32	-	11
12	-	-	·34	-	-	-		-	-	-	·9	-	12
13	·09	-	·09	-	-	·01		-	·12	-		57	13
14	-	-	·06	-	·20	-		-	·13		-	54	14
15	-	·11	·15	-	-	-		-	-		·6	-	15
16	-	-	·02	-	-	·03		-	-		·22	·10	16
17	-	·03	-	-	-	·02		-	-			·9	17
18	-	·26	·01	-	-	·15		-	-		·26	·11	18
19	·02	-	-	-	-	·23		·01	-	·19		·06	19
20	·01	·06	-	·04	-	-		·43	·04	-		·45	20
21	-	·20	-	-	-	-		·16	·11	·20	·2	·05	21
22	-	-	·05	-	-	-		·04	·11	·15	·3	·23	22
23	-	·06	·16	-	-	·88			-	-	·1	·40	23
24	-	·07	·02	·01	-	·65		·04	·56	·54	-	·20	24
25	-	·05	-	·10	·45	·02		·01	-	-	·05	·03	25
26	-	·18	~~·07~~	·15	1·09	·04		-	-	·27	·12	·40	26
27	-	-	·09		-	-	·05	·28	·22	-	·12	·06	27
28	-	·23	-	·21	-	·06	·04	-	-		-	-	28
29	-		-		-	·16		-	·20	·20	·04	·01	29
30	-		-	·12	·04	-		-	-	·15	-	-	30
31	-		·02					-		·05		-	31
Total	1·16	1·39	1·42	·84	1·95	2·25	·012	1·38	1·81	2·11	1·91	4·64	TOTAL for year 21·00
No. of Rain Days	13	12	15	9	6	11	3	13	9	11	18	22	142

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 19

Kept at Stainby Rectory
in the County of Lincoln
by The Rev. W. D. de B. Thorold.

RAIN GAUGE
Pattern
Diameter of top 4 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 490 ft.
Time of Observation 9. a. m.
Nearest Railway Station Name South Witham
Distance 4 m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	–		–	·03	·05	–	–	·05	–	1
2	·12	–	–	–	·8	–		·06	–	–	·03	·07	2
3	·02	–	–	·05	·9	–		·12	–	·03	–	–	3
4	·04	·07	·12	·09		–		–	–	·08	·08	·40	4
5	·03		·03	·07	–	–		·08	–	–	–	–	5
6	·33	–	–	–	–	–		–	–	·25	–	·33	6
7	·02	–	–	–	–	–		·03	–	–	·25	·13	7
8	·22	–	·04	–	–	–		–	·32	–	·03	·10	8
9	·04	–	·12	–	–	–		–	–	–	·15	·03	9
10	·01	–	–	–	–	–		–	–	–	–	·64	10
11	·23	·04	–	–	–	–		·07	–	–	·32	–	11
12	–	–	·34	–	–	–		–	–	–	·9	–	12
13	·09	–	·09	–	–	·01		–	·12	–		57	13
14	–	–	·06	–	·20	–		–	·13			54	14
15	–	·11	·15	–	–	–		–	–		·6	–	15
16	–	–	·02	–	–	·03		–	–		·22	·10	16
17	–	·03	–	–	–	·02		–	–			·9	17
18	–	·26	·01	–	–	·15		–	–		·26	·11	18
19	·02	–	–	–	–	·23		·01	–	·19		·06	19
20	·01	·06	–	·04	–	–		·43	·04	–		·45	20
21	–	·20	–	–	–	–		·16	·11	·20	·2	·05	21
22	–	–	·05	–	–	–		·04	·11	·15	·3	·23	22
23	–	·06	·16	–	–	·88			–	–	·1	·10	23
24	–	·07	·02	·01	–	·65		·04	·56	·54	–	·20	24
25	–	·05	–	·10	·45	·02		·01	–	–	·05	·03	25
26	–	·18	[illegible]	·15	1·09	·04		–	–	·27	·12	·40	26
27	–	–	·09		–	–	·05	·28	·22	–	·12	·06	27
28	–	·23	–	·21	–	·06	·04	–	–		–	–	28
29	–		–		–	·16		–	·20	·20	·04	·01	29
30	–		–	·12	·04	–		–	–	·15	–	–	30
31	–		·02					–		·05		–	31
Total	1·16	1·39	1·42	·84	1·95	2·25	·012	1·38	1·81	2·11	1·91	4·64	TOTAL for year 21·00
No. of Rain Days	13	12	15	9	6	11	3	13	9	11	18	22	142

9,000, IX. '10.

end for arith 10·11·13 ~~W. J.C.~~

REGISTER OF RAINFALL IN 1912 4

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Stainby Rectory
in the County of Lincoln 3
by Rev. W. L. de B. Thorold

RAIN GAUGE Pattern
Diameter of top 4 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 490 ft.
Time of Observation 9. a.m.
Nearest Railway Station Name South Witham
Distance 4m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·03	·04	-	·44	·05	-	·02	-	-	·30	1
2	-	·07	-	·03	-	·06	·64	-	·03	-	-	·4	2
3	·14	-	·52	-	-	·39	·05	·52	·08	-	-	·8	3
4	·06	-	-	-	·07	·67	-	·05	-	-	-	-	4
5	·13	-	·01	-	-	·02	-	·06	·06	-	35	-	5
6	·56	·09	·22	-	·02	·07	-	·19	-	-	·01	01	6
7	-	·05	-	-	-	·06	·41	·06	-	-	-	-	7
8	·40	·45	·23	-	-	·02	·06	-	·15	-	-	·05	8
9	-	·07	·23	·11	-	·15	-	-	-	-	-	·25	9
10	·04	-	-	-	-	·05	-	·32	·11	-	-	-	10
11	·02	·20	-	-	-	·06	-	-	-	-	·9	·27	11
12	·07	·39	·07	-	·09	·18	·44	-	·03	-	·4	-	12
13	-	·03	-	-	-	·01	-	·06	-	·04	12	-	13
14	·05	-	·41	-	·01	·04	-	·02	·07	-	·16	-	14
15	·11	-	·11	-	·30	·20	-	-	-	-	-	-	15
16	·53		·08	-	·03	·44	-	·13	-	·12	-	-	16
17	·13	-	·15	-	-	·22	-	·15	-	-	·05	·40	17
18	-	-	·09	-	-	-	-	·09	-	-		·03	18
19	·27	·09	·01	-	-	-	·20	·28	-	-	·04	-	19
20	·12	-	·30	-	·14	-	·39	·12	-	·32	-	-	20
21	-	·02	·24	-	·38	-	·02	·20	-	·20	-	·02	21
22	-	·07	-	-	·45	·01	·57	·45	-	-	-	·18	22
23	·11	·13	·25	-	-	·06	·65	·43	-	·03	-	·22	23
24	·22	-	-	-	-	·11	-	·07	-	-	·14	·11	24
25	-	-	-	-	-	·59	·03	·30	-	-	·27	·34	25
26	-	·03	·04	-	-	·12	·26	1·44	-	·55	·24	·55	26
27	-	-		-	-	·19	·05	-	-	·40	-	·13	27
28	-	-		-	-	~~·30~~	·03	·47	·03	·29	·45	·45	28
29	-	·12	·05	·02	-	·30	·20	·07	·48	·25	·03	-	29
30	·09			-	·37	-	-	-	·14	·02	-	-	30
31	-				·37		·57	·13				·04	31
Total	3·05	1·81	3·04	·20	2·23	4·46	4·50	5·55	1·14	2·22	1·99	3·47	TOTAL for year 33·66
No. of Rain Days.	17	14	18	4	11	24	17	22	11	10	13	18	33·00

W. 8,000, X. '11.

1·23 199

FORM A.
BRITISH RAINFALL
9 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Stainby Rectory
in the County of Lincoln 3
by Rev. W. L. de B. Thorold.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station South Witham
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·08	·02	–	–		–	·89	-	·25	–	1
2	–	·07	·01	·12	–	–	·08	–	·02	-	–	–	2
3	–	–	·12	–	·40	–	–	–	·02	- ~~·03~~	–	-	3
4	·44	–	–	–	·06	–	·02	–	·01	·03 ~~·95~~	·15	·13	4
5	·2	–	–	–	–	–	·03	–	·04	·95	–	·03	5
6	–	·01	·06	–	·59	·20	–	–	–	·30	–	–	6
7	–	·05	–	–	·15	·02	–	–	–	·46	·03	–	7
8		–	–	–	·30	·20	–	–	–	·18	·10	–	8
9		·28	·03	·03	·02	·21	·26	·10	–	~~·18~~	·13	–	9
10	·03	–	–	·05	–	–	·25	·13	–	–	·40	–	10
11	1·52	–	–	·40	·01	–	–	·15	–	–	·34	–	11
12	–	–	·08	–	·03	–	–	–	·05	–	·31	–	12
13	–	–	–	·07	–	–	–	–	–	–	·21	–	13
14	·10	·02	·60	·05	–	–	·02	·08	–	·10	–	–	14
15	·11	–	·26	·26	–	–	–	–	·30	–	·07	–	15
16	–	·02	·35	·05	–	–	–	–	·30	-	·01	–	16
17	·5		·40		–	·70	·09	–	·01	-	·05	·01	17
18	–	–	·16	·09	–	–	·05	–	–	–	–	·03	18
19	·11	–	–	–	–	–	–	–	·04	·44	–	–	19
20	·14	–	·04	·06	–	–	–	–	–	–	·04	–	20
21		-	·18	–	·06	–	·07	–	–	-	·17	–	21
22	·1	–	·26	–	–	–	–	·13	·24	-	–	–	22
23	·19	–	–	–	–	·04	–	·04	·05	-	–	–	23
24		–	–	–	–	·01	–	·08	–	-	–	–	24
25		·03	–	·16	–	–	–	–	–	-	-	-	25
26	–	–	·23	·13	–	–	–	–	-	·32	·06	·21	26
27	–	·11	–	·08	–	–	–	–	-	-		–	27
28	·24	·06	·39	·15	·13	–	–	–	-	-		·14	28
29	–		·17	·50	–	–	–	·48	-	-	-	·26	29
30	·26		–	–	–		–	–	-	-	·07	–	30
31					·08		–	·02		-		–	31
Total	3·22	·65	[illegible]2	2·22	1·83	1·38	·87	1·21	1·97	2·78	2·39	·81	YEAR'S TOTAL 22·75
Rain Days.	13	9	17	16	11	7	9	9	12	8	16	7	134

342

W. 7,500, XI. ·12

Ex D.J.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Stainby Rectory
in the County of Lincoln 3
by Rev. W. L. de B. Thorold.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station South Witham
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·02	–	–	·09	·16	–	–	·08	–	1
2	–	–	–	·10	–	–	·30	·27	–	–	·11	·20	2
3	–	–	·02	·03	–	–	·07	·25	–	–	–	–	3
4	·24	–	·04	·19	10	–	·19	·09	–	–	·62	·12	4
5	–	–	·08	·23	01	·08	·15	·11	–	–	·02	–	5
6	–	·03	–	·09	02	–	–	–	–	–	·04	–	6
7	–	·07	·47	·02	09	·04	–	–	–	–	–	·05	7
8	·07	–	·01	·06	02	·72	·07	·20	–	–		·02	8
9	·45	–	·18	·17	·18	1·16	–	·06	·22	·02		–	9
10	·32	·10	·02	·08	·04	–	–	–	·08	–		–	10
11	–	·08	·25	·35	·11	·02	–	–	·08	–	·39	·30	11
12	–	·07	·08	–	–	–	·41	–	·30		·04	·39	12
13	·04	·01	·28	–	–	–	–	–	–	–	·10	·22	13
14	·02	–	·12	–	–	–	·16	–	–	–	·30	·25	14
15	·03	–	·14	–	–	–	–	·03	–	·28	·14	·11	15
16	–	–	·06	–	–	–	·10	–	·07	–	·06	–	16
17	·02	·21	·05	–	–	–	–	–	·30	–	–	·15	17
18	–	–	·03	–	–	·17	·17	–	–	–	–	·43	18
19	–	·06	·05	–	–	–	·11	–	·02	–	·05	·02	19
20	–	·12	·18	–	–	–	–	–	–	·02	–	–	20
21		·25	·14	–	–	·04	–	–	–	·05	–	·20	21
22	–	·01	–	–	·68	·18	·04	·05	–	–	–	–	22
23	–	·03	·06	–	·07	–	·13	–	–	·22	–	–	23
24	–	–	·18	·03	·16	–	–	–	–	·02	·36		24
25	–	–	·06	–	–	–	·08	·11	–	·09	–	·21	25
26	–	–	·06	–	–	–	·01	·14	–	·42	·18	·33	26
27	·02	–	–	–	–	–	–	–	–	·16		·14	27
28	·05	·03	–	–	·04	–	–	–	–	·17	·27	·87	28
29	–		·08	–	·02	–	–	–	–	·32	·04	–	29
30	–		–	–	–	–	–	–	–	·01	·45	·25	30
31	–		–		·03	–	·23	–		·03	–	·05	31
Total	1·26	1·07	2·58	1·37	1·57	2·41	2·31	1·47	1·07	1·81	3·25	4·29	YEAR'S TOTAL 24·46
Rain Days.	10	13	22	12	14	8	16	11	7	13	17	19	162

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Thorold

Lat. Long.
Nearest Railway Station South Witham
Time of Observation 9 a.m.
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " Sea Level 496 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·15	·02	-	·26	-	-	-	·09	-	·06	-	1
2	·03	·07	·15	·15	-	-	·41	-	·03	·04	-	-	2
3	·44	-	·08	-	-	-	·20	·50	-	-	-	·23	3
4	·26	-	-	-	-	·10	1·39	·45	-	-	-	-	4
5	-	·22	-	-	·25	-	-	·04	-	-	·10	-	5
6	·07	·13	·04	·20	-	-	·75	·03	-	-	-	·30	6
7	·11	·31	-	-	-	-	·26	·02	-	-	-	·02	7
8	·08	·12	-	·02	-	·02	-	·17	-	-	-	·50	8
9	·03	·06	-	-	-	-	-	·02	-	·02	·05	-	9
10	·28	-	·03	-	-	-	-	-	-	-	·09	·40	10
11	-	-	-	·05	·17	-	·15	-	-	-	·40	-	11
12	·05	-	-	·25	·18	-	-	·05	-	-	·86	·12	12
13	-	·55	-	-	·50	-	-	·02	-	-	-	-	13
14	·01	-	-	-	-	-	-	·02	-	-	-	·30	14
15	·19	-	-	-	·03	-	-	·10	-	-	-	·15	15
16	-	·30	-	-	-	-	1·60	-	-	·05	-	-	16
17	-	·11	-	-	-	-	·26	-	-	-	-	-	17
18	-	·11	·73	-	-	-	-	-	-	-	·05	-	18
19	-	·03	-	-	-	-	·19	-	-	-	-	-	19
20	·15	-	-	-	-	-	-	-	-	-	-	·32	20
21	·17	·05	-	-	·22	-	·17	-	-	-	-	·07	21
22	·30	-	·15	·08	-	-	·20	-	-	-	-	-	22
23	·04	·03	-	-	-	-	·29	-	·09	·18	-	·30	23
24	-	·02	·27	-	-	-	·35	-	·77	·21	-	·13	24
25	·03	-	-	-	-	·38	·08	-	-	-	-	·10	25
26	-	·15	-	-	-	-	·03	-	-	-	-	·27	26
27	-	-	·01	-	-	·42	·28	-	-	·30	-	·04	27
28	·01	·19	·03	-	-	·18	·01	·18	-	·39	-	-	28
29	·02		-	-	-	·06	-	·06	-	-	·48	·32	29
30	·04		-	·01	-	-	-	-	-	-	-	·08	30
31	·03		-		-		-	·10		·15		·05	31
Total	2·51	2·60	1·51	·76	1·61	1·16	6·62	1·76	·98	1·34	2·04	3·70	TOTAL for year 26·59
No. of Rain Days	21	17	10	7	7	6	17	14	4	8	8	18	137

6,000, XI, '08.
EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

25·90

REGISTER OF RAINFALL IN 19~~15~~16

FORM A.
BRITISH RAINFALL.

11. JAN 1917

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Thorold

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station South Witham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	·23	-	-	·17	-	-	-	-	·18	-	1
2	·07	·07	·09	-	·49	-	·23	-	·05	·22	·10	-	2
3	·25	·29	·10	-	-	-	·16	-	·47	·23	-	-	3
4	·18	·23	·01	-	·22	·27		-	·09	·15	·37	-	4
5	·02	-	-	-	-	·30		-	-	-	·16		5
6	·10	·09	-	-	·05	-	·26	-	-	-	·28	-	6
7	·03	-	·15	-	·07	·04	·36	-	-	-	·20	·12	7
8		-	·02	-	-	-	-	-	-	·10	-	·20	8
9		-	·09	-	·25	·10	-	-	·03	-	·05	·06	9
10		·04	·05	·02	-	-	-	-	·07	·07	-	·12	10
11	·02	·40	·03	·12	-	-	-	-	·02	-	-	·03	11
12	-	·02	·10	-	·41	·45	·10	-	-	-	-	·01	12
13	-	·13	·12	-	·11	·05	·14	·10	-	-	-	-	13
14	-	·28	·22	-	·05	-	-	·21	-	-	-	-	14
15	-	·24	·02	-	-	-	·18	·04	-	-	-	-	15
16	-	·11	·35	·34	·01	-	·09	·08	-	·02	-	-	16
17	·03	·01	·14	·08	-	-	·03	1·00	·05	·35	-	-	17
18	-	·15	·01	·06	-	-	-	·09	·19	-	·94	-	18
19	-	·01	·02	·30	-	-	-	·06	·34	-	·22	·11	19
20	·26	~~[illegible]~~	·20	·11	-	-	-	-	-	·06	·09	·20	20
21	-	-	·30	-	-	-	-	-	-	·02	-	·32	21
22	-	-	·13	·03	-	·08	-	-	-		·10	·56	22
23	·05	·04	·02	-	-	·08	-	·04	-		-	·40	23
24	-	·03	-	·05		-	-	·09	-		-	·21	24
25	-	·10	-	-	-	-	-	·14	-		·09	-	25
26	-	·20	·18	-	-	-	-	·04	·04	·15	-	-	26
27	-	·20	·01	-	-	-	·15	·20		·04	-	-	27
28	-	·09	·12	·22	-	·09	-	-		·12	-	·25	28
29	-	·26	·34	-	-	·30	-	1·05		·40	-	·14	29
30	-	X	·02	-	-	·10	-	·08		·08	-	·05	30
31	·01	X		X		X	-	·05	X	·03	X	-	31
Total	1·03	2·99	3·07	1·33 1·33	1·66	2·03	1·70	3·27	1·35	2·04	2·78	2·78	YEAR'S TOTAL 26·03
Rain Days.	10	21	26	10	9	12	10	15	10	15	12	15	165

W. 8,000. X. 15.

2459

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Thorold

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station South Witham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·22	-	-	-	·93	·15	-	-	·02	1
2	-	-	-	-	-	·11	-	·19	-	-	·03	-	2
3	-	·20	-	·19	-	-	-	·80	-	·23	-	-	3
4	-	-	·10	-	-	-	-	-	-	·47	-	-	4
5	·09	-	·03	·16	-	-	-	·11	·19	·03	·18	-	5
6	-	-	-	-	-	-	-	-	-	-	·05	-	6
7	·40	-	·03	-	-	·04	-	[illegible]	-	·60	-	-	7
8	·18	-	-	·14	-	-	·22	1·00	-	·41	·17	-	8
9	·05	-	·07	-	-	-	-	·14	-	-	·16	-	9
10	·17	-	·34	·18	·15	-	-	·10	-	·04	·09	-	10
11	-	-	·06	·26	-	-	-	·15	-	·16	·01	-	11
12	·15	·04	-	-	·16	-	-	-	-	·23	-	·03	12
13	·08	-	·03	·05	-	-	-	·20	·04	-	-	-	13
14	·18	-	-	-	-	-	~~·32~~	·14	-	-	-	-	14
15	·04	-	-	-	-	-	·32	·03	-	-	-	·06	15
16	·06	-	-	·09	·39	~~·10~~	-	-	-	-	-	·20	16
17	·03	-	·05	·20	-	·10	·13	-	·06	·17	-	·05	17
18	·10	-	-	·06	·10	-	·67	-	·65	-	-	-	18
19	·08	·35	·09	-	·27	-	-	-	·03	-	-	-	19
20	-	·23	-	-	·20	·02	-	-	·10	-	·24	-	20
21	-	-	·06	-	·02	-	-	-	-	-	-	-	21
22	-	-	·09	-	-	-	-	·05	-	·13	-	-	22
23	-	·03	-	-	·12	-	-	·25	·15	·08	-	-	23
24	-	·06	~~·20~~	-	-	·50	-	-	[illegible]	·27	·07	-	24
25	-	·01	·04	-	-	-	·04	-	-	-	-	-	25
26	-	-	·07	-	-	-	-	-	·42	-	·18	·07	26
27	-	-	·03	-	-	·15	-	·46	-	-	-	·02	27
28	-	·02	·11	-	-	·37	-	·53	-	-	-	-	28
29	-		-	-	·32	·16	·04	·12	-	-	-	·67	29
30	-	X	-	-			·28	·28	-	-	-	-	30
31	-	X	·09	X		X	·08	·15	X	-	X	·04	31
Total	1·61	·94	1·28	1·45	1·73	1·45	1·78	5·53	1·79	2·82	1·18	1·16	YEAR'S TOTAL 22·72
Rain Days.	13	8	16	10	9	8	8	18	9	12	10	9	130

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. 1. 19

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Thorold

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station South Witham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·01	·03	–	–	–	–	·12	–	·20	·02	1
2	–	·20	–	·02	~~·35~~	–	–	·84	–	·03	·05	·19	2
3	–	·02	·12	–	·55	–	–	·18	·05	–	·45	–	3
4	–	·02	·04	–	~~·12~~	–	–	·04	·93	–	·32	·06	4
5	–	–	·08	·02	·15	–	–	·13	·18	·08	–	–	5
6	–	·03	–	·11	–	·02	–	–	·04	–	–	–	6
7	·16	·09	–	·18	–	·03	–	–	–	·09	·10	–	7
8	–	–	–	–	–	–	–	–	·08	–	–	·11	8
9	·03	·32	–	·07	–	·10	·16	–	·39	·30	–	–	9
10	·10	–	–	·05	–	–	·40	–	–	·22	–	·08	10
11	–	·10	–	·03	·34	–	·09	–	·11	·27	–	·08	11
12	–	·18	–	–	·11	–	·22	–	·02	–	–	–	12
13	·34	·02	–	·06	·28	–	–	–	·15	–	–	–	13
14		–	–	·02	–	–	·19	–	·11	·09	–	·05	14
15	·56	–	–	·07	–	–	·10	–	·06	–	–	·17	15
16	–	–	–	·50	–	–	–	–	·12	–	–	–	16
17	·20	–	–	·02	–	·06	·64	–	·03	·05	–	·16	17
18	·29	–	–	·02	–	·10	·16	–	·29	–	–	·17	18
19	·03	·01	–	·03	–	·06	–	–	–	·09	–	·16	19
20	·02	·04	·11	·16	–	–	·03	–	–	–	–	–	20
21	·08	·01	–	–	–	–	–	–	·23	·20	–	–	21
22	·14	–	–	–	–	·07	–	–	·05	–	–	·30	22
23	·10	–	–	–	·33	–	·05	–	·02	–	–	–	23
24	–	·22	–	–	–	–	–	–	·05	·04	–	–	24
25	–	–	–	–	–	–	·05	·17	–	·02	·16	–	25
26	–	–	–	–	–	–	·03	–	–	–	·02	·11	26
27	–	·02	–	–	–	–	·16	·30	·05	–	·24	·03	27
28	–	·27	·15	–	–	–	–		·12	–	·25	·44	28
29	–	–	~~·23~~	–	–	–	–		·70	–	–	·03	29
30	–	X	·24	–	–	–	–		–	·01	·10	·25	30
31	–	X	·13	X	–	X		·01	X		X	–	31
Total	2·05	~~1·45~~ 1·55	·88	1·39	1·76	·44	2·28	1·67	3·90	1·49	1·89	2·44	YEAR'S TOTAL ~~21·54~~ 21·70
Rain Days.	12	15	8	16	6	7	13	7	22	13	10	17	146

W. 8,000, IX. 17.

313

FORM A.
BRITISH RAINFALL.

9 JAN

REGISTER OF RAINFALL IN 1919

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Thorold.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station South Witham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·07	—	—	·22	—	·15	—	[illegible]	·10	·16	·46	1
2	·12	—	·02	—	—	—	·75	—	·50	·14	·40	·06	2
3	·66	—	·05	—	—	—	·45	—	·20	—	·10	·05	3
4	—	—	·35	—	—	·05	·07	·20	·06	—	—	·20	4
5	—	·22	—	—	—	—	—	—	·40	—	—	—	5
6	·01	—	·05	—	1·30	—	—	—	—	—	·06	—	6
7	—	—	·17	·19	—	—	—	—	—	—	—	—	7
8	·10	—	·02	—	—	—	—	—	—	—	·04	—	8
9	—	—	—	·03	—	—	—	—	—	—	—	—	9
10	—	—	·24	·09	—	—	·48	—	—	—	—	·07	10
11	·10	—	·35	·05	—	—	—	—	·01	—	—	—	11
12	—	—	·27	·06	—	·10	—	—	—	—	—	—	12
13	·17	—	—	·20	—	—	—	—	—	—	—	—	13
14	·25	—	—	·13	—	—	—	—	·12	—	—	—	14
15	·10	1·06	·12	·10	—	—	—	·02	—	—	—	·50	15
16	—	·19	—	—	·03	—	—	—	—	—	—	—	16
17	—	—	—	·03	—	·02	—	—	—	—	·05	·02	17
18	—	—	—	—	—	—	·02	·24	—	—	·20	·10	18
19	—	·15	1·09	—	—	·12	1·61	·47	·30	—	·18	—	19
20	·46	—	·12	—	—	·07	·40	·28	·03	—	·20	·12	20
21	[illegible]	·45	·14	—	—	—	·29	—	—	—	—	·35	21
22	—	·14	·03	—	—	—	—	—	·30	—	·05	·25	22
23	—	—	—	—	—	—	·12	—	—	—	—	—	23
24	—	—	—	·10	·09	·12	—	—	—	·78	·05	—	24
25	·10	·01	—	—	·12	—	—	·41	—	·14	—	—	25
26	·02	·02	·18	·03	—	·05	—	·10	—	·04	·04	·30	26
27	·27	·12	—	·32	—	—	—	—	—	—	—	—	27
28	—	—	—	·08	—	—	—	·66	—	·14	—	·38	28
29	—		—	·05	—	—	—	·12	—	·20	·30	·06	29
30	—	✕	·04	·37	—	·22	—	—	—	·11	—	·27	30
31	—	✕	—	✕	—	✕	·05	—	✕	·14	✕	·05	31
Total	2·85	2·43	3·24	1·83	1·76	·75	4·39	2·50	1·92	1·79	1·83	3·24	YEAR'S TOTAL 28·53
Rain Days	14	10	16	15	5	8	11	9	9	9	13	16	135

W, 6,500, VII. 18. w w c

2313

To be filled and returned
to THE DIRECTOR,
BR[illegible]SH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1919

At Stainby Rectory

In the County of Lincoln

Rain Gauge

Diameter of Funnel 4 in.

Height of Top: *Above Ground* ft. 9 in.

Height of Top: *Above Sea Level* 496 ft.

PLEASE FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2·85	·66	3	14
FEB.	2·43	1·06	15	10
MAR.	3·24	1·09	19	16
APR.	1·83	·37	30	15
MAY	1·76	1·30	6	5
JUNE	·75	·22	30	8
JULY	4·39	1·61	19	11
AUG.	2·50	·66	28	9
SEPT.	1·92	·50	2	9
OCT.	1·79	·78	24	9
NOV.	1·83	·40	2	13
DEC.	3·24	·50	15	16
Total	28·53	7^{25}		135 ✓

Signed W. L. de B. Thorold.

[*Please fill in the other side also.*

W. 13,000: vii.18. W W C

If Gauge has been moved during year state—

Date.	Distance.	Direction.
not moved		

How was height above sea level ascertained?

Ordnance Survey

State pattern and maker of Gauge, if known.

Not known

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Trees	40ft	30ft	E&W

In order that the position may be accurately entered on a map please mention

Latitude ………………………… N.

Longitude …………………………

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Sawbridgeworth	4m	S.
Church	Sheering	1000 yds.	N.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

2219

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Stainby Rectory
in the County of Lincoln
by Rev. W. L. de B. Sherold

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station South Witham
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ...ft 9 in.
„ „ „ „ Sea Level 496 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	·18	·06	·20	—	—	·23	—	·08	1
2	—	—	—	—	—	—	—	—	·09	·05	—	·07	2
3	—	—	—	—	·02	—	·23	—	·11	—	—	—	3
4	—	—	—	·50	—	·05	·08	·26	·03	·38	—	·10	4
5	—	—	—	—	·29	—	·24	·10	—	—	—	—	5
6	—	—	·10	—	·03	—	·20	·05	—	—	—	·07	6
7	—	—	—	·15	—	—	·32	—	—	—	—	·03	7
8	·07	·07	—	·39	·15	—	·11	—	—	—	—	—	8
9	·34	[illegible]	—	·68	—	—	—	·02	—	—	—	—	9
10	·18	·09	·10	·02	—	—	·04	·02	—	—	—	—	10
11	·11	—	—	·27	·11	·02	—	·06	—	—	—	—	11
12	·15	—	·07	·28	—	·21	·17	·08	—	—	—	—	12
13	·02	—	·11	·23	—	·48	—	—	—	—	·03	·10	13
14	—	·10	·50	·18	—	·31	—	—	·18	—	·16	·15	14
15	—	·03	·72	·10	—	—	—	—	·11	—	—	—	15
16	—	—	—	·06	—	—	—	—	·07	·09	—	—	16
17	—	—	—	—	·15	—	—	—	·21	—	—	—	17
18	·13	—	—	·03	·10	·07	·15	·13	·20	—	—	—	18
19	—	·05	—	—	—	·09	—	·02	—	—	—	·05	19
20	—	·62	—	·40	—	·32	—	—	—	—	—	—	20
21	—	—	—	—	—	—	·23	·12	·08	—	—	—	21
22	—	—	—	·25	—	—	—	—	·15	—	—	—	22
23	—	—	—	—	—		·10	—	—		—	·39	23
24		—	·10	—	—	—	—	—	—	—	—	·05	24
25	—	·06	·09	·09	·01	—	·76	—	—	—	—	—	25
26	·20	—	·06	·03	·02	—	·07	—	—	—	—	—	26
27	[illegible]	·02	—	·07	—	—	·19	—	—	—	·34	·30	27
28	·47	—	—	·03	—	·50	·06	—	—	—	·08	·05	28
29	·08	—	·27	—	·44	~~·50~~	·05	—	—	—	·05	·40	29
30	—	X	—	·15	—	—	·03	—	·20	—	·09	·22	30
31	·10	X	·06	X	—	X	—	—	X	·22	X	·15	31
TOTAL	1·75	1·04	2·18	3·91	1·50	2·11	3·23	·86	1·43	·97	·75	2·19	YEAR'S TOTAL 21·92
Days with ·01 in. or more	11	8	11	19	11	10	18	10	11	5	6	15	~~126~~
	10	6	11	18	7	9	17	4	10	5	5	14	116

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2205

LINCOLN

STAMFORD

1919

JAN 20

FORM A. 1. METEOROLOG NIZATION

REGI

Kept at 14, St. Geor Stam 17, Tinwell

in the County of Lin

by Thos Booth

28-40

N RLY

uge 5 in.

round 4 ft – in.

a Level 88·15 ft.

17 Tinwell Rd. 129.

IMPORTANT NOTE.—Rai measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·05	·26		·08½		·07			·01½	·12	·50	1
2	·15						·10	·01½	·07	·04	·43	·22	2
3	·48		·03				·39½		·07		·25		3
4	·08		·39			·10	·04½	·17	·01		·05	·20	4
5		·10							·70			·04	5
6			·02		1·03						·06	·03½	6
7			·16										7
8	·10		·04	·10½							·10		8
9											·01		9
10			·20	·06						·02	·05	·05	10
11	·09		·32	·03½	·10		·80				·07		11
12			·30			·09				·02			12
13	·11			·17						·04			13
14	·26			·15½					·06		·22		14
15	·17	·04	·12	·06							·09	·42	15
16	·10	1·00		·02							·10		16
17		·50	·01			·01					·18	·02	17
18								·15				·19	18
19		·15	·90			·14	·85	·19	·15		·05	·05	19
20	·54		·25			·12	·47	·40	·01		·13		20
21	·37	·43	·14			·01½	·44					·23	21
22		·16							·16			·33	22
23				·06		·15	·08		·04	·62			23
24				·12						·11		·02	24
25	·04			·01	·19	·03		·38	·02			·04	25
26			·23½					·05				·41	26
27	·37			·57				·03				·02	27
28				·02				·79		·09	·07	·42	28
29	·08			·04				·15		·31	·16	·14	29
30	·01	✕	·04	·27		·24			·01	·09	·05	·27	30
31	·06	✕		✕		✕	·01½		✕	·06	✕	·04	31
TOTAL	3·68	2·43	3·41½	1·69½	1·40½	·89½	3·26½	2·32½	1·30	1·41½	2·19	3·64½	YEAR'S TOTAL 27·66
Days with ·01 in. or more	17	8	16	14	4	9	10	10	11	11	18	20	148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2505

JAN 20

Form A. 1. METEOROLOG NIZATION

REGISTER OF RAINFALL IN 1919.

Kept at 14, St Georges Sq. to 30 June
Stamford
17, Tinwell Rd. from 1 July
in the County of Lincoln
by Thos Booth + W J Richards

Lat. 50°-39'-3 Long. 0-28-40
Time of Observation 9 AM
Nearest Railway Station G N Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft — in.
" " " " Sea Level 88·15 ft.
17 Tinwell Rd 129

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·05	·26		·08½		·07			·01½	·12	·50	1
2	·15						·10	·01½	·07	·04	·43	·22	2
3	·78		·03				·39½		·07		·25		3
4	·08		·39			·10	·04½	·17	·01		·05	·20	4
5		·10							·70			·04	5
6			·02		1·03						·06	·03½	6
7			·16										7
8	·10		·04	·10½							·10		8
9											·01		9
10			·20	·06						·02	·05	·05	10
11	·09		·32	·03½	·10		·80				·07		11
12			·30			·09				·02			12
13	·11			·17						·04			13
14	·26			·15½					·06		·22		14
15	·17	·04	·12	·06							·09	·42	15
16	·10	1·00		·02							·10		16
17		·50	·01			·01					·18	·02	17
18								·15				·19	18
19		·15	·90			·14	·85	·19	·15		·05	·05	19
20	·54		·25			·12	·47	·40	·01		·13		20
21	·34	·43	·14			·01½	·44					·23	21
22		·16							·16			·33	22
23				·06		·15	·08		·04	·62			23
24				·12						·11		·02	24
25	·04			·01	·19	·03		·38	·02			·04	25
26			·23½					·05				·41	26
27	·34			·57				·03				·02	27
28				·02				·79		·09	·07	·42	28
29	·08			·04				·15		·31	·16	·14	29
30	·01		·04	·27		·24			·01	·09	·05	·27	30
31	·06						·01½			·06		·04	31
Total	3·68	2·43	3·41½	1·69½	1·40½	·89½	3·26½	2·32½	1·30	1·41½	2·19	3·64½	Year's Total (27·66)
Days with ·01 in. or more	17	8	16	14	4	9	10	10	11	11	18	20	(148)

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LINCOLN

—

STUBTON

1911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REC

Kept at Stubton

in the County of Linco

by D Barden gard

in.

round 4 ft. 6 in.

ea Level 95 ft.

m

ame Claypole GNR

Distance 1 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01						·03	·04				·02	1
2	^{s5z}·28				·07						·02	·06	2
3	·03			^{s}01	·07			·29		·04	·02	·02	3
4	·02	·01	·18	^{s}15					·10	·46	·10	·16	4
5	·02			·05				02		·03		·02	5
6	·18		·01					·07		·16	·02	·18	6
7										·01	05	·21	7
8	·24		78									15 ·16	8
9	·05												9
10			·02	·01							·04	·56	10
11	·27							·03			·29		11
12	·08 ·08^{s}		·31						·80		·06	·01	12
13			^{s}·18^{z}						·02	·03^{m}		·47	13
14			^{s}·05^{z}		·83						·03	·38	14
15		·04	·11						01	·05	·01		15
16			(·02) 02			·04				·01	·18	·05	16
17			·01			·09					·04	·04	17
18		·13				·09				·02	·27	·03	18
19	·02	·02				·13		·01	·04	·05	·38	·03	19
20	·02	·04		·05			·01	·58	·03			·26	20
21		·36						·12		·14	·01	·10	21
22	·03	·05	·09	·01				·09		·44	·06	·19	22
23		·14	·08			·63		·14	·46			·06	23
24		·01	^{s}·03 →	·04		1·22				·27		^{s}·24^{rz}	24
25		·16	^{s}·03	·07		·01			·01		~~·22~~ (·04)	·04	25
26				·06	2·14					·19	^{r}·50^{rs}	·50	26
27		·06	·14	71			·08	·26	·14	·03		·02	27
28		·16	·01	12		·02					·05	·07	28
29			·01			·16	·17		·12	·15	·02^{m}	·01	29
30			·01		·08	08		·02	04	·15			30
31			·05			~~2·47~~		~~1·61~~		·02		·01	31
Total	1·25	1·18 ✓	1·52 ✓	·68	3·79	2·47	·29	1·61	1·77	2·25	2·19 ✓	3·89	TOTAL for year 22·29 ✓
No. of Rain Days.	13	12	19	11	5	10	4	12	11	18	20	27	162

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

RE

Kept at Stubton
in the County of Lincoln 3
by D Barden gardener to G Nevile

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	4 ft. 6 in.
	" " " Sea Level	95 ft.

Time of Observation 9 a.m.
Nearest Railway Station: Name Claypole G N R; Distance 1 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01						·03	·04				·02	1
2	s5z ·28				·07						·02	·06	2
3	·03			s ·01	·07			·29		·04	·02	·02	3
4	·02	·01	·18	s ·15					·10	·46	·10	·16	4
5	·02			·05				·02		·03		·02	5
6	·18		·01					·07		·16	·02	·18	6
7										·01	·05	·21	7
8	·24		·78									15 ·16	8
9	·05												9
10			·02	·01							·04	·56	10
11	·27							·03			·29		11
12	·08 ·08 s		·31						·80		·06	·01	12
13			s ·18 z						·02	·03 m		·47	13
14			s ·05 z		·83						·03	·38	14
15		·04	·11						·01	·05	·01		15
16			(·02) ·02			·04				·01	·18	·05	16
17			·01			·09					·04	·04	17
18		·13				·09				·02	·27	·03	18
19	·02	·02				·13		·01	·04	·05	·38	·03	19
20	·02	·04		·05			·01	·58	·03			·26	20
21		·36						·12		·14	·01	·10	21
22	·03	·05	·09	·01				·09		·44	·06	·19	22
23		·14	·08			·63		·14	·46			·06	23
24		·01	s ·03	·04		1·22				·27		s ·24 r2	24
25		·16	s ·03	·07		·01			·01		~~·26~~ (·04)	·04	25
26				·06	2·14					·19	·50 rs	·50	26
27		·06	·14	·71			·08	·26	·14	·03		·02	27
28		·16	·01	·12		·02					·05	·07	28
29			·01			·16	·17		·12	·15	·02 m	·01	29
30			·01		·08	·08		·02	·04	·15			30
31			·05			~~2·47~~		~~1·61~~		·02		·01	31
Total	1·25 ✓	1·18 ✓	1·52 ✓	·68	3·79	2·47	·29	1·61	1·77	2·25	2·19 ✓	3·89	TOTAL for year 22·29 ✓
No. of Rain Days.	13	12	19	11	5	10	4	12	11	18	20	27	162

W. 8,000, X. '11.

√

R 2

R2581 LINCOLNSHIRE

SWINDERBY, LING MOOR

1912-20

FORM A2.
BRITISH RAINFALL.

8. JAN 1913

Kept at Swin
in the County of L
by Cecil H

× in. 5 inch
Ground — ft. 9 in.
Sea Level ft.
a.m.
Name Swinderby
Distance 1 mile Direction N.W.

IMPORTANT NO the result entered to the previous day. If an O 1912 ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·0	0	0	·30	·04	·02	·14	0	0	·49	1
2	0	0	·04	0	0	·07	·61	0	·0	0	0	·03	2
3	·23	0	·0	0	0	·42	0	·06	·12	0	0	·08	3
4	0	0	·27	0	·09	·19	0	·02	·04	0	·32	0	4
5	·09	0	·0	0	0	·23	0	·01	·0	0	·01	0	5
6	9	·11	·0	0	0	0	·09	·34	·0	0	0	·03	6
7	·56	·06	·10	0	0	·12	0	·04	·10	0	0	0	7
8	·0	·16	·22	0	0	·10	·08	·0	·18	0	0	·03	8
9	·03	·19	·02	·16	0	·09	0	·02	·0	0	0	·08	9
10	·07	·0	·0	0	0	·10	0	·44	·07	0	·12	0	10
11	·0	·0	0	0	0	·05	0	0	·0	0	·06	·58	11
12	·10	·30	·09	0	0	·26	·19	·04	0	0	·19	0	12
13	0	·04	·0	0	0	0	·0	·03	0	·06	·19	0	13
14	·14	·0	·35	0	0	0	·0	·13	0	0	0	0	14
15	·0	·04	·07	0	·27	·13	·0	0	0	0	0	·08	15
16	·39	·0	·17	0	·14	·16	·0	·11	0	·13	0	0	16
17	·0	·0	·16	0	0	·21	·0	·19	0	0	0	·25	17
18	·39	·0	·09	0	0	·02	·0	·06	0	·03	·03	0	18
19	·42	0	·0	0	·26	·07	·37	·21	·04	0	0	0	19
20	·16	·20	·0	0	·47	·03	·32	·03	0	·10	0	0	20
21	·0	0	·49	0	·59	0	·67	0	0	0	·03	·02	21
22	·0	·09	·08	0	·03	·08	·25	·41	0	·03	·0	·13	22
23	·11	·0	·22	0	0	0	·38	·36	0	0	·11	·02	23
24	·21	·0	·0	0	0	·18	·11	·04	0	0	0	·05	24
25	·0	·0	·10	0	0	·30	·09	·22	0	0	·22	·20	25
26	·0	·08	·0	0	0	·02	·34	1·20	0	·63	·14	·10	26
27	·0	·0	·0	0	0	·08	·13	0	0	·67	0	·13	27
28	·0	0	·0	0	·24	·08	·14	·32	0	·25	·73	·45	28
29	·0	·04	·0	·10	·06	·28	·06	0	·32	·17	·23	0	29
30	·0		·0	0	·34	·41	·0	0	·02	·06	0	0	30
31	·0		·08		·45		·18	·43		·04		0	31
Total	2·99	1·31	2·45	·26	2·94	3·98	4·05	5·33	1·03	2·17	2·38	2·75	TOTAL for year 31·64
No. of Rain Days.	14	11	15	2	11	25	17	23	9	11	13	17	168

W. 8,000, X. '11.

R 2

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Swinderby

in the County of Lincoln 6

by Cecil H Wray

RAIN GAUGE Diameter of top 8 in. 5 inch
Height of top above Ground — ft. 9 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Swinderby
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·0	0	0	·30	·04	·02	·14	0	0	·49	1
2	0	0	·04	0	0	·07	·61	0	·0	0	0	·03	2
3	·23	0	·0	0	0	·42	0	·06	·12	0	0	·08	3
4	0	0	·27	0	·09	·19	0	·02	·04	0	·32	0	4
5	·09	0	·0	0	0	·23	0	·01	·0	0	·01	0	5
6	9	·11	·0	0	0	·0	·09	·34	·0	0	0	·03	6
7	·56	·06	·0	0	0	·12	0	·04	·10	0	0	0	7
8	·0	·16	·22	0	0	·10	·08	·0	·18	0	0	·03	8
9	·03	·19	·02	·16	0	·09	0	·02	·0	0	0	·08	9
10	·07	·0	·0	0	0	·10	0	·44	·07	0	·12	0	10
11	·0	·0	0	0	0	·05	0	0	·0	0	·06	·58	11
12	·10	·30	·09	0	0	·26	·19	·04	0	0	·19	0	12
13	0	·04	·0	0	0	0	·0	·03	0	·06	·19	0	13
14	·14	·0	·35	0	0	0	·0	·13	0	0	0	0	14
15	·0	·04	·07	0	·27	·13	·0	0	0	0	0	·08	15
16	·39	·0	·17	0	·14	·16	·0	·11	0	·13	0	0	16
17	·0	·0	·16	0	0	·21	·0	·19	0	0	0	·25	17
18	·39	·0	·09	0	0	·02	·0	·06	0	·03	·03	0	18
19	·42	·0	·0	0	·26	·07	·37	·21	·04	0	0	0	19
20	·16	·20	·0	0	·47	·03	·32	·03	0	·10	0	0	20
21	·0	0	·49	0	·59	0	·67	0	0	0	·03	·02	21
22	·0	·09	·08	0	·03	·08	·25	·41	0	·03	·0	·13	22
23	·11	·0	·22	0	0	·0	·38	·36	0	0	·11	·02	23
24	·21	·0	·0	0	0	·18	·11	·04	0	0	0	·05	24
25	·0	·0	·10	0	0	·30	·09	·22	0	0	·22	·20	25
26	·0	·08	·0	0	0	·02	·34	1·20	0	·63	·14	·10	26
27	·0	·0	·0	0	0	·08	·13	0	0	·67	0	·13	27
28	·0	0	·0	0	·24	·08	·14	·32	0	·25	·73	·45	28
29	·0	·04	·0	·10	·06	·28	·06	0	·32	·17	·23	0	29
30	·0		·0	0	·34	·41	·0	0	·02	·06	0	0	30
31	·0		·08		·45		·18	·43		·04		0	31
Total	2.99	1.31	2.45	·26	2.94	3.98	4.05	5.33	1.03	2.17	2.38	2.75	TOTAL for year 31.64
No. of Rain Days.	14	11	15	2	11	25	17	23	9	11	13	17	168

W. 8,000, X. '11.

Call for auth 1.IV.14 W D11

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Ling Moor. Swinderby 6

in the County of Lincoln

by Cecil H Wray

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Swinderby
Distance 1 mile Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·15	·0	0	0	·0	0	·30	0	·03	0	1
2	·04	·06	·02	·05	0	0	0	0	0	0	·04	0	2
3	0	·03	·09	·0	·49	0	0	0	0	0	0	·05	3
4	·59	·03	0	·0	·24	·02	·08	0	·09	·35	·24	·16	4
5	0	0	0	·0	·64	0	·05	0	·09	2·22	0	0	5
6	0	·09	·20	·0	·18	·02	·19	0	0	·42	0	0	6
7	0	·09	0	·0	·29	·07	0	0	0	·41	0	0	7
8	0	·03	·07 0	·0	0	0	0	0	0	·04	·14	·03	8
9	0	·24	·07	·0	·03	·12	·05	0	0	0	·18	0	9
10	0	0	0	·07	·03	·08	·03	·09	0	0	·47	0	10
11	·23	·01	0	·53	0	0	0	0	0	0	·30	0	11
12	0	0	0	·0	0	0	0	0	·03	0	·18	0	12
13	·10	0	·08	·08	0	0	0	0	0	0	·15	0	13
14	·06	·03	·33	·0	0	0	0	·10	·06	·05	·07	0	14
15	·12	·03	·34	·04	0	0	0	0	·11	0	·38	0	15
16	0	0	·10	·08	0	0	0	0	·46	0	0	0	16
17	·02	0	·20	·06	0	·11	0	0	0	0	·03	0	17
18	0	0	·18	·09	0	·04	·06	0	0	0	0	·06	18
19	·08	0	·01	0	0	0	0	0	·10	0	0	·02	19
20	·12	0	·07	·05	0	0	0	0	·03	·17	·09	0	20
21	0	0	·10	0	·10	0	·11	0	0	0	·19	0	21
22	·14	0	·21	0	0	0	0	·88	0	0	·0	0	22
23	0	0	0	0	0	·03	·03	0	·21	0	~~6~~	0	23
24	·05	0	0	0	0	·04	0	·18	·07	0	0	0	24
25	0	·24	0	·25	0	0	0	0	0	0	0	3	25
26	0	·13	·21	·05	0	·03	0	0	·05	~~·41~~ 43	·07	0	26
27	0	·06	0	·05	0	·10	0	0	0	·02	·02	·28	27
28	·33	0	·23	·05	0	0	0	0	0	0	0	0	28
29	0		·12	·17	·10	0	0	0	0	0	0	0	29
30	·37		·05	·47	0	0	0	0	0	3	0	0	30
31	0		0	·0	·10		0	0		0		0	31
Total	2·25	1·07	2·76	2·09	2·20	·66	·60	1·25	1·60	4·14	2·58	·60	TOTAL for year 21·80 21·80
No. of Rain Days.	13	13	19	15	10	11	8	4	12	10	16	6	137

W. 8,000, X. '11. 2·76

REGISTER OF RAINFALL IN 1914

Ex DL

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Ling Moor Swinderby
in the County of Lincoln 6
by Cecil H Wray

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Swinderby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0	0	·02	0	0	0	·78	·23	0	·03	·05	·02	1
2	0	0	0	0	0	0	·09	·21	0	0	·10	0	2
3	0	0	·10	0	·19	0	·15	·09	0	0	·11	·30	3
4	·17	0	·02	·29	·10	0	0	·05	0	0	·27	·08	4
5	0	0	·10	·09	·10	·05	·11	·04	0	0	·03	·07	5
6	0	·09	0	·05	·19	0	·02	0	0	0	·02	·14	6
7	·03	·13	·28	0	·11	0	0	0	0	0	0	9	7
8	·11	0	0	0	·07	·55	·24	·15	·73	0	0	0	8
9	·33	0	·09	·14	0	·88	0	0	0	0	0	0	9
10	·39	·15	0	·09	0	0	0	0	·08	0	0	03	10
11	0	·03	·32	·16	·10	·05	0	0	·09	0	·37	·26	11
12	·03	·03	·07	0	0	0	·06	0	·31	0	0	·18	12
13	·02	·09	·12	0	0	0	0	0	0	0	·16	·14	13
14	·03	·09	0	0	0	0	·22	0	0	·31	0	·18	14
15	·03	0	·08	0	0	0	0	0	0	0	·25	·05	15
16	04	0	·08	0	0	0	·17	0	0	0	0	0	16
17	0	·08	0	0	0	0	0	0	·23	0	0	·18	17
18	0	0	·06	0	0	·67	·11	0	0	0	06	·44	18
19	0	·02	·07	0	0	0	·17	0	0	0	04	13	19
20	0	·05	·23	0	0	0	0	0	·06	·09	0	·03	20
21	0	·24	·03	0	0	·07	·38	·14	0	·11	0	·11	21
22	0	0	·04	0	·73	·08	·03	·14	0	·09	0	·05	22
23	0	·03	·04	0	·17	·18	·04	0	0	0	0	·06	23
24	0	0	·20	·07	0	0	·03	0	0	·24	·30	0	24
25	0	0	0	0	0	0	·04	·11	0	·63	·30	·34	25
26	0	0	·20	0	0	0	0	~~·27~~ ·13	0	·14	0	·31	26
27	·05	0	0	0	0	0	0	·11	0	0	·08	·48	27
28	·05	·03	0	0	0	0	0	0	0	0	·15	·79	28
29	·09		·12	0	·04	0	0	0	0	·45	0	0	29
30	0		0	·07	0	0	0	0	0	·06	0	16	30
31	0		0		·02		·36	0		·11		·04	31
Total	1·37	1·06	2·24	·96	1·82	2·53 2·55	3·00	1·40	1·50	2·16	1·92	4·55	YEAR'S TOTAL 24·57
Rain Days.	13	13	20	8	11	8	17	11	6	11	14	24	156

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
17 JAN 1916

Kept at Ling Moor, Swinderby
in the County of Lincoln
by Cecil H Wray

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Swinderby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·10	0	0	·53	0	0	·33	0	0	07	·12	1
2	0	·03	·14	·15	0	·09	0	·15	·04	0	0	·04	2
3	·28	0	·07	0	0	0	1·22	·43	0	0	0	·24	3
4	[illegible]	0	·0	0	0	0	·38	·10	0	0	0	·88	4
5	·05	0	0	·07	·37	0	·10	·06	0	0	09	·49	5
6	·04	·27	·06	0	0	0	·87	·03	0	0	0	·03	6
7	·20	·28	·05	·10	0	·09	·26	·30	0	0	·06	·20	7
8	·12	·10	0	0	0	0	·14	08	0	0	·04	0	8
9	·07	·12	0	0	0	0	0	0	0	0	·03	·37	9
10	·32	0	·06	0	0	0	0	0	0	0	0	0	10
11	0	0	0	·27	·40	0	·03	·05	0	0	·29	0	11
12	·09	0	0	0	·22	0	0	·10	0	0	·90	0	12
13	[illegible]	·62	0	0	·25	0	0	0	0	0	0	·20	13
14	·20	·12	0	0	·27	0	0	·08	0	0	0	·29	14
15	·28		0	0	0	0	·10	·70	0	0	·20	·08	15
16	0	·34	0	0	·11	0	·88	0	0	0	0	0	16
17	0	·14	0	0	0	0	·29	03	0	0	0	0	17
18	0	·17	·16	0	0	0	0	0	0	0	·20	0	18
19	0	0	0	0	0	0	·12	·04	0	09	0	0	19
20	·18	0	0	0	0	0	0	04	0	0	0	·38	20
21	·15	0	0	0	08	0	·17	0	0	0	0	·15	21
22	·08	0	0	·12	0	0	·05	0	0	0	0	·14	22
23	·08	0	·20	0	0	0	·35	0	0	·15	06	·08	23
24	·08	12	·04	·06	0	0	·05	0	·67	·05	0	·18	24
25	·10	0	·15	0	0	·89	05	0	0	·15	0	·19	25
26	·34	·22	0	0	0		0	0	·04	0	0	·37	26
27	·17	·09	0	0	0	04	·14	0	0	·60	0	·17	27
28	0	·09	0	0	0	·40	0	·31	0	·09	0	0	28
29	·28	0	·14	0	05	·10	0	06	0	0	·44	·29	29
30	·10	X	·09	03	0	1·22	·13	0	0	0	0	·07	30
31	·07	X	0	X	·0	X	0	·08	X	·10	X	·20	31
Total	2·57	2·81	1·16	·80	2·28	2·83	5·33	2·94	·75	1·23	2·38	5·16	YEAR'S TOTAL 30·34
Rain Days.	19	15	11	7	9	7	18	18	3	7	11	22	147

W. 8,000. X. 15.

W 8 l corr for auth 2659

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
9 MAR 1917

Kept at Swinderby
in the County of Lincoln
by Cecil H Wray

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Swinderby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·9	0	·06	0	0	·17	·23	0	·0	0	·31	0	1
2	16	·03	·26	0	·61	0	·10	0	·11	·15	·09	0	2
3	·0	54	·03	·06	0	0	·40	0	·16	·23	·07	0	3
4	23	·12	·02	0	·34	·33	0	0	·73	·10	·14	0	4
5	·0	0	·09	0	·04	·24	·05	0	0	·10	·16	0	5
6	·03	·18	·23	·05	·25	0	·30	0	0	0	·33	0	6
7	·10	0	·25	0	·10	0	·15	0	0	0	·16	·24	7
8	·09	0	·08	0	0	0	0	0	0	0	0	·09	8
9	0	0	·04	0	·08	0	0	0	0	0	0	0	9
10	0	·06	·29	0	0	0	0	0	·13	·17	0	0	10
11	·15	·45	·23	·19	·04	·13	·10	0	0	0	0	·16	11
12	·02	0	·12	·07	·29	·24	·07	0	0	·05	0	0	12
13	·0	·10	·03	·07	·11	·04	0	·05	0	0	0	·08	13
14	·0	·09	·40	·03	·08	0	0	·20	0	0	0	0	14
15	·0	·78	·13	·04	0	0	·13	·10	0	0	0	0	15
16	·0	·16	0	·18	0	0	·04	·24	0	0	0	0	16
17	·0	0	0	·31	0	0	·06	·59	·30	·24	0	0	17
18	·0	·25	·10	·12	0	0	0	1·30	·10	·10	1·16	0	18
19	·16	·04	·38	·39	0	0	0	·05	·15	0	124	0	19
20	·12	0	·16	·46	0	0	0	0	0	0	0	·20	20
21	·0	0	0	·10	0	0	·13	0	0	0	0	·40	21
22	0	·09	0	0	0	0	0	0	0	·04	0	·17	22
23	·05	·15	·09	0	0	0	0	0	0	0	·14	·38	23
24	0	0	·0	0	0	0	0	·12	0	0	0	·11	24
25	0	0	·25	0	0	0	0	·18	0	0	·15	·04	25
26	0	0	·69	0	0	0	0	·37	0	·20	·08	0	26
27	0	1·27	0	0	0	0	·11	·03	0	0	0	0	27
28	0	·26	0	0	0	·12	0	·0	0	·17	0	·12	28
29	0	·17	0	0	·18	35	0	1·10	0	·22	0	·13	29
30	0	X	0	0	0	·03	0	·05	0	·05	0	0	30
31	0	X	0	X	0	X	[illegible]	·03	X	·0	X	3	31
Total	1·10	4·16	3·93	2·07	2·09	1·65	1·87	4·41 4·41	1·68	1·82	3·03	2·17	YEAR'S TOTAL 29·98 29·98
Rain Days.	10	17	21	13	11	9	13	14	7	13	12	13	153

W. 8,000, VIII. 16

Smade ✓

Entered 1 day early throughout - corr. Set

REGISTER OF RAINFALL (R) IN 1917

2527

FORM A.
BRITISH RAINFALL.

24. JAN 1918

Kept at Swinderby

in the County of Lincoln

by Cecil H Wray

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Swinderby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	(–) ·72	·00 00	·00 ·00	·33 ·08	– 00	– ·12	– 00	1·19 ·19	·28 00	– 00	·05 04	·10 00	1
2	·0	00	·00	·00	00	00	00	·33	00	00	00	00	2
3	·0	00	00	00	00	00	00	00	00	·31	00	00	3
4	·33	00	·17	·12	00	00	00	·05	·05	·38	08	00	4
5	·0	00	00	·08	00	00	00	00	00	00	06	00	5
6	·33	00	00	00	00	·10	00	00	00	·50	00	·06	6
7	·63	00	00	·16	00	00	00	1·38	00	·31	·10	00	7
8	·23	00	·08	00	00	00	00	·04	00	·00	·21	00	8
9	·0	00	·61	·15	·50	00	00	·21	·05	00	·05	00	9
10	·18	00	·02	·19	·00	00	00	00	00	·30	00	00	10
11	·07	·00	00	00	·14	00	00	·22	00	·26	00	·04	11
12	(·10)	00	00	·06	00	00	00	24	·07	·04	00	00	12
13	·18	00	00	·13	00	00	00	23	00	00	00	08	13
14	·16	00	00	·00	·07	00	00	00	00	·05	00	·07	14
15	·14	·15	00	·12	00	00	00	00	00	·04	00	·29	15
16	·09	00	·10	·19	·48	·05	·08	·15	·06	·04	00	00	16
17	·05	00	00	·05	·06	00	·50	00	·46	·03	00	00	17
18	·06	·16	·09	00	·53	·04	00	00	·04	00	00	00	18
19	00	·38	00	00	·15	·12	00	00	·14	00	·32	00	19
20	00	·04	00	00	00	·09	00	·07	00	00	00	00	20
21	00	00	·19	00	00	00	00	·07	00	·08	00	00	21
22	00	·00	00	00	·12	00	00	·19	·07	·03	00	·05	22
23	00	·00	00	00	00	·61	00	00	00	·16	04	00	23
24	00	·00	·07	00	00	00	00	00	00	00	00	00	24
25	00	·00	·08	00	00	00	00	·50	·11	00	·28	00	25
26	00	·00	00	·00	00	00	·13	·44	00	00	00	·05	26
27	00	·00	·13	00	00	·27	00	·07	00	00	00	·16	27
28	00	·00	·7	00	·18	·12	00	00	00	·21	00	·06	28
29	00		00	00	00	00	·74	·32	00	00	00	00	29
30	00		00	00	00	00	00	·08	00	00	·10	·05	30
31	00		·33		00		1·19	·28		·05		·00	31
Total	2·67 ✓	·73 ✓	~~1·44~~ 1·61	~~1·33~~ 1·66	2·23 ✓	1·52 ✓	~~2·64~~ 1·45	~~5·06~~ 5·97	~~1·05~~ 1·33	~~2·79~~ 2·74	~~1·28~~ 1·23	~~·91~~ 1·01	YEAR'S TOTAL 24·15 ✓
Rain Days.	14	4	~~12~~ 11	~~11~~ 12	9	9	~~5~~ 4	19	~~9~~ 10	~~16~~ 15	10	~~10~~ 11	128 ✓

W. 8,000, IX. 17.

1·26

cnd. for entry 13 days only

76

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

29.1.19

Kept at Swinderby

in the County of Lincoln

by Cecil H Wray

Lat. .... Long. ....

Time of Observation 9-a m

Nearest Railway Station 1 mile. Swinderby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	←	·06	·13	·10	–	–	–	–	·21	·03	·14	–	
1	·0	·26	·0	·09	·06	·0	·0	·36	·04	·04	·0	·22	1
2	·3	·05	·39	·0	·46	·03	·0	·38	·06	·0	·49	·0	2
3	·0	·07	·05	·0	·0	·0	·0	·09	·11	·0	·44	·18	3
4	·0	·0	·0	·04	·21	·0	·0	·20	·08	·04	·0	·0	4
5	·0	·08	·0	·28	·0	·0	·0	·0	·04	·06	·0	·04	5
6	·0	·03	·0	·17	·0	·13	·0	·0	·04	·07	·13	·0	6
7	·0	·07	·0	·03	·0	·0	·0	·0	·12	·06	·0	·03	7
8	·12	·41	·0	·18	·0	·06	·0	·0	·40	·28	·0	·05	8
9	·07	·04	·0	·03	·0	·0	·46	·0	·0	·25	·0	·07	9
10	·06	·07	·0	·06	·24	·0	·12	·0	·05	·08	·0	·08	10
11	·0	·20	·0	·17	·17	·0	·06	·0	·04	·09	·0	·05	11
12	·0	·0	·0	·0	·23	·0	·0	·0	·13	·0	·0	·0	12
13	·20	·0	·0	·08	·0	·06	·18	·0	·20	·08	·0	·16	13
14	0	·0	·0	·09	·0	·0	·19	·0	·24	·0	·04	·30	14
15	·0	·0	·0	·36	·0	·0	·03	·04	·09	·0	·0	·05	15
16	·66	·0	·0	·04	·09	·14	·62	·05	·36	·13	·0	·20	16
17	·21	·0	·0	·0	·0	·06	·14	·0	·32	·0	·0	·12	17
18	·06	·06	·12	·0	·0	·0	·0	·0	·0	·09	·0	·48	18
19	·04	·10	·0	·0	·0	·11	·11	·0	·02	·0	·0	·0	19
20	·05	·0	·0	·0	·10	·0	0	·0	·11	·11	·0	·03	20
21	·14	·0	·0	·0	·05	·0	·06	·0	·0	·19	·05	·33	21
22	·09	·0	·0	·0	·34	·0	·03	·0	·0	·0	·04	·0	22
23	·0	·16	·0	·0	·0	·0	·10	·0	·06	·04	·16	·03	23
24	·0	·0	·0	·05	·0	·25	·06	·25	·0	·0	·05	·0	24
25	·0	·0	·0	·0	·0	·0	·15	·15	·05	·03	·17	·03	25
26	·0	0	·0	·0	·0	·10	·23	·32	·07	·0	·22	·09	26
27	·0	0	·16	·0	·0	·0	·0	·0	·04	·0	·23	·37	27
28	·0	0	·0	·0	·0	·0	·0	·0	·37	·0	·0	·0	28
29	·0	·13	·39	·03	·0	·0	·0	·0	·03	·0	·13	·27	29
30	·0	✕	·08	·0	·0	·0	·0	·0	·03	·0	·0	·0	30
31	·06	✕	·10	✕	·0	✕	·0	·21	✕	·14	✕	·0	31
Total	~~1·79~~ 1·73	~~1·73~~ 1·66	~~1·29~~ 1·32	~~1·70~~ 1·80	~~1·95~~ 1·95	~~·94~~ ·94	~~2·54~~ 2·54	~~2·05~~ 1·84	~~3·10~~ 3·28	~~1·88~~ 1·77	~~2·06~~ 2·20	~~3·18~~ 3·18	YEAR'S TOTAL 24·21
Rain Days.	13	14	7	16	13	9	15	9	25	17	13	21	168

W, 6,500, VII. 18. w w c

Entered one day early also 1918 Correct — wrote

Ey RL

corrd for WD

2376

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Ling Moor Swinderby

in the County of Lincoln

by Cecil H Wray

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Swinderby 1 mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following. 0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	~~in.~~	in. ·11	in. –	in. –	in. ·16	in. –	in. ·39	in. –	in. –	in. 10	in. ·11	in. –	
1	·15	·03	0	0	0	0	·26	0	·44	0	·29	·18	1
2	·07	0	0	0	·04	0	·34	0	·14	0	·34	·09	2
3	·04	0	·38	0	·12	·14	0	·26	·10	0	·08	·05	3
4	·10	0	0	0	0	0	0	·05	·19	0	0	·14	4
5	0	0	·03	0	10	0	0	0	0	0	·04	·15	5
6	·03	0	·13	·06	7	0	0	0	0	0	0	·12	6
7	0	0	0	·11	0	·03	0	0	0	0	0	0	7
8	·10	0	0	·0	0	0	0	0	0	0	·04	0	8
9	0	0	·15	·08	0	0	0	0	0	·06	·11	0	9
10	0	0	·65	103	·12	0	·28	0	0	0	0	·12	10
11	·05	0	·41	0	·0	0	·09	0	0	0	·15	0	11
12	·17	0	0	·16	·0	0	·04	0	·33	·06	0	·03	12
13	·30	0	0	·17	·0	0	0	·03	·09	0	0	·03	13
14	·18	·08	·10	·20	·0	0	0	0	0	0	0	·79	14
15	0	·59	0	0	0	·14	0	0	0	0	·21	0	15
16	0	·73	·04	0	·0	0	0	0	0	0	·21	0	16
17	0	0	0	0	·03	0	0	·14	·04	0	0	0	17
18	0	·24	·67	0	0	·08	·70	·67	·11	0	·13	·08	18
19		·13	·31	0	0	·06	·21	·23	·08	0	0	·07	19
20	·29	·44	·16	0	0	·03	·24	0	0	0	·06	·07	20
21	0	·13	0	0	0	0	0	0	·82	·68	·04	·16	21
22	0	0	0	·07	·05	0	·06	·05	0	·23	0	·35	22
23	0	0	0	·18	·31	·16	0	0	0	·16	·05	·03	23
24	·04	·07	0	·27	·23	·07	0	·60	0	·05	0	·0~~7~~0	24
25	0	0	·10	0	·0	·03	0	·14	·12	·06	·03	·40	25
26	·06	·09	0	·40	0	0	0	0	0	·12	·08	·05	26
27	·08	·0	0	·03	0	0	0	·68	0	0	0	·30	27
28	·10	·05	0	·07	0	·08	0	·22	0	·59	·11	·07	28
29	0	0	0	·32	0	·19	0	0	0	·04	·34	·26	29
30	·04		0	·16	0	·39	·09	0	10	·12	0	·06	30
31	·11		0		0		0	0		·11		0	31
TOTAL	1·80 ~~1·91~~	2·69 ~~2·58~~	3·13	2·15 ~~2·31~~	1·23 ~~1·07~~	1·01 ~~1·40~~	2·67 ~~2·28~~	3·07	2·46 ~~2·56~~	2·27 ~~2·28~~	2·39 ~~2·28~~	3·60	YEAR'S TOTAL 28·47
Days with ·01 in. or more	16 ~~17~~	12 ~~11~~	12	14 ~~15~~	10 9	11 ~~12~~	11 ~~10~~	11	11 ~~12~~	12 ~~15~~	18 ~~17~~	22	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W Ink

22275
11 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swinderby
in the County of Lincoln
by Cecil H Wray

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Swinderby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	·18	·06	0	·26	0	0	·25	·09	·05	1
2	0	0	0	·18	0	0	·15	0	·19	·11	0	·16	2
3	0	04	0	·19	0	·10	·22	0	·12	·06	0	0	3
4	0	0	0	·24	·14	0	·13	·48	·10	·46	0	10	4
5	0	0	·05	0	·04	0	·10	·20	·06	0	0	·06	5
6	0	0	·17	·05	0	0	·10	0	0	0	0	10	6
7	·6	0	·08	·07	·04	0	·04	0	0	0	0	08	7
8	0	·09	0	·45	0	0	05	0	0	0	0	0	8
9	·22	0	0	·47	0	0	0	0	0	0	0	0	9
10	·15	·14	·06	·05	·13	·03	·10	0	0	0	0	·20	10
11	29	·02	·09	·23	0	·09	0	·04	0	0	0	08	11
12	·06	0	0	·27	0	·09	·04	0	0	0	0	0	12
13	·06	·10	·09	·33	0	·77	0	·04	·06	0	0	·06	13
14	0	0	·47	(·14)	0	·37	·07	0	·15	·05	·13	·28	14
15	0	·06	·88	·17	0	0	0	0	·21	·04	0	·08	15
16	0	0	·05	0	0	0	0	0	·06	·13	0	0	16
17	0	0	0	0	·16	0	·15	0	·42	·04	0	·06	17
18	·14	0	0	·15	·12	·05	·04	·09	·15	0	0	0	18
19	·07	·72	0	·18	0	0	0	·04	0	0	0	0	19
20	·11	·70	0	·38	0	·49	·08	0	·05	0	0	0	20
21	0	0	0	·15	0	0	·26	·12	0	0	0	0	21
22	·04	0	0	·21	0	0	0	0	·08	0	0	0	22
23	0	0	0	0	0	0	·05	0	0	·04	0	·31	23
24	0	·03	·17	·05	0	0	0	0	0	0	0	·11	24
25	0	·04	·04	·10	0	·07	·70	0	0	0	0	·0	25
26	10	0	·06	·03	0	0	08	0	0	0	0	0	26
27	·07	0	0	·15	·36	·18	0	0	0	0	·39	·23	27
28	·48	[illegible]	·20	·03	·04	0	·17	0	0	0	·29	06	28
29	·06	0	·25	0	·03	·06	·05	0	0	0	·08	·40	29
30	0	✕	·03	·19	·02	0	0	0	·22	0	·14	·25	30
31	·10	✕	10	✕		✕	·06	0	✕		✕	·14	31
TOTAL	2·01	1·94	2·79	4·64	1·14	2·30	2·90	1·07	1·87	1·18	1·12	2·45	YEAR'S TOTAL 25·35
Days with ·01 in. or more	15	10	16	26	11	11	21	7	13	9	6	17	162
Days with ·04 in. or more	15	8	15	24	9	10	21	7	13	9	6	17	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

dL /

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGI

LINCOLN.

THORNTON CURTIS SCHOOL.

1912 – 1914

Kept at Thornton C

in the County of Lincoln

by W. Dove

in.

nd ft. in.

Level ft.

he

ance Direction

IMPORTANT NOTE.– result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01			.29	.08						1
2			.05			.10	.45						2
3			.02			.65	.01						3
4			.26		.02	.52				.10	.36		4
5					.05	.23							5
6					.06		.11						6
7					.02								7
8			.20				.12				.03		8
9			.08	.06		.29				.03			9
10			.02			.10					.09		10
11							.16				.08		11
12			.10			.33	.26				.64		12
13						.12				.20	.26		13
14			.44			.13				.01			14
15			.50		.53	.24							15
16			.10		.28	.06				.13			16
17			.15			.29							17
18			.04				.04			.13			18
19						.03	.41				.02		19
20			.01		.36	.03	.26			.15			20
21			.23		.44		.48			.09	.02		21
22			.01		.56	.05							22
23			.10				.37						23
24						.61	.21						24
25						.32	.14				.28		25
26			.03				.10			.53	.10		26
27			.03			.18	.24			1.04	.68		27
28				.02	.24	.16	.06			.20			28
29					.01	.01	.11			.16			29
30			.05							.10	.02		30
31			.13		.18		.26			.02			31
Total			2.56	.08	2.75	4.74	3.87			2.69	2.58		TOTAL for year
No. of Rain Days.			21	2	12	21	19			14	12		

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REG

Kept at Thornton Curtis School
in the County of Lincolnshire 5
by W. Dove

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01			.29	.08						1
2			.05			.10	.45						2
3			.02			.65	.01						3
4			.26		.02	.52				.10	.36		4
5					.05	.23							5
6					.06		.11						6
7					.02								7
8			.20				.12				.03		8
9			.08	06		.29				.03			9
10			.02			.10					.09		10
11							.16				.08		11
12			.10			.33	.26				.64		12
13						.12				.20	.26		13
14			.44			.13				.01			14
15			.50		.53	24							15
16			.10		.28	06				.13			16
17			.15			.29							17
18			.04				.04			.13			18
19						03	.41				.02		19
20			.01		.36	.03	.26			.15			20
21			.23		.44		.48			.09	.02		21
22			.01		.56	.05							22
23			.10				.37						23
24						61	.21						24
25						.32	.14				.28		25
26			.03				.10			.53	.10		26
27			.03			.18	.24			1.04	68		27
28				.02	.24	.16	.06			.20			28
29					.01	.01	.11			.16			29
30			.05							.10	.02		30
31			.13		.18		.26			.02			31
Total			2.56	.08	2.75	4.74	3.87			2.89	2.58		TOTAL for year
No. of Rain Days.			21	2	12	21	19			14	12		

W. 8,000, X. '11.

88 ✓ Ex 88 409

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at School, Thornton Curtis

in the County of Lincolnshire

by W. Dove

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.17		.08				.95		.06		1
2		.05	.09				.02				.07		2
3			.15							.65		.11	3
4	.80	.01			.06					.47	.21	.21	4
5	.01		.01				.06	.01		.17	.01		5
6	.01		.06		.24	.08	.01	.05		.11			6
7					.04	.30				.51		.01	7
8		.08			.51					.05	.05		8
9		.24	.05	.05		.02		.28		.01	.09	.01	9
10		.01	.03	.05	.03		.01			.03	.48		10
11	.82			.33		.03					.19		11
12						.03					.13		12
13	.03	.02		.06				.03			.24		13
14			.31							.17			14
15	.17		.46	.12							.15		15
16				.05							.09		16
17	.03	.02	.41		.04	.03			.30		.02		17
18			.17	.08							.01	.08	18
19	.08		.02										19
20	.09			.10						.20	.07		20
21	.07				.15		.10		.09		.18		21
22	.05	.03	.18					.58					22
23	.08						.05	.09	.16				23
24	.11			.01		.09		.04			.02		24
25		.02		.15		.02			.02				25
26		.09	.02	.05						.43	.07	.22	26
27		.04		.01		.07					.02		27
28	.34	.03	.15	.25	.02					.03		.10	28
29	.20		.21	.21	.35							.54	29
30	.29							.11		.05			30
31											.02		31
Total	3.18	.64	2.49	1.52	1.52	.67	.25	1.19	1.52	2.88	2.18	1.28	YEAR'S TOTAL 19.32
Rain Days.	16	12	16	14	10	9	6	8	5	13	20	8	137

W. 7,500, XI. ·12

88

For M.O.

393

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Thornton Curtis School

in the County of Lincolnshire 5

by W. Dove

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.01				.62	.24			.01	.02	1
2					.15		.15	.33			.10	.08	2
3			.14				.25	.08			.04	.27	3
4				.18	.04						.29	.27	4
5	.15		.23		.22			.17			.03	.03	5
6		.08		.03	.08		.14				.01	.04	6
7			.21		.10	.07	.07					.18	7
8	.28		.01	.16	.09			.10				.02	8
9	.38			.05		.21		.03	.08				9
10	.30	.10		.03		.36			.06				10
11		.02	.23	.05	.09	.19			.10		.29	.39	11
12	.01	.04					.06		.35			.42	12
13	.04		.20				.20				.12	.22	13
14	.05									.20	.18	.12	14
15	.07	.07	.21						.02		.14	.16	15
16	.10		.03				.21		.14				16
17	.23	.10							.57		.04	.26	17
18			.11			.08					.02	.29	18
19	.05		.10						.05		.09	.17	19
20	.03		.17			.63				.30			20
21	.01	.17	.04			.03		.16		.11	.05	.24	21
22	.01	.04	.01	.05	.84	.40		.06		.11			22
23		.02	.02	.01	.45	.08				.02		.08	23
24	.03		.03	.06				.19		.01	.28	.58	24
25		.05			.01			.06		.60	.04		25
26		.01	.07				.06	.29		.18	.09	.14	26
27	.01						.09				.07	.40	27
28	.01	.03								.15	.04	.40	28
29	.05		.09							.40			29
30					.04			.06			.27	.16	30
31							.18			.08		.07	31
Total	1.81	.73	1.91	.62	2.11	2.05	2.03	1.77	1.37	2.16	2.20	5.01	YEAR'S TOTAL ✓23.77
Rain Days.	18	12	18	9	11	9	11	12	8	11	~~19~~ 20	24	163

W.7,000, XI. 13

1915

endly Vicarage
14.IV.16

2721

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Thornton Curtis School

in the County of Lincoln

by The Master

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Thornton Abbey

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	15	36			49			·63	50		·02		1
2		05	20					19	15		·01	·03	2
3	61		05			[illegible]	50	·05	24		·12		3
4	22			28	01		120	041			·03	·32	4
5	11		7		20					09		1·02	5
6	01	27	16	11	08		75	01				1·36	6
7	25	30	04	02			80	21	02		·09	·05	7
8	02	05	01	01				01			·07	·16	8
9		06						04		05	·02		9
10	35		01					11				·52	10
11	02	01	01		31			02					11
12	10			11	06		09	05		07	·18	·08	12
13		66		01						08	·93		13
14		29			05			03		01			14
15	30	01								02		·34	15
16	02	22					56				·16	·22	16
17	09	28	02				17	02			·02	·15	17
18		28	17						03	02			18
19										08	·06		19
20	15	01	05							05		·06	20
21	09	01					15					·46	21
22	05		06	03			10					·15	22
23	02	04	02			01					·03	·19	23
24	02	01	07				67		35		·07		24
25	01	[illegible]				18				0·5			25
26	02	26	06			35	01			·03		·27	26
27		05					85			·45		·36	27
28		05	1·0			03		24		·23			28
29								02				18	29
30	16	╳	12	01	10			03	04	·02	·40		30
31	13	╳		╳		╳	70	20	╳	·08	╳	23	31
Total	2·95	3·27	1·15	·58	1·30	·27	5·95	1·97	1·33	1·33	2·15	6·15	YEAR'S TOTAL 28·44
Rain Days.	22	20	16	8	8	4	13	17	4	15	15	19	164

Doc. X. 14.

Exd

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

5 JAN

Kept at *Thornton Curtis C.E. Sch*

in the County of *Lincoln*

by *The Schoolmaster*

Lat. Long.

Time of Observation *9a.m.*

Nearest Railway Station *Thornton Abbey*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *3* ft. *3* in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·02				·06			·01	·18		1
2	·08					·19			·06	·11	·23		2
3		·15	·13		·42				·33	·15	·04		3
4		·36		·02					·05	·26	·28	·02	4
5	·08				·38	·36				·28	·78		5
6	·04					·20	·06			·01	·23		6
7	·03	·40	·21	·06	·35		·05			·07	·06		7
8			·32		·15						·04	·49	8
9			·25			·12			·02			·12	9
10			·26		·55	·65	·12		·12	·07		·03	10
11		·02		·06		·22	·08		·02				11
12	·06	·39	·28	·15		·36	·26			·05		·18	12
13	·06		·21	·02	·13		·36	·14		·26		·02	13
14		·06	·11		·27		·09	·26		·01			14
15		·11			·16			·48	·05	·04			15
16			·32				·06	·04		·02		·14	16
17		·07	·05	·10			·07	·01	·23	·09		·02	17
18	·01			·38		·01		·40	·09	·21	·15		18
19				·16				·05	·06		·15	·20	19
20	·10	·18	·04	·12		·04	·01	·07			·03	·03	20
21	·08		·19				·07					·34	21
22		·04	·06			·06				·07		·23	22
23		·12				·06					·13	·30	23
24						·09		·13		·11		·16	24
25		·02		·16				·19		·08	·16	·08	25
26		·26									·09		26
27			·23			·01		·04					27
28		·50						·03		·08		·15	28
29		·20			·09	·37		·30		·18		·01	29
30		✕				·04		·05		·27		·20	30
31		✕		✕		✕		·02	✕	·04	✕	·02	31
Total	·59	2·88	2·68	1·23	2·50	2·78	1·29	2·21	1·03	2·47	2·55	2·74	YEAR'S TOTAL 24·95
Rain Days.	10	15	15	10	9	15	12	15	10	22	14	19	166

W. 8,000. X. 15.

8L

Es 8L

2522
~~532~~

FORM A.
BRITISH RAINFALL.

29 MAY 1918

REGISTER OF RAINFALL IN 1917

Kept at Thornton Curtis School
in the County of Lincolnshire
by J. A. Warburton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				–				·80	–		·06		1
2	·02							·16					2
3								·30		·13			3
4										·35			4
5	·07									·02	·05		5
6								·06					6
7	·37									·63			7
8	·29							1·07		·45	·08		8
9	·09							·35		·01	·23		9
10	·22		·32					·10		·09	·08		10
11	·04							·01		·31			11
12	·13							·10		·11			12
13	·09							·15		·08	·03		13
14	·22							·18					14
15	·15							·15		·08	·02		15
16	·02	·19						·08					16
17	·09	·03	·01					·10	·02	·07			17
18	·13							·03	·30				18
19	·11	·10	·15						·02				19
20		·29	·07					·04			·30		20
21		·07	·08					·04					21
22								·03		·09			22
23								·18					23
24								·05		·25	·07		24
25			·04							·04	·06		25
26			·08					·71	·13		·27		26
27								·33					27
28			·12					·28					28
29								·04		·15			29
30		×	·13					·07			·03		30
31		×	·15	×		×		·03	×		×		31
Total	2·04	·68	1·15					5·44	·47	2·86	1·28		YEAR'S TOTAL
Rain Days.	15	5	10					26	4	16	12		

W. 8,000, VIII. 16

81

LINCOLN

THORNTON CURTIS VICARAGE.

1911 – 1919

FORM A2.
BRITISH RAINFALL.
400
26 JAN 1912

R ... 11

Kept at Thornto...
in the County of N. C...
by Rev. C. B...

8 in.
...ove Ground 1 ft. 4 in.
„ Sea Level 66 ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at ... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12									·02	·02	·03	1
2	·17				·04		·14			·04		·08	2
3	·02			·06	·06	·05				·19	·03		3
4	·04	·01	·17	·28					·08	·10	·20	·20	4
5	·05			·04						·13	·02	·06	5
6	·35		·04					·26		·02	·15	·28	6
7			·04					·12			·04	·07	7
8	·05		·25						·04	·04	·01	·09	8
9			·13	·03							·04		9
10	·05	·13	·09								·05	·43	10
11	·33	·09									·22		11
12	·12		·19		·02	·03			·38		·19		12
13			·48			·30					·02	·24	13
14		·20	·18		·20	·02	·02				·03	·20	14
15		·15	·26						·04			·10	15
16			·08			·05	·04				·16	·07	16
17		·02	·04			·22	·05				·02	·14	17
18		·03	·03			·05					·44	·06	18
19		·02	·01			·10	·06			·07	·44		19
20				·18			·10	·13	·08			·74	20
21	·03	·33				·02				·09	·14	·03	21
22	·02	·07		·03				·16		·12	·07	·04	22
23		·14	·03			1·00			·74	·03	·02	·07	23
24		·05	·04	·13		1·32				·21		·02	24
25		·04	·01	·24		·21			·02	·02	·04	·08	25
26				·05						·29	·53	·19	26
27		·07	·12	·12			·03	·50	·22	·01		·02	27
28		·23	·03	·27		·04		·20		·01	·03	·17	28
29			·02	·05		·02	·08		·56	·26	·01	·05	29
30					·16	·30			·47	·18		·02	30
31			·02		·06					·02			31
Total	1·35	1·58	2·26	1·48	·54	3·73	·52	1·37	2·63	1·85	2·92	3·48	TOTAL for year 23·71
No. of Rain Days	12	15	21	12	6	15	8	6	10	19	24	2	173

9,000, IX. '10.

8L

11

FORM A2.
BRITISH RAINFALL.

400

26 JAN 1932

Kept at Thornton Curtis

in the County of N. Lincolnshire 5

by Rev. C. B. Goodacre

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 66 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12			—						·02	·02	·03	1
2	·17			—	·04		·14			·04		·08	2
3	·02			·06	·06	·05				·19	·03		3
4	·04	·01	·17	·28					·08	·10	·20	·20	4
5	·05			·04						·13	·02	·06	5
6	·35		·04					·26	—	·02	·15	·28	6
7			·04					·12			·04	·07	7
8	·05		·25						·04	·04	·01	·09	8
9			·13	·03							·04		9
10	·05	·13	·09								·05	·43	10
11	·33	·09		—							·22		11
12	·12		·19		·02	·03			·38		·19		12
13			·48			·30					·02	·24	13
14		·20	·18		·20	·02	·02				·03	·20	14
15		·15	·26						·04			·10	15
16			·08			·05	·04				·16	·07	16
17		·02	·04			·22	·05				·02	·14	17
18		·03	·03			·05					·44	·06	18
19		·02	·01			·10	·06			·07	·44		19
20			—	·18			·10	·13	·08			·74	20
21	·03	·33				·02				·09	·14	·03	21
22	·02	·07		·03	—			·16	—	·12	·07	·04	22
23		·14	·03			1·00			·74	·03	·02	·07	23
24		·05	·04	·13		1·32				·21		·02	24
25		·04	·01	·24		·21			·02	·02	·04	·08	25
26				·05						·29	·53	·19	26
27		·07	·12	·12			·03	·50	·22	·01		·02	27
28		·23	·03	·27		·04		·20		·01	·03	·17	28
29			·02	·05		·02	·08		·56	·26	·01	·05	29
30					·16	·30			·47	·18		·02	30
31			·02		·06					·02			31
Total	1·35	1·58	2·26	1·48	·54	3·73	·52	1·37	2·63	1·85	2·92	3·48	TOTAL for year 23·71
No. of Rain Days	12	15	21	12	6	15	8	6	10	19	24	25	173

9,000, IX. '10.

396

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Thornton Curtis Vicarage

in the County of Lincolnshire 5

by Rev. C. B. Goodacre

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03		·20	·06	·01	·22			·17	1
2		·08	·05			·21	·36		·11	·07			2
3	·15	·05	·02			·64	~~·01~~	·30		·03		·09	3
4	·16		·26		·03	·50		·60	·12		·33 ·33		4
5		·02			·05	·15		·01					5
6	·69	·15			·06	·03	·08	·12	·07				6
7	·03				·02		·03	·08	·09				7
8	·21	·11	·20	·02		·01	·17		·40		·03	·03	8
9	·02	·08	·08	·09		·30			·03	·02		·03	9
10			·02			·10		·02	·13		·10 ·10		10
11	·18	·03					·14	·05	·01		·07	·63	11
12	·07	·22	·10			·35	·27	·02			·70		12
13	·03	·03				·13		·06		·18	·30 ·30		13
14			·46			·13		·07	·04		·01	·13	14
15		·02	·53			·17						·02	15
16	·10		·10		·57	·13		·09		·12			16
17	·09	·01	·16		·25	·29		·13				·08	17
18	·17		·05			·03	·05			·06			18
19	·38	·19				·02	·45	·55		·08	·02		19
20	·08	·04	·02			·03	·31			·14	·02		20
21			·32		·25		·50			·08	~~[illegible]~~	·06	21
22		·08			·58	·05		·17				·24	22
23		·03	·10		·67		·35	·65			·16	·03	23
24	·34					·68	·30	·01				·16	24
25	·05					·32	·13	·05			·13 ·13	·13	25
26	·01	·10	·04				·08	1·20		·68	·13 ·13	·25	26
27			·05			·10	·24			1·04	~~[illegible]~~	·08	27
28				·03	·21	·11	·05			·20	·48	·30	28
29						·03	·12	·42	·61	·16	·49		29
30	·06		·07		·02		·02		·14	·08	~~[illegible]~~		30
31			·15		·15		·25			·05			31
Total	2·82	1·24	2·79	·17	2·86	4·71	3·96	4·61	1·97	2·99	2·97	2·43	TOTAL for year 33·52
No. of Rain Days.	18	16	20	4	12	24	20	20	12	15	14	16	191

W. 8,000, X. '11.

88. ✓ Cod by Obr 23. VIII.13 ~~Ex Sd~~

REGISTER OF RAINFALL IN 1913

28 JAN 1914

FORM A.
BRITISH RAINFALL.

408

Kept at Thornton Curtis

in the County of Lincolnshire

by Rev. C B Goodacre

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·18	·05	·04				1·04		·06		1
2	·03	·05	·10	·01	·05		·03				·07		2
3		·01	·15		·16				·01	·60		·12	3
4	·77				·07		·07		·08	·54	·20	·22	4
5		·01	·03				·02			·16			5
6	·03		·07		·24	·08	·01	·07	·03	·12			6
7		·06		·02	·04	·10				·52	·02	·02	7
8					·60	·19			·03	·05	·05		8
9		·25	·05	·03	·13	·03		·30		·01	·07	·02	9
10		·01	·03	·03	·03		·02			·05	·51		10
11	·87			·33		·03					·18		11
12						·03					·13		12
13				·02					·01		·23		13
14	·07	·02	·25							·12	·02		14
15	·14		·62	·04							·12	·01	15
16			·13	·09					·27		·08		16
17	·03	·02	·40	·06		·03		·01			·03		17
18	·02		·15	·09	·02	·02	·01				·02	·10	18
19	·07		·02	·01	·01								19
20	·09		·01	·10					·14	·20	·05		20
21	·09	·04			·11		·09		·02		·19		21
22	·03		·18				·05	·62	·06				22
23	·08					·02	·01	·08	·09		·02		23
24	·10			·01		·08		·03			·03		24
25		·03		·15		·03			·02				25
26		·08	·03	·03		·02				·35	·09	·22	26
27		·04	·02			·07					·03		27
28	·41	·03	·14	·26	·03					·03		·10	28
29	·19		·19	·21	·31			·14				·54	29
30	·25									·05	·03		30
31					·02			·04					31
Total	3·27	·65	2·78	1·54	1·86	·73	·31 ~~·45~~	1·29	1·80	2·80	2·23	1·35	YEAR'S TOTAL 20·61
Rain Days.	17	13	19	18	15	13	9 ~~5~~	8	12	13	22	9	168

W. 7,500, XI. ·12

ex. mg

392

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Thornton Curtis Vicarage
in the County of Lincolnshire 5
by Rev. C. B. Goodacre

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·61	·25		·01		·03	1
2						·03	·16	·37			·10	·06	2
3	·02		·14		·13		·24	·05			·05	·34	3
4	·14		·06	·16	·06						·30	·30	4
5	·03		·23	·05	·24	·02	·04	·17			·08	·03	5
6		·06		·01	·08		·11				·02	·04	6
7		·11	·21	·03	·10	·06						·17	7
8	·30	·01	·02	·12	·10	·25		·08					8
9	·34	·01		·05		·40		·02	·09				9
10	·40	·08		·03					·07				10
11		·02	·21	·04	·09	·19			·11	·01	·30	·33	11
12		·01				·01	·05		·26			·40	12
13		·03	·20				·21				·10	·27	13
14		·07					·09			·27	·16	·10	14
15	·07	·02	·21				·02		·03	·01	·18	·19	15
16	·12		·04				·11		·13		·05		16
17	·10	·09	·04						·50		·02	·21	17
18	·13		·09			·06	·04		·02		·02	·35	18
19	·05		·09				·03		·05		·10	·17	19
20	·03	·02	·15			·57			·02	·20			20
21		·22	·05		·02	·02		·17		·22	·06	·24	21
22	·01			·05	·81	·71	·02	·05		·08		·04	22
23		·06	·03		·51	·08				·08		·04	23
24	·03		·02	·08			·03	·25		·03	·26		24
25		·05					·04			·62	·04	·17	25
26			·07				·08	·27		·17	·09	·37	26
27	·01				·02		·01				·02	·41	27
28		·03								·14		·49	28
29	·05		·09							·45			29
30					·01			·06		·01	·30	·19	30
31			·02				·18			·10		·07	31
Total	1·83	·89	1·97	·62	2·17	2·40	2·07	1·74	1·28	2·40	2·25	5·01	YEAR'S TOTAL 24·63
Rain Days.	16	16	19	10	12	12	18	11	10	15	19	24	182

W.7,000, XI. 13

JL

2720
~~38~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Thornton Curtis Vicarage
in the County of Lincolnshire
Rev. C. B. Goodacre

Ex JL

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·32			·48			·63	·50		·11	·04	1
2		·06	·21	·16	·01		·06	·19	·15				2
3	·65		·05	·08			·49	·05	·24		·02	·33	3
4	·25						1·27	·11			·11	1·02	4
5	·11				·19					·09	·02	·43	5
6	·03	·31	·22	·10	·09		·76	·01				·05	6
7	·24	·29	·07	·02			·76	·21	·02		·04	·17	7
8	·02	·02					·03	·01			·04		8
9		·07		·01				·04		·05		·36	9
10	·32							·11			·03	·03	10
11	·02		·02		·39						·12	·10	11
12	·09			·16	·08		·08	·05		·07	·90		12
13	·02	·63			·01						·03		13
14	·02	·22			·05			·03		·01		·22	14
15	·31									·02	·26	·07	15
16	·02	·26					·55				·11	·05	16
17	·10	·25	·03				·25					·03	17
18		·29	·17						·03	02	·07	·04	18
19		·02	·03				·10			·08	·01		19
20	·12									05		·42	20
21	·11	·01					·08						21
22	·05		·06	·05			·01				·03	·20	22
23	·02	·12	·02				·10				·02	·01	23
24	·02		·09	·01		·01			·35	·02		·31	24
25						·08				·05	·03	·03	25
26	·03	·29	·06	·01		·12	·02			·03		·35	26
27		·05	·02				·81			·45		·12	27
28		·06	·12			·03		·24		·23			28
29								·02			·27	·20	29
30	·16	X		·03	·11			·03	·04	·02	·02	·02	30
31	·18	X		X		X		·20	X	·08	X	·19	31
Total	3·06	3·27	1·17	·63	1·41	·24	5·37	1·93	1·33	1·27	2·24	4·79	YEAR'S TOTAL 26·71
Rain Days.	23	17	14	10	9	4	15	15	7	15	19	24	172

W. 8,000. X. 14.

2653
~~345~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Thornton Curtis Vicarage
in the County of Lincolnshire
by Rev. C. B. Goodacre

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.06			.21	.05			.02	.20		1
2	.08	.14	.18		.45		.03		.06		.22		2
3		.35		.04					.28	.15	.03		3
4	.06	.10		.02	.42	.34			.10	.36	.40	.02	4
5	.04		.20		.06	.21				.26	.20	.10	5
6	.03	.27	.18	.08	.31		.06			.02	.25		6
7		.02	.16		.20		.06			.08	.09	.25	7
8		.01	.34								.05	.06	8
9			.07		.69	.12			.02			.21	9
10		.02	.05	.07	.05	.65	.15		.12	.04		.03	10
11	.08	.46	.29	.14		.22	.08		.02	.10		.16	11
12	.08	.02	.24	.03		.36	.32			.01		.03	12
13		.05	.11		.13		.36	.15		.30		.02	13
14		.12	.02		.27		.10	.36		.03			14
15		.17	.31		.11			.48	.05	.05			15
16		.08	.05	.11			.06	.06		.02		.14	16
17	.02			.42			.10	.02	.23	.09	.06		17
18		.20	.02	.19		.01		.44	.09	.18	.97		18
19	.10	.02	.04	.16				.05	.06		.18	.16	19
20	.08		.18	.07		.04	.07	.08			.05	.03	20
21		.09	.07	.02			.05					.38	21
22		.27	.02			.06				.08	.02	.18	22
23	.02	.03		.02		.06				.01	.11	.33	23
24		.32		.09		.09		.12		.11		.12	24
25		.12	.20					.19		.08	.16	.11	25
26		.05	.05								.09		26
27		.41	.04			.01		.03		.10			27
28		.15	.04		.08			.05				.10	28
29		.04				.37		.32		.08		.18	29
30		X			.01	.04		.06		.43		.02	30
31		X		X		X	.01	.02	X	.05	X	.02	31
Total	.64	3.51	2.92	1.46	2.78	2.79	1.50	2.43	1.03	2.65	3.08	2.65	YEAR'S TOTAL 27.44
Rain Days.	11	24	23	14	12	15	14	15	10	23	16	21	198

W. 8,000. X. 15.

82

2521.
~~230~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Thornton Curtis Vicarage
in the County of Lincolnshire
by C. B. Goodacre

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10				1·09	·15			·11	1
2	·02			·21		·15		·22	·02				2
3		04		·02		·06		·31		·12	·04		3
4			·02							·32			4
5	·07		·06	·28				·02		·02	·02		5
6									·04	·07			6
7	·38		·02			·36				·59	·09	·03	7
8	·48			·10				1·09		·48	·05		8
9	·31		·02	·10				·26			·27		9
10	·35		·38	·12	·61			·10	·01	·10	·07		10
11	·03			·16						·38			11
12	·14	·02		·02	·34			·15		·10		·03	12
13	·16			·02		·02		·16	·09	·08	·02		13
14	·26		·01	·03				·17				·04	14
15	·24				·04		·06	·16		·08	·01	·10	15
16	·15	·13		·26				·05				·39	16
17	·03	·03	·03	·16	·48		·06	·13	·04	·06			17
18	·11			·03	·03		·34	·02	·29	·02			18
19	·12	·10	·21	·01		·06	·01		·02				19
20	·02	·30	·13					·04			·32		20
21		·10	·15			·06		·04		·01	·02		21
22			·07					·03		·10			22
23					·06	·03		·16			·01		23
24						·40		·06		·28	·07		24
25		·01	·05							·04	·06	·18	25
26			·19			·01		·74	·13	·03	·39	·28	26
27	·01		·02			·14	·23	·41				·05	27
28			·11			·10		·35		·01		·14	28
29	·02		·01					·03		·19		·09	29
30	·04	X	·14				·19	·06					30
31		X	·07	X		X	·03	·03	X		X		31
Total	2·94	·73	1·69	1·62	1·56	1·39	·92	5·88	·79	3·08	1·44	1·44	YEAR'S TOTAL 23·48
Rain Days.	19	8	18	15	6	11	7	25	9	20	14	11	163
								1.84					

W. 8,000, VIII. 16

81

REGISTER ~~OF~~ Ex 81 OF RAINFALL IN 1918

~~311~~ 71

FORM A.
BRITISH RAINFALL.
22. 1. 19

Kept at Thornton Curtis Vicarage

in the County of Lincolnshire

by C. B. Goodacre

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·11					·10	·02	·02	·10	1
2	·06	·20		·11					·13	·02		·47	2
3		·05	·04		·22			·47		·01	·55	·01	3
4		·03	·01		·07			·02	·32	·01	·26	·23	4
5		·01		·02	·29			·72		·06		·02	5
6		·25	·02	·55	·01	·03				·02		·05	6
7	·10	·03		·15		·08			·02	·10	·17	·01	7
8		·06	·03				·09		·11	·03	·02	·03	8
9	·10	·20		·06		·07	·11			·44		·04	9
10	·02	·20		·01			·04		·30	·03		·03	10
11	·11	·04		·02	·43		·97		·05	·03		·07	11
12		·12	·03	·02	·03		·65	·16	·07	·02		·02	12
13		·03		·03	·15								13
14	·21	·02		·09			·08		·50	·05		·19	14
15				·02			·12		·65			·39	15
16				·04		·02	·04	·01	·25	·01	·02	·04	16
17	·19				·21		·45	·02	·05	·07		·26	17
18	·24		·01	·18		·01	·11		·50	·01		·06	18
19	·07		·05	·12				·06		·08		·22	19
20	·04	·12		·02		·03	·15		·05	·03			20
21	·03				·17	·04			·18	·12			21
22	·07			·01	·08		·02		·01	·13		·32	22
23	·09				·53		·04		·04		·03		23
24		·07					·07		·09	·02	·02		24
25						·02	·09	·18			·15	·05	25
26							·21	·08	·21		·07	·04	26
27		·01					·11	·37	·13		·11	·05	27
28		·28	·37						·04		·03	·26	28
29	·01								·27		·02	·11	29
30		×	·28	·01					·23		·03	·19	30
31		×	·10	×		×		·02	×		×	·04	31
Total	1·36	1·72	·94	1·57	2·19	·30	3·35	2·11	4·30	1·31	1·50	3·30	YEAR'S TOTAL 23·95
Rain Days.	15	17	10	18	11	8	17	11	23	21	14	26	191

W. 8,000, IX. 17.

81

2377
~~257~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Thornton Curtis
in the County of Lincolnshire
by C. B. Goodacre

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.05	.02		24		.26		.03				1
2	.03	.07	.02				.27		15				2
3	.50				.02		.46		.03				3
4	.12		.47		.01	.10		.03	.08				4
5	.11		.01			.01			.15				5
6	.01		.09										6
7			.15		.02								7
8	.09			.02	.38								8
9													9
10			.20	.02	.10								10
11			.49	.05	.18		.13						11
12			.41	.03		.20	.02		.07				12
13	.23		.01	.05			.10		.32				13
14	.50			.20				.02	.04				14
15	.11	.05	.06	.14				.02					15
16	.07	.76		.06									16
17		.18		.02		.09	.01	.06					17
18								.15	.01				18
19	.01	.23	.30				.53	.64	.02				19
20	.16	.15				.04	.18	.25	.07				20
21	.25	.27	.03			.08	.11						21
22		.04				.01	.07		.18				22
23		.01	.07	.02		.02	.05						23
24				.02	.06	.05			.01				24
25	.08	.03		.21		.01		.44					25
26			.10	.07				.25	.03				26
27	.12	.04		.72									27
28	.10			.03			03	.66					28
29	.10					.06		.05					29
30	.07	✕	.01	.16		.13							30
31	.06	✕	.04	✕		✕	.05		✕		✕		31
Total	3.20	1.88	2.48	1.82	1.01	.80	2.27	2.57	1.19				YEAR'S TOTAL
Rain Days.	20	12	17	16	8	12	14	11	14				

W, 6,500. VII. 18. W W C

made

Cowbit N. Level [illegible] 1011.13

2525 LINCOLNSHIRE

TYDD, NORTH LEVEL SLUICE

1912 - 20

782712

FORM A2.
BRITISH RAINFALL

27 JAN 1913

1912

Kept at Nor[illegible]

in the County of

by S[illegible]

Round

[illegible] of top 5 in.

[illegible] top above Ground 3 ft. 6 in.

[illegible] Sea Level ft.

[illegible]

[illegible]ation { Name Tydd
Distance 1/4 mile Direction West

IMPORTAN[illegible], and the result entered to the previous day. I[illegible] universal rule, he is earnestly requested to add [illegible] 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.			04			07			32	1
2	.	.	.				28		03				2
3	12	.	.			65		20				11	3
4	03	.	63	[illegible]							38		4
5	.	.	47	[illegible]		14							5
6	67	.				62	69	54					6
7	.	18				77							7
8	25	06	13	~~13~~		14	08		15				8
9	.	08		10		98						23	9
10	.	.						04	14		08		10
11	15	.							03			21	11
12	08	15	15	[illegible]					04		35		12
13	.	11			14	08	04				48		13
14	.	.				09							14
15	.	.	10	[illegible]	28	15						03	15
16	14	.	08	[illegible]	16	05		08		14			16
17	.	.	28	[illegible]		17		06				05	17
18	26	.	10	[illegible]				07		05	03		18
19	17	19					09	14		03	03		19
20	08	.			27			43		27			20
21	.	.	23	[illegible]	39			35		03	05		21
22	.	.			114		135	21				03	22
23	23	24	25	[illegible]			17	78			10	37	23
24	13	.				06	08	17				28	24
25	.	.				09	40	64			18	30	25
26	.	03				06	11	294		53	15	20	26
27	.	.						04		23		12	27
28	.	.					07	50		32	32	82	28
29	.					32	18	16	86	21	16		29
30	.	×			31	14			44	12			30
31	.	×	20	×	10	×	21	30	×		×		31
Total	231	104	262	10	299	455	375	765	176	193	231	307	TOTAL for year 34.08
No. of Rain Days.	12	8	11	1	8	17	13	18	8	10	12	13	34.08 131

FORM A2.
BRITISH RAINFALL
27 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at North Level House Tydd
in the County of Lincolnshire
by Stephen Fovargue

RAIN GAUGE
Pattern Round
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level ft.
Time of Observation 9 o a m Fan 11
Nearest Railway Station
Name Tydd
Distance 1/4 mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.			04			07			32	1
2	.		.				28		03				2
3	12	.	.			65		20				11	3
4	03	.	63	~~[illegible]~~							38		4
5	.	.	47	~~47~~		14							5
6	67	.				62	69	54					6
7	.	18				77							7
8	25	06	13	~~[illegible]~~		14	08		15				8
9	.	08		10		98						23	9
10	.	.						04	14		08		10
11	15	.							03			21	11
12	08	15	15	~~[illegible]~~					04		35		12
13	.	11			14	08	04				48		13
14	.	.				09							14
15	.	.	10	~~[illegible]~~	48	15						03	15
16	14	.	08	~~[illegible]~~	16	05		08		14			16
17	.	.	28	~~[illegible]~~		17		06				05	17
18	26	.	10	~~[illegible]~~				07		05	03		18
19	17	19					09	14		03	03		19
20	08	.			27			43		27			20
21	.	.	23	~~[illegible]~~	39			35		03	05		21
22	.	.			114		135	21				03	22
23	23	24	25	~~[illegible]~~			17	78			10	37	23
24	13	.				06	08	17				28	24
25	.	.				09	40	64			18	30	25
26	.	03				06	11	294		53	15	20	26
27	.	.						04		23		12	27
28	.	.					07	50		32	32	82	28
29	.					~~[illegible]~~ 32	18	16	86	21	16		29
30	.	X			31	14			44	12			30
31	.	X	20	X	10	X	21	30	X		X		31
Total	231	104	262	10	299	455	37~~8~~5	765	176	193	231	307	TOTAL for year 3408
No. of Rain Days.	12	8	11	1	8	17	13	18	8	10	12	13	3408 131

00, X. '11.

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
2 - JAN 1914
2525

Kept at North Level Sluice

in the County of Lincolnshire

by Stephens Foverque.

Lat. Long.

Time of Observation

Nearest Railway Station 1/4 mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.03	.09	..4					.69		.10		1
2		.07	.03				09		.05		.03		2
3			.07		108					86			3
4	34				.03		03			.07	.09	.08	4
5									04	190	.02		5
6					.50	.79				.26			6
7					.14	.04				.73			7
8			.03		.48	.28				.61	.11		8
9		30	.03		.06			.11			.08		9
10				.08	.17		08	.05			.19		10
11	52			.56				.09					11
12											.09		12
13								.85			.40		13
14	04		.18	.03			.27		.07	.14			14
15	.12	.04	.10	.12					.45		.06		15
16	.07		.72	.12					.28		.08		16
17	.08		.04	.10		18	07				.03	.01	17
18			.16	.09			.04						18
19	.08		.04						.22				19
20	.12		.03						.25	.20			20
21	03		.12		.03		.28			.03	.20		21
22	.16		.11				.15	.03	.18				22
23						.04	.10	06	.05		.02		23
24	04					.06		.03					24
25				.12									25
26			.09							.53	.05	.10	26
27		03	.02		.07	08							27
28	.16		.16	.06						.21			28
29	18	X	.16	.20				.05				.07	29
30	20	X		.10						.11	.10		30
31		X		X	.08	X		.50	X	.02	X		31
													YEAR'S TOTAL
Total	219	.47	218	1.62	264	147	111	.97	228	567	165	.26	22.51
Rain Days.	15.	5	18.	12.	10	7	9	9	10	13	16	4	128

W. 7,500, XI. 12

DL/ Sec. W.9. 387

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
28 JAN 1915
325

Kept at North Level Sluice

in the County of Lincolnshire

by F. Ashworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·03			·50	1·30			·10	·05	1
2				·04			·04	·34			·04	·07	2
3			·09		·15		·06	·15			·09		3
4	·12			·23				·43			·35	·09	4
5			·08	·15	·21		·12	·09					5
6		·07		·02	·09		·13	·02		·02	·42		6
7			·46		·03	·14						·02	7
8	·27	·03	·03		·19	·74		·16					8
9	·48		·28	·25		·93			·02			·45	9
10	·45	·09	·16						·06				10
11		·05	·34	·09	·08	·04			·04		·21	·16	11
12			·02				2·15		·22			·28	12
13	·02	·11	·21							·10	·03	·26	13
14			·32				·04			·55	·14	·53	14
15		·02	·12				·03				·20	·49	15
16			·04								·07		16
17	·03	·30							·05	·02	·02	·07	17
18							·08					·40	18
19		·08	·30			·28	·03		·03		·09		19
20		·05	·46			·02							20
21	·02	·17	·30					·02				·12	21
22				·03	·17	·04	·03	·04		·21		·03	22
23		·02	·04		·05	·11						·06	23
24				·08						·15	·17		24
25										·63		·04	25
26					·04			·12		·06	·11	·34	26
27											·02	·22	27
28		·03								·03	·12	1·08	28
29	·03	X	·04		·06					·26	·06		29
30		X									·08	·25	30
31		X		X		X	·10		X	·05	X	·12	31
Total	1·46	1·02	3·29	·92	1·07	2·30	3·31	2·67	·42	2·08	2·32	5·13	YEAR'S TOTAL 25·99
Rain Days.	9	12	17	9	10	8	12	10	6	11	18	21	143

W.7,000, XI. 13

Dl

2247
~~377~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2525

Kept at North Level Sluice [illegible]
in the County of Lincolnshire
by F. Ashworth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·18			·35				·02		·20	·08	1
2	·02	·14	·23	·04		·02		·35	·27		·17		2
3	·20		·10	·03			·23	·04	·11		·03	·20	3
4	·18						·78	·50				·45	4
5	·03	·04			·03			·02		·04	·05	·23	5
6	·08	·06	·05	·14			1·15	·04		·05		·10	6
7	·08	·26	·10				·12	·02				·15	7
8	·02	·03					·05	·02			·04		8
9	·05	·03									·12	·45	9
10	·33		·05					·45					10
11					·27		·30				·35		11
12	·16			·21	·13			·22			1·72	·11	12
13	·02	·48			·98		·02						13
14		·14			·06		·02	·47				·23	14
15	·20				·03			·10			·30	·07	15
16		·19					·80	·19		·03		·02	16
17	·06	·12					·05						17
18			·07								·12		18
19		·07					·06						19
20	·21		·03									·41	20
21	·07	·02					·07					·03	21
22	·56		·18				·42					·20	22
23		·28	·03				·04		·15	·03	·23	·30	23
24			·04				·02		·20	·05		·25	24
25			·02			·38				·05		·23	25
26		·12				·02	·03					·28	26
27		·02				·15	·28		·02	·47		·02	27
28		·14				·14		·17	·06	·34			28
29	·02	X				·20		·24			·18	·24	29
30	·07	X				·04		·12					30
31	·02	X		X		X		·14	X	·04	X	·12	31
Total	2·59	2·32	·90	·42	1·85	·95	4·44	3·09	·83	1·10	3·51	4·17	YEAR'S TOTAL 26·17
Rain Days.	20	17	11	4	7	7	17	16	7	9	12	21	148

W. 8,000. X. 14.

2522
~~341~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL
30 JAN 1917

Kept at North Level Sluice

in the County of Lincolnshire

by S. Fovargue

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 2525
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·02			·08	·19				·79		1
2	·30	·03	·08		·42		·15		·02	·08	·03		2
3		·08					·08		·34	·25	·07		3
4	·31	·10			·04	·14			·32	·03	·28		4
5	·02	·13				·16	·01			·23	·23	·10	5
6	·04		·20	·17	·31		·10				·30		6
7			·17				·41				·10	·08	7
8			·03		·02							·26	8
9					·54	·09				·03		·11	9
10			·07			·14	·04		·03			·12	10
11	·03	·60	·12	·23	·05	·47						·02	11
12				·05	·37	·32	·06	·02		·02			12
13		·18	·10	·02	·11		·05						13
14		·04	·04		·09	·02	·02	·02		·02			14
15		·16	·42	·06			·03	·02	·06	·04		·08	15
16		·07	·06	·22			·08						16
17	·05			·15			·08	1·00	·21	·26			17
18		·20	·03	·12				·14	·13	·17	·55		18
19	·09	·03	·02	·17		·03		·30	·47		·42	·07	19
20	·07		·30	·04							·13	·33	20
21			·16	·03								·85	21
22		·07			·10							·56	22
23	·02	·18				·40	·02	·03			·11	·29	23
24		·25		·03				·05		·16		·15	24
25		·07	·18					·14		·07	·04		25
26		·05				·06		·07		·04	·05		26
27		·08	1·18							·11			27
28		·27	·75									·21	28
29		·06				·20		2·57		·16		·05	29
30		✕				·10		·22		·18			30
31		✕		✕		✕		·06	✕		✕		31
Total	1·04	2·65	3·93	1·29	2·05	2·21	1·32	4·64	1·58	1·85	3·10	3·28	YEAR'S TOTAL 28·94
Rain Days.	10	19	18	12	10	13	14	13	8	16	13	15	161

W. 8,000. X. 15.

2451

FORM A.
BRITISH RAINFALL.

2525

REGISTER OF RAINFALL IN 1917

Kept at North Level Sluice
Parish of Tydd St Mary's
in the County of Lincolnshire
by Stephen Fovargue

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 1917	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.05				2.08	.12		.02		1
2	.04	.04		.37		.04		.23			.01		2
3				.04				.42		.11			3
4		.03	.03	.01						.71			4
5	.24			.16					.01		.22		5
6						.26					.01		6
7	.50					.01				.64			7
8	.31			.12			.31	.11		.35	.11		8
9	.04				.0			.32			.09		9
10	.10		.30	.20				.27		.04	.06		10
11	.04	.03	.12	.17						.28			11
12	.07				.09			.09		.36		.03	12
13	.30		.21			.03	.02	.17	.04	.03			13
14	.06			.12			.44	.05				.03	14
15	.07				.02		.49	.23		0.03		.07	15
16	.07	.15		.21						.32		.11	16
17	.02	.02	.04	.32	.47	.40	.08		.14	.11			17
18				.02		.01	.19	.02	.71				18
19		.05	.05			.02			.08				19
20		.35	.03		.14						.23		20
21		.03	.02		.03	.16					.01		21
22			.02		.02					.13			22
23					.18			.09	.04	.02		.04	23
24						1.05	.02			.23	.17		24
25			.03								.03		25
26			.02					.25	.05		.61	.03	26
27						.17	.01	.64				.04	27
28		.02	.05			.47		.09				.02	28
29						.03	.55			.42			29
30	.02						.18	.32					30
31			.07				.14	.14				.09	31
Total	1.88	.72	.99	1.79	.95	2.65	2.43	5.52	1.19	3.78	1.57	.46	YEAR'S TOTAL 23.93
Rain Days.	14	9	13	12	7	12	11	17	8	15	12	9	139

3.60

W. 8,000, IX. 17.

W JL Cor. for auth.

1

FORM A. BRITISH RAINFALL.

20 5. 19 25

REGISTER OF RAINFALL IN 1918

Kept at Tydd. St. Mary.
in the County of Lincolnshire
by Stephen Fovargue.

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station ¼ mile
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 3. ft. 0 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.15					.03		.04	.06	1
2	.02	.07		.05				.56			.01	.25	2
3		.02	.03		.40			.47	.03		.70		3
4		.03	.07						.87		.34	.02	4
5				.03	.06			.22	.37				5
6		.05		.08								.01	6
7	.02	.11		.04		.11			.01	.07	.08		7
8											.05	.02	8
9	.01	.12		.05			.07		.21	.37		.03	9
10							.26			.02		.23	10
11	.03	.01			.22		.13		.04	.54		.15	11
12		.17	.01		.10		.83		.13	.04		.03	12
13		.02			.17		.35		.11			.01	13
14	.35			.02					.10	.23		.02	14
15	.23			.90			1.17		.06			.14	15
16				.28					1.04				16
17	.25			.03	.16		.75		.16			.25	17
18	.23					.02	.14					.16	18
19	.09	.03	.07							.06		.14	19
20	.01	.05				.01	.10		.05	.01			20
21						.03			.19	.14			21
22	.03						.03					.35	22
23	.15				.72								23
24		.31			.11		.06		.01		.09		24
25			.01			.19	.20	.21			.03		25
26							.38	.05	.03		.26	.11	26
27				.01		.03		.32	.10		.08		27
28		.08	.11	.02							.15	.40	28
29		X							.98				29
30		X	.25						.08		.10	.26	30
31		X	.08	X		X			X	.11	X	.07	31
Total	1.42	1.07	.63	1.66	1.94	.39	4.47	1.83	4.60	1.59	1.93	2.71	YEAR'S TOTAL ~~24.25~~
Rain Days.	~~12~~	~~13.~~	~~8~~	~~12~~	~~8~~	~~6~~	~~13.~~	~~6~~	~~20~~	~~10~~	~~12~~	~~20~~	~~140~~

24.24

W. 6,500. VII. 18. w w c

22.04

2525

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at North Level Sluice
in the County of Lincolnshire
by Stephen Fovargue.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.01			.03		.45			.20	.06	.64	1
2	.12						.28		.31		.30	.52	2
3	.46		.06				.17		.02		.07		3
4	.08		.27			.08		.09			.01	.08	4
5	.08	.04						.02	.66			.10	5
6			.03								.08	.05	6
7			.16								.05	.03	7
8	.07			.02							.03		8
9				.02						.02	.01		9
10			.18							.04		.03	10
11	.18		.20	.03	.06		.68				.03	.05	11
12	.01		.60			.10	.05			.02			12
13	.17			.21						.06			13
14	.37			.09			.01						14
15	.16		.03	.05						.02	.12	.22	15
16	.05	.90		.01							.02		16
17		.65									.28	.02	17
18								.21				.12	18
19		.12	.38			.08	.07	.07	.08		.03	.02	19
20	.26	.01	.09			.18	.48	.32	.04			.04	20
21	.38	.52	.03				.37				.02	.17	21
22		.22	.01				.07		.30		.04	.48	22
23				.12	.01	.02	.09			.06		.01	23
24				.08	.03	.05				.01			24
25	.08			.04	.15			.40					25
26	.17	.07	.15	.11				.05	.03	.03		.45	26
27		.20		.42				.06		.10			27
28	.03							.84		.23	.02	.40	28
29	.02					.04		.04		.30	.12	.30	29
30				.22		.19				.04	.10	.21	30
31	.02									.09		.05	31
TOTAL	3.01	2.74	2.19	1.42	.28	.74	2.72	2.10	1.44	1.22	1.39	3.99	YEAR'S TOTAL 23.24
Days with ·01 in. or more	19	10	13	13	5	8	11	10	7	14	18	21	149

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 0·90 in on Feb 16.

2x RL

4 JAN

2525

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at North Level Sluice
in the County of Lincolnshire
by Stephen Fovargue.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Tydd.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.15		.18			.15		.05	1
2							.03	.40	.11	.09		.07	2
3				.08			.03		.06				3
4			.03	.12			.08	.32	.08	.02		.04	4
5			.05	.06	.38		.14	.07	.07			.01	5
6			.05				.40					.01	6
7			.07	.05			.20					.02	7
8		.02		.40	.05								8
9	.32			.52				.08					9
10	.05		.13	.14			.02	.02			.02	.05	10
11	.17		.06	.06	.10							.12	11
12	.08		.02	.18	.12			.01				.03	12
13			.05	.05		1.02			.03		.04		13
14		.01	.41	.12		.10	.07		.23		.17		14
15			.39	.02					.36	.11	.07	.02	15
16									.22			.05	16
17				.03	.15		.09		.46			.06	17
18	.06					.28		.25	.16			.03	18
19	.09	.04		.21				.22				.02	19
20	.10	.33		.40		.62			.04				20
21				.05			.15	.06	.18			.05	21
22				.10			.02	.20	.06				22
23							.17					.37	23
24			.30									.05	24
25		.13	.01	.06	.34	.06	.27				.03		25
26	.04			.02	.28								26
27	.12	.02		.08		.76	.02				.09	.17	27
28	.40		.14	.09	.10		.07				.07	.11	28
29	.02		.21		.08		.10				.06	.30	29
30		✗		.03	.02	.02	.06		.20		.16	.25	30
31	.08	✗		✗		✗			✗	.06	✗	.14	31
Total	1.53	.55	1.92	2.87	1.77	2.86	2.10	1.63	2.26	.43	.71	2.02	Year's Total 20.65
Days with ·01 in. or more	12	6	14	22	11	7	18	10	14	5	9	22	150
Days with ·04 in. or more	11	5	11	18	10	6	13	8	13	4	7	15	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGIS

LINCOLN.

WAINFLEET A~~LL SAINT~~S.
BRIDGE HSE
1911 - 1920

Kept at Wainfleet All

in the County of Lincoln

by Mr G. Booth Wa

1 ft. — in.

17 ft. 2 in

infleet G. N. R.

700ft. Direction South

IMPORTANT NOTE.—Rai

result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		.02					.04		.04	.05	.01	1
2	.44		.03		.08	.15	.02				.04	.07	2
3	.02	.02		.04	.10			.11		.05	.01	.02	3
4	.08	.03	.15	.10					.05	.84	.15	.26	4
5	.02	.01		.02				.01		.03		.20	5
6	.33		.04					.01		.09	.06	.21	6
7	.01	.02	.02								.18	.24	7
8	.24		.09							.01	.05	.07	8
9	.02		.22	.02						.02	.03	.01	9
10	.04	.14	.10	.02				.04			.30	.12	10
11	.25	.16				.03					.34		11
12	.16		.29						.46		.04	.01	12
13			.35			.15			.05	.03		.37	13
14		.02	.23		.35				.02		.06	.32	14
15		.20	.18						.09	.01	.15	.03	15
16			.06								.21	.10	16
17	.05										.10	.10	17
18		.06	.02		.27	.40					.31	.07	18
19	.02					.05	.05	.36	.03	.02	.20	.01	19
20		.03		.08			.05	.38	.31		.03	.32	20
21		.42				.01		.50		.04	.01	.04	21
22	.04	.02	.03			.03		.23		.18	.02	.22	22
23		.04	.44			1.66		.04	.68	.01		.07	23
24		.10	.09	.03		.77				.26		.09	24
25	.01		.02	.17		.13		.09		.06	.04	.09	25
26				.07			.05			.34	.43	.30	26
27		.09	.11	.23				.11	.26	.07		.04	27
28	.01	.22		.28		.03		.11		.01	.05	.05	28
29			.01	.01		.14	.34		.47	.34	.01	.02	29
30					.19	.01			.31	.15		.01	30
31			.02									.02	31
Total	1.85	1.56	2.49	1.07	.99	3.56	.51	2.03	2.73	2.60	2.87	3.49	TOTAL for year 25.77
No. of Rain Days.	17	16	21	12	5	13	5	13	11	20	24	30	187

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Wainfleet All Saints

in the County of Lincoln 14

by Mr G. Booth Walker

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
,, ,, ,, Sea Level 17 ft. 2 in

Time of Observation 9 a.m.

Nearest Railway Station
Name Wainfleet G. N. R.
Distance 700 ft. Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		.02					.04		.04	.05	.01	1
2	.44		.03		.08	.15	.02				.04	.07	2
3	.02	.02		.04	.10			.11		.05	.01	.02	3
4	.08	.03	.15	.10					.05	.84	.15	.26	4
5	.02	.01		.02				.01		.03		.20	5
6	.33		.04					.01		.09	.06	.21	6
7	.01	.02	.02								.18	.24	7
8	.24		.09							.01	.05	.07	8
9	.02		.22	.02						.02	.03	.01	9
10	.04	.14	.10	.02				.04			.30	.12	10
11	.25	.16				.03					.34		11
12	.16		.29						.46		.04	.01	12
13			.35			.15			.05	.03		.37	13
14		.02	.23		.35				.02		.06	.32	14
15		.20	.18						.09	.01	.15	.03	15
16			.06								.21	.10	16
17	.05										.10	.10	17
18		.06	.02		.27	.40					.31	.07	18
19	.02					.05	.05	.36	.03	.02	.20	.01	19
20		.03		.08			.05	.38	.31		.03	.32	20
21		.42				.01		.50		.04	.01	.04	21
22	.04	.02	.03			.03		.23		.18	.02	.22	22
23		.04	.41			1.66		.04	.68	.01		.07	23
24		.10	.09	.03		.77				.26		.09	24
25	.01		.02	.17		.13		.09		.06	.04	.09	25
26				.07			.05			.34	.43	.30	26
27		.09	.11	.23				.11	.26	.07		.04	27
28	.01	.22		.28		.03		.11		.01	.05	.05	28
29			.01	.01		.14	.34		.47	.34	.01	.02	29
30					.19	.01			.31	.15		.01	30
31			.02									.02	31
Total	1.85	1.56	2.49	1.07	.99	3.56	.51	2.03	2.73	2.60	2.87	3.49	TOTAL for Year 25.77
No. of Rain Days.	17	16	21	12	5	13	5	13	11	20	24	30	187

W. 8,000, X. '11.

5

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Wainfleet All Saints
in the County of Lincoln 4
by Mr. G. Booth Walker

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wainfleet G. N. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 17-2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·17	·47	·01	·08			·56	1
2		·10		·01		·04	·45			·12		·02	2
3	·14	·08			·05	·26		·26	·09	·08		·09	3
4	·05		·30		·04	·39		·04			·26		4
5	·07	·12			·01	·24					·02		5
6	·72	·10			·08	·02	·33	·14	·28			·03	6
7		·31				·14		·16	·05			·01	7
8	·20	·07	·09	·03		·13	·25	·11	·27			·02	8
9	·01	·09	·02	·08		·05			·03			·24	9
10				·04			·01	·02	·22		·11		10
11	·21	·01			·02				·04		·04	·35	11
12	·05	·19	·15		·01	·11				·02	·88	·01	12
13	·01	·04	·01					·03			·48		13
14	·02		·04		·01	·07		·09	·01		·04	·04	14
15		·01	·18		·58	·21							15
16	·10		·09		·05	·04		·12		·16			16
17	·23		·26			·35		·06				·15	17
18	·13		·13			·01	·06	·17		·04	·03	·03	18
19	·26	·14				·09	·05	·21		·02	·03		19
20	·15				·10		·66	·22		·24	·07	·01	20
21			·19		·42		·19			·01		·01	21
22	·01	·09			1·27	·13	·49	·14				·16	22
23	·19	·08	·14		·02		·01	·47			·20	·13	23
24	·14		·02			·01	·25	·01				·13	24
25	·03		·04			·29	·06	·52		·02	·17	·17	25
26	·02	·03	·04				·08	1·46		·42	·14	·29	26
27						·01	·02	·23		·40	·03	·10	27
28		·01		·01	·01	·00	·08	·42		·37	·31	·42	28
29			·03	·01		·05	·55	·02	·50	·18	·29		29
30					·17	·01			·30	·15			30
31			·09		·08		·26	·23		·06			31
Total	2·74	1·44	1·82	·18	2·92	2·82	4·27	5·14	1·87	2.29	3.10	2·97	YEAR'S TOTAL 31·59
Rain Days.	20	16	17	6	16	22	18	23	11	15	16	21	201

W. 7,500, XI. ·12

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7- JAN 1914

Kept at Wainfleet All Saints E + M 4
in the County of Lincoln
by G. Booth Walker

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Wainfleet G. N. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 17 ft. 2 in ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·09					·80		·16		1
2	·02	·04	·04		·05		·08		·02	·02	·07		2
3			·10		·32					·03			3
4	·39				·19		·06		·03	·98	·16	·11	4
5		·01				·02	·02	·03	·07	·69	·03		5
6			·03	·01	·27	·07	·04	·08		·48	·01		6
7		·011		·01	·04	·12				·58	·02	·01	7
8					·60	·19	·01		·02	·06	·12	·01	8
9		·22	·03	·03	·12	·05					·07		9
10				·07	·06		·03				·24		10
11	·79			·56	·01	·02		·15			·01		11
12				·01		·03				·01	·10		12
13	·02	·02	·04	·01				·05			·42		13
14	·01	·01	·43	·02			·05			·08	·01	·03	14
15	·10	·01	·14	·21					·42		·08		15
16	·03	·03	·56	·22					·24	·01	·06	·02	16
17	·12	·04	·29	·04		·25			·01			·03	17
18			·10	·17	·01	·01	·03	·03				·03	18
19	·09		·08						·19			·01	19
20	·28		·07	·02					·01	·16	·02		20
21	·09		·12		·08		·34				·17		21
22	·06		·07		·01		·16	·01	·05				22
23	·02		·01			·01	·01	·04	·03	·03			23
24	·06			·05		·08		·04			·03		24
25		·01		·08				·04		·01	·01	·02	25
26		·18	·04	·04		·02		·04		·39	·09	·14	26
27		·05	·01	·02		·04				·01	·02		27
28	·27	·02	·16	·04				·04		·09	·01	·02	28
29	·25		·11	·28	·01			·03		·04		·11	29
30	·26			·04	·02					·06		·03	30
31					·03			·17					31
Total	2·86	·65	2·55	2·02	1·82	·91	·86	·75	1·89	3·73	1·91	·57	YEAR'S TOTAL 20·52
Rain Days.	17	13	20	21	15	13	11	13	12	18	22	13	188

W.7,000, XI. 13

~~W~~ DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Bridge House, Wainfleet
in the County of Lincoln 4
by George Booth Walker

Lat. 53·7 Long. 0·13 W.
Time of Observation 9 a.m
Nearest Railway Station Wainfleet. G. N. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 17' 2" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01				·16	·59		·01	·11		1
2				·08			·02	·06			09	·08	2
3	0·01		·08		·13		·06	·02			·03		3
4	·08		·04	·19	·01			·02		·01	·30	·02	4
5		·01	·13	·06	·06		·04	·10		·01			5
6		·08		·06	·12		·10	·01		·02	·11	·13	6
7		·04	·24	·01	·06	·12	·01					·03	7
8	·17	·03	·03	·01	·06	·73		·10	·23				8
9	·27	·01	·17	·17		·90		·01	·08	·01			9
10	·51	·04		·01	·01				·06	·04			10
11	·01	·04	·29	·21	·10	·04			·06		32	·15	11
12	·10	·02	·01			·01	·11		·17			·30	12
13	·03	·09	·23						·01	·09	·17	·13	13
14		·01	·13				·08			·14	·14	·11	14
15	·07		·19								·38	·37	15
16	·01		·05				·05		·05		·03		16
17	·02	·28				·01	·03		·18	·02	·02	·18	17
18		·01	·02				·07		·02		·02	·31	18
19			·27			·28			·08		·12	·01	19
20	·01	·06	·39			·12			·03	·08			20
21	·01	·10	·15					·45		·07	·03	·15	21
22			·01	·02		·02	·21	·03		·14		·05	22
23		·02	·03	·02	·36	·02	·05			·02		·06	23
24			·01	·04	·02			·03		·07	·15		24
25		·02	·01		·04		·03			·54	·01	·04	25
26			·02				·05	·09		·07	·10	·37	26
27	·01		·02		·01		·03	·01			·01	·19	27
28	·03	·02					·01			·03	·17	1·39	28
29	·06		·07							·32	·02		29
30		X			·03					·02	·22	·28	30
31		X		X	·01	X	·09		X	·05	X	·11	31
Total	1·40	·88	2·60	·88	1·02	2·25	1·20	1·52	·97	1·76	2·55	4·46	YEAR'S TOTAL 21·49 ✓
Rain Days.	15 16	17	24	12 11	14	8 10	18	13	11	20	21	21	194 197

W. 8,000. X. 14.

Cat 75

2697

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

6 - JAN 1916

Kept at Bridge House, Wainfleet
in the County of Lincoln
by George Booth Walker

Lat. 53·4 N Long. 0·13 W
Time of Observation 9 a.m
Nearest Railway Station Wainfleet. G.N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 17 ft. 2" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·22	·01		·36			·03	·31		·31	·07	1
2	·01	~~·29~~ ·07	·31	·12		·01		1·11	·02		·09		2
3	·27	~~·24~~	·02	·06			·40	·07	·07		·08	·23	3
4		~~·27~~					2·10	·06		·04	·08	1·00	4
5	·05	·03~~2~~			·08			·03		·02	·14	·22	5
6	·06	~~·47~~ ·15	·13	·10			·75			·03		·02	6
7	·25	~~·04~~ ·21	·08				·39	·24			·04	·75	7
8	·04	~~·72~~ ·04		·01			·02	·01		·01	·04		8
9		~~·74~~ ·02				·04	·01				·09	·39	9
10	·35	~~·74~~	·02					·27				·01	10
11	·01				·15		·07			·01	·30	·04	11
12	·07			·14	·22		·03	·22		·01	1·27	·08	12
13	·02	·32			·42				·01		·03		13
14		·25			01			·08				·25	14
15	·35						·10	·01			·53	·04	15
16		·22					·85	·01			·11	·01	16
17	·23	·06					·06				·01	·01	17
18		·01	·20								·13		18
19		·02	·01				·07			·54			19
20	·22			·01								·38	20
21	·05	·04					·16					·04	21
22	·30		·14				·20		·03		·01	·17	22
23	·04	·34	·01			·02	·53		·08	·03	·11	·12	23
24		·04	·19			·01	·19		·17	·10		·24	24
25	·02		·02			·19	·03			·02	·04	·09	25
26	·03	·10	·02	·01		·04	·02		·02	·02	·03	·38	26
27		·07				·09	·24			·41		·09	27
28	·02	·07	·08			·06	·01	·15	·11	·31			28
29	·01		·01		02	·05		·08	·01		·27	·26	29
30	·08			·02			·01			·04	·02	·01	30
31	12							·28				·14	31
Total	2·90	2·28	1·25	·47	1·26	·51	6·24	2·65	·83	1·56	3·43	5·04	YEAR'S TOTAL 28·75
Rain Days.	23	19	15	8	7	9	~~19~~ 21	15	10	14	21	~~24~~ 25	~~184~~ 187

W. 8,000. X. 15.

2632

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26. MAR 1917

Kept at Wainfleet Allsaints

in the County of Lincoln

by G. Booth Walker

Lat. 53.4 N. Long. 0.13. W

Time of Observation 9 a.m.

Nearest Railway Station Wainfleet G. N. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 14.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16		.05			.14	.19				.27		1
2	.19	.08	.02		.24		.08		.04	.07	.10		2
3		.08	.04	.02			.22		.35	.33	.02		3
4	.26	.20	.07		.16	.28	.01		.15	.30	.25	.17	4
5	.04		.02	.01	.01	.20				.22	.08	.27	5
6	.04	.15	.39	.16	.08		.05			.01	.25		6
7			.31	.01	.19		.28			.01	.52	.10	7
8			.10		.04							.16	8
9	.02	.02	.10		.46	.16			.09			.19	9
10			.09	.05		.15	.06	.09	.05	.11		.06	10
11	.07	.50	.21	.19		.35	.01		.01				11
12	.02	.05	.04	.31	.04	.34	.12			.01			12
13		.11	.12		.09	.05	.01					.02	13
14		.07			.22	.01	.12	.07		.02			14
15		.30	.52	.02	.02		.01	.18	.02	.09		.14	15
16		.07	.08	.33			.06	.03		.01		.06	16
17	.02		.01	.42			.09	.01	.17	.11	.02		17
18	.01	.13	.01	.14				.16	.12	.15	.55		18
19	.22		.01	.24		.01		.31	.11		.30	.04	19
20	.16		.13	.08				.05	.01		.11	.27	20
21	.01	.03	.12	.11			.36					.60	21
22		.20	.02		.12	.02				.04	.01	.40	22
23	.02	.52				.27	.02	.08		.07	.09	.39	23
24		.65	.01	.03		.10		.05		.28	.01	.07	24
25		.19	.20				.01	.21		.10	.12	.04	25
26		.16	.01					.01		.03	.07		26
27		.05	.38							.08	.01		27
28		.22	1.21			.06		.02				.22	28
29		.12				.25		1.06		.11		.20	29
30		X			.01			.22		.10			30
31	.02	X		X	.02	X		.10	X		X	.01	31
													YEAR'S TOTAL
Total	1.26	3.90	4.27	2.12	1.69	2.38	1.70	2.65	~~1.04~~ 1.12	2.25	2.78	3.41	~~29.45~~ 29.53
Rain Days.	15	21	26	15	14	15	17	16	11	21	17	19	207

W. 8,000, VIII. 16

2498

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bridge House, Wainfleet All Saints
in the County of Lincoln
by George Booth Walker

Lat. 53·7 N. Long. 0·13 W
Time of Observation 9 a.m.
Nearest Railway Station Wainfleet G. N. R.
Diameter of Funnel of Rain Gauge 5in in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 17 ft. 2 in ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15		·05				1·16	·09		·01		1
2	·15	·11		·16		·05		·30	·01	·01	·03		2
3		·23		·05		·02		·51		·47			3
4		·27								·50			4
5	·20	·40	·07	·15				·02	·15		·21		5
6						·01			·13		·02		6
7	·40		·02			·86				·48			7
8	·53		·02	·09			·21	·34		·33	·10		8
9	·02		·05	·03				·14			·18	·02	9
10	·32		·29	·16				·19	·01	·04	·12		10
11	·11		·02	·70				·38		·21			11
12	·12	·11		·02	·20			·02		·14		·01	12
13	·19			·03		·02	·04	·09	·16	·01			13
14	·11			·14			·15	·05					14
15	·08						·04	·52		·09	·01	·16	15
16	·13	·20	·02	·32		·01	·07			·10		·34	16
17	·03		·05	·18	·55	·10	·02		·02	·05		·01	17
18	·09			·03	·01		·47	·05	·38				18
19	·09	·07	·08	·01					·06				19
20	·01	·30	·09					·03	·10		·17	·04	20
21	·03	·03	·03			·03					·05		21
22			·44							·11			22
23	·01	·03			·14			·10	·07	·07		·02	23
24					·03	·47	·08			·45	·06	·02	24
25			·03				·01				·12	·40	25
26		·01	·07			·06		·55	·15		·56	·07	26
27			·05			·07		·47			·01	·13	27
28		·03	·12			·58		·26				·10	28
29	·02		·05			·12	·17			·32		·03	29
30		X					·03	·17					30
31	·25	X		X		X	·04	·08	X		X	·09	31
Total	2·89	1·94	1·29	2·11	·93	2·40	1·33	5·43	1·27	3·32	1·65	1·44	YEAR'S TOTAL 25·91
Rain Days.	20	13	17	15	5	13	12	20	12	16	14	14	171

W. 8,000, IX. 17.

222

Etd. E.F.E.

FORM A.
BRITISH RAINFALL.
20

REGISTER OF RAINFALL IN 1918

Kept at Bridge House, Wainfleet All Saints
in the County of Lincoln
by Mr G. Booth-Walker.

Lat. 53·7 N Long. 0·13 W
Time of Observation 9 a.m.
Nearest Railway Station Wainfleet G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 17 ft. 2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·02	·03				·15		·06	·09	1
2	·07	·08		·14				·30				·43	2
3	·05	·02 2	·04		·13			·03			·02		3
4	·03	·03 3	·05				·03	·15	·67	·02	·81	·02	4
5		·01 1	·02	·54	·05			·70	·10	·06	·24	·01	5
6		·09 9		·26				·03				·02	6
7	·22	·03		·01		·08			·08	·74	·10		7
8		·01		·01			·11		·49		·03	·10	8
9	·15	·33		·08		·04	·02		·24	·34		·05	9
10	·04	·02		·02			·20			·70	·01	·27	10
11	·10	·04		·03	·41		·06		·11	·62		·15	11
12		·16			·07		·03		·05	·02		·02	12
13		·05		·04	·15								13
14	·29			·02		·01	·21		·23	·14		·06	14
15	·35			·69		·03	·40		·18			·18	15
16	·01			·27		·04			·45	·04			16
17	·15			·72	·18		1·43	·03	·30			·25	17
18	·22			·17		·01	·13		·40			·24	18
19	·09		·07	·07				·07		·09		·47	19
20	·03	·07				·04	·14		·04	·02			20
21	·01					·04			·26	·15			21
22	·11			·03		·01				·01		·40	22
23	·14				·93		·09				·03		23
24		·23		·01	·25		·15		·09	·02	·03		24
25			·11			·22	·30	·22			·09		25
26							·24	·32	·05	·02	·11	·05	26
27			·03	·06		·02		·24	·07		·05	·12	27
28		·07	·06	·01		·72					·03	·25	28
29			·01					·01	·65		·03	·03	29
30		X	·23	·03					·21	·02	·06	·18	30
31		X	·03	X		X			X	·05	X	·04	31
Total	2·06 ✓	1·27 ✓	·66 ✓	2·16 ✓	2·20 ✓	·66 ✓	3·54 ✓	1·44 ✓	4·74 ✓	1·86 ✓	1·87 ✓	3·41 ✓	YEAR'S TOTAL 25·87 ✓
Rain Days.	17 ✓	15 ✓	11 ✓	21 ✓	9 ✓	12 ✓	15 ✓	11 ✓	20 ✓	~~16~~ 17	15 ✓	22 ✓	185

W, 6,500, VII. 18. W W C

Rox. Hols 2351

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Wainfleet All Saints

in the County of Lincoln

by George Booth Walker

Lat. 53·7 N Long. 0-13 W

Time of Observation 9 a.m.

Nearest Railway Station Wainfleet G. N. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 14 ft. 2 in

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·02			·17		·11			·20	·05	·50	1
2	·12		·03		·01		·21		·02		·24	·30	2
3	·39		·07		·01		·53		·10		·31	·02	3
4	·03		·36			·08	·03	·05			·03	·15	4
5	·21								·76			·17	5
6	·02		·11		·04		·02				·07	·11	6
7			·12		·01		·02				·02	·18	7
8	10			·07						·03	·07	·11	8
9										·07	·07		9
10			·25							·11	·12	·07	10
11	·09		·20	·05	·12		·53				·18	·03	11
12	·02		·35	·04		·11	·05		·02				12
13	·01		·01	·19			·02			·14	·10		13
14	·04	·03		·20			·02		·05		·02	·02	14
15	·26		·02	·25						·04	·16	·10	15
16		1·03	·02	·07							·02	·01	16
17		·05		·01	·03	·01	·06				·27		17
18							·01	·75			·01	·12	18
19		·02	·31			·06	·55	·55	·05		·04	·02	19
20	·21	·04	·21			·15	·46	·32	·02			·06	20
21	·30	·48	·08			·11	·28				·03	·26	21
22		·15	·09				·05		·52		·05	·40	22
23			·02	·03			·16	·02	·04	·10		·03	23
24		·01			·13	·08	·01		·01	·01	·09		24
25	·08	·05		·14	·32	·02		·72			·01	·15	25
26	·07	·03	·22	·13				·14		·13		·39	26
27		·06		·03			·03			·26			27
28	·03			·02				·59		·52		·34	28
29	·08			·04		·11		·27		·10	·25	·15	29
30		X	·05	·17		·24				·10	·12	·18	30
31	·04	X		X		X	·06		X	·06	X	·04	31
TOTAL	2·28	1·98	2·52	1·44	·84	·97	3·21	2·81	1·59	1·87	2·33	3·91	YEAR'S TOTAL 25·45 ✓
Days with ·01 in. or more	19	12	18	15	9	10	20	9	10	14	23	25	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2251

7 FEB 1921

FORM A.   METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wainfleet All saints

in the County of Lincoln

by Mr George Booth Walker

Lat. 53·7 N.   Long. 0·13 W

Time of Observation 9 AM

Nearest Railway Station Wainfleet G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 17·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·31		·32			·10	·08	·02	1
2				·02			·14		·07	·06		·16	2
3		·02				·04			·16	·03		·12	3
4				·13	·05		·02	·34		·02		·10	4
5			·10		·40		·49	·12	·08			·03	5
6			·09		·04		·44					·18	6
7	·03		·06	·17			·13					·04	7
8		·03		·35						·02	·02		8
9	·25	·03		·63				·11				·02	9
10	·21	·06	·09	·04			·03					·09	10
11	·23		·08	·23	·11							·43	11
12	·07	·01	·05	·15		·05		·01			·04	·15	12
13	·02	·02	·02	·08		·40			·21		·03	·13	13
14	·01		·38	·18		·27			·28	·03	·15		14
15		·08	·53	·04			·02		·56	·03	·03	·09	15
16				·08					·10			·06	16
17					·18				·37	·04		·05	17
18	·08				·08	·35		·13	·15			·03	18
19	·08	·29		·07				·56			·02	·04	19
20	·11	·38		·07		·47	·04		·01				20
21				·02			·41	·02	·08			·04	21
22	·02			·10				·04	·13				22
23							·23			·02		·19	23
24			·27				·06					·09	24
25		·04		·05	·02	·02	·52						25
26	·10		·05	·09	·18	·03	·47					·01	26
27	·08			·21	·03	·45	·01				·20	·14	27
28	·40	·08		·04	·23		·03				·13	·06	28
29	·07		·40		·18		·09 ~~·27~~				·08	·32	29
30		X	·01	·14		·03	·07	·01	·13		·09	·25	30
31	·24	X		X		X	·01		X		X	·19	31
TOTAL	2·00	1·04	2·13	2·89	1·84	2·14	3·26	1·34	2·33	·35	·87	3·03	YEAR'S TOTAL 23·22
Days with ·01 in. or more	16	11	13	21	12	10	19	9	13	9	11	26	179
Days with ·04 in. or more	12	6	11	19	10	7	13	6	12	3	7	21	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN

WALTHAM HALL GDNS.

1911 – 1914

FORM A2.
BRITISH RAINFALL.
-3 JUN 1912

REG

rdo

Kept at Walthan

in.

in the County of Lin

und ft. 13 in.

Level 80 ft.

by Frank

me ~~[illegible]~~ Waltham G.N.Rail

tance 1mile Direction E

IMPORTANT NOTE.– e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	—	—	—	·01	·04	—	·06	·04	·03	1
2	·28	—	·01	·01	·04	—	·05	·01	—	·01	·05	·05	2
3	·01	—	—	·07	·09	·10	—	·09	—	·11	·06	—	3
4	·08	·04	·13	·09	—	—	—	—	·07	·44	·19	·29	4
5	·02	—	—	·10	—	—	—	·07	—	·07	—	·24	5
6	·28	—	·03	—	—	—	—	·10	—	·08	·28	·20	6
7	·01	·03	·02	—	—	—	—	—	—	·01	·07	·25	7
8	·10	—	·11	—	—	—	—	—	·03	—	·02	·08	8
9	·02	—	·16	·01	—	·01	—	—	—	·02	—	·02	9
10	·10	·05	·15	·01	—	—	—	—	—	·01	·06	·36	10
11	·46	·03	—	—	·02	—	—	—	—	—	·25	·03	11
12	·21	—	·12	—	·06	·05	—	—	·50	—	·05	·01	12
13	—	—	·38	—	·59	·29	—	—	·01	·02	·01	·19	13
14	—	·08	·43	—	·37	—	·02	—	·01	·02	·03	·23	14
15	—	·16	·31	—	—	—	—	—	·09	·03	·01	·17	15
16	—	—	·08	·01	—	·03	·01	—	—	—	·13	·09	16
17	—	—	·08	—	—	·10	·02	—	—	—	·02	·11	17
18	—	·03	—	—	—	·63	—	—	—	·01	·61	·02	18
19	—	·05	—	—	—	·06	·08	·08	·01	·04	·25	·01	19
20	·03	—	—	·14	—	—	·05	·29	·01	—	·02	·28	20
21	—	·27	—	—	—	—	—	·05	·16	·11	·07	·01	21
22	·02	·05	—	·01	—	—	—	·13	—	·09	·15	·08	22
23	—	·14	·08	·02	—	2·02	—	·02	·42	·01	·01	·07	23
24	—	·02	·06	·04	—	1·08	—	·01	—	·36	—	·08	24
25	—	·06	·02	·13	—	·20	—	—	·02	—	—	·11	25
26	—	—	—	·01	—	—	—	—	—	·20	·63	·18	26
27	—	·05	·18	·09	—	—	·09	·34	·19	·05	—	·02	27
28	—	·21	·03	·23	—	·02	—	—	—	·02	·02	·12	28
29	—		·02	·04	—	·04	·22	—	·38	·27	·01	·05	29
30	—		·01	—	·35	·07	—	—	·36	·14	—	·01	30
31	—		·02		·07		—	·01		·05		·01	31
Total	1·77	1·27	2·43	1·01	1·59	4·70	·55	1·24	2·26	2·23	3·04	3·40	TOTAL for year 25·49
No. of Rain Days.	14	15	21	16	8	14	9	13	14	24	24	30	~~186~~ 202

W. 8,000, X. '11.

✓

REG … rdo

FORM A2.
BRITISH RAINFALL.
-3 JUN 1912

Kept at Waltham Hall Gardens

in the County of Lincolnshire 5

by C Frankish

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground ft. 13 in.
	" " " Sea Level 80 ft.

Time of Observation 9AM

Nearest Railway Station
Name ~~C Frankish~~ Waltham. G.N. Rail
Distance 1 mile Direction ~~[illegible]~~ E of us

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	—	—	—	·01	·04	—	·06	·04	·03	1
2	·28	—	·01	·01	·04	—	·05	·01	—	·01	·05	·05	2
3	·01	—	—	·07	·09	·10	—	·09	—	·11	·06	—	3
4	·08	·04	·13	·09	—	—	—	[illegible]	·07	·44	·19	·29	4
5	·02	—	—	·10	—	—	—	·07	—	·07	—	·24	5
6	·28	—	·03	—	—	—	—	·10	—	·08	·28	·20	6
7	·01	·03	·02	—	—	—	—	—	—	·01	·07	·25	7
8	·10	—	·11	—	—	—	—	—	·03	—	·02	·08	8
9	·02	—	·16	·01	—	·01	—	—	—	·02	—	·02	9
10	·10	·05	·15	·01	—	—	—	—	—	·01	·06	·36	10
11	·46	·03	—	—	·02	—	—	—	—	—	·25	·03	11
12	·21	—	·12	—	·06	·05	—	—	·50	—	·05	·01	12
13	—	—	·38	—	·59	·29	—	—	·01	·02	·01	·19	13
14	—	·08	·43	—	·37	—	·02	—	·01	·02	·03	·23	14
15	—	·16	·31	—	—	—	—	—	·09	·03	·01	·17	15
16	—	—	·08	·01	—	·03	·01	—	—	—	·13	·09	16
17	—	—	·08	—	—	·10	·02	—	—	—	·02	·11	17
18	—	·03	—	—	—	·63	—	—	—	·01	·61	·02	18
19	—	·05	—	—	—	·06	·08	·08	·01	·04	·25	·01	19
20	·03	—	—	·14	—	—	·05	·29	·01	—	·02	·28	20
21	—	·27	—	—	—	—	—	·05	·16	·11	·07	·01	21
22	·02	·05	—	·01	—	—	—	·13	—	·09	·15	·08	22
23	—	·14	·08	·02	—	2·02	—	·02	·42	·01	·01	·07	23
24	—	·02	·06	·04	—	1·08	—	·01	—	·36	—	·08	24
25	—	·06	·02	·13	—	·20	—	—	·02	—	—	·11	25
26	—	—	—	·01	—	—	—	—	—	·20	·63	·18	26
27	—	·05	·18	·09	—	—	·09	·34	·19	·05	—	·02	27
28	—	·21	·03	·23	—	·02	—	—	—	·02	·02	·12	28
29	—		·02	·04	—	·04	·22	—	·38	·27	·01	·05	29
30	—		·01	—	·35	·07	—	—	·36	·14	—	·01	30
31	—		·02		·07		—	·01		·05		·01	31
Total	1·77	1·27	2·43	1·01	1·59	4·70	·55	1·24	2·26	2·23	3·04	3·40	TOTAL for year 25·19
No. of Rain Days.	14	15	21	16	8	14	9	13	14	24	24	30	~~186~~ 202

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
9 JAN 1913

Kept at Waltham Hall Gardens
in the County of Lincolnshire 5
by C Frankish

RAIN GAUGE { Pattern Snowdon's
Diameter of top 5 in.
Height of top above Ground 1' ft. 3" in.
" " " Sea Level ft.

Time of Observation 9 am
Nearest Railway Station { Name Waltham G.N.R.
Distance 1 mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·07	·01	·32	—	·20	·04	·01	·20	—	—	·24	1
2	—	—	·01	·01	—	·15~~20~~	·50	—	·10	·06	—	·01	2
3	—	·13	·02	·01	·01	·09~~15~~	—	·20	—	·03	—	·06	3
4	·12	—	·39	~~·01~~	·01	·67~~09~~	—	·19	·12	—	·19	—	4
5	·08	·04	—	—	·02	·16~~67~~	—	·04	—	—	·02	—	5
6	·03	·13	·02	—	·01	·24~~16~~	·21	·22	—	—	—	·02	6
7	·77	·01	—	—	·08	·04~~24~~	—	·21	·20	—	—	·01	7
8	·15	·12	·12	—	·02	·03	·08	—	·07	—	·02	·02	8
9	·27	·10	·15	·04	—	·01	—	—	·40	·01	—	·04	9
10	·02	·01	·02	·07	—	·11	—	·13	·06	—	·09	—	10
11	·01	·06	·01	~~·07~~	·02	·62	—	·09	·11	—	·10	·61	11
12	·09	·17	·08	—	—	—	·09	—	·01	—	·86	—	12
13	·03	·01	—	—	—	·43	—	·03	—	—	·43	—	13
14	·01	—	·35	—	·02	·07	—	·05	—	·14	·03	·13	14
15	·04	·01	·55	—	—	·15	—	—	·05	—	—	·01	15
16	·01	—	·07	—	·36	·24	—	·05	—	·13	—	—	16
17	·14	—	·18	—	·23	·04	—	·07	—	—	—	·09	17
18	·15	—	·07	·01	—	·22	·12	—	—	·03	—	·03	18
19	·23	·19	—	~~·01~~	—	·01	·33	·51	—	·05	·01	·01	19
20	·31	·05	—	—	—	·50	·31	—	·02	·24	—	—	20
21	·08	—	·31	—	·16	·07	·35	—	—	·14	·05	·01	21
22	·01	·06	·01	—	·50	—	·03	·23	—	—	—	·10	22
23	·01	·01	·10	—	·74	·04	·20	·31	—	—	·33	—	23
24	·01	·01	·02	—	·01	—	·18	·01	—	—	—	·13	24
25	·35	—	—	—	—	·11	·12	·09	—	·01	·13	·17	25
26	·07	—	·08	—	—	·30	·04	1·36	—	·54	·11	·28	26
27	—	·05	·02	—	—	—	·08	·15	—	·60	·01	·05	27
28	—	—	—	—	—	·06	·03	·28	—	·35	·75	·44	28
29	—	—	—	·02	·05	·03	·18	·01	·57	·24	·30	—	29
30	—		~~·12~~	~~·02~~	·02	·01	·02	—	·26	·23	—	—	30
31	·03		·02	—	·05		·30	—		·11		·01	31
Total	3·03	1·23 1·22	2·61	·48	2·31	4·59	3·21	4·24	2·17	2·91	3·43	2·47	TOTAL for year 32·68
No. of Rain Days.	25	18 17	22	7	17	26	19	21	13	16	16	21	221

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
24 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Waltham Hall & RA
in the County of Lincoln 5
by Charles Frankish

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Waltham G.N.R.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 3" in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·17	·09	—	—	—	—	·96	—	·07	—	1
2	—	·01	·09	·05	·04	—	·06	—	—	—	·02	—	2
3	—	—	·16	—	·01	—	—	—	—	·13	—	·10	3
4	·58	·09	—	—	·27	—	·06	—	·04	·75	·36	·24	4
5	·01	—	·01	—	·06	·03	·01	·03	—	·45	·08	·01	5
6	+	·05	·01	—	—	·03	—	·01	—	·43	—	—	6
7	+	·10	—	·01	·12	·04	—	—	—	·34	—	—	7
8	+	—	·02	—	·01	·06	·03	—	·02	·21	·07	—	8
9	—	·19	·02	·02	·57	·07	—	·01	—	—	·10	·01	9
10	—	—	·01	·07	·74	—	·55	—	—	·04	·44	—	10
11	1·30	—	—	·60	·01	·02	—	·01	—	—	·12	—	11
12	·01	—	—	—	—	·04	—	—	—	—	·11	—	12
13	·04	·01	—	·01	—	—	—	·02	·01	—	·27	—	13
14	·06	·04	·33	—	—	—	·04	—	—	·05	—	·02	14
15	·14	—	·43	·37	—	—	—	—	·05	—	·11	—	15
16	·01	—	·40	·08	—	—	—	—	·05	—	·09	—	16
17	·02	·01	·55	·06	—	·10	—	—	—	—	·02	·01	17
18	·01	—	·20	·08	·09	·03	·02	·02	—	—	—	·03	18
19	·11	—	·01	—	—	—	—	—	·01	—	—	—	19
20	·13	—	·01	—	—	—	—	—	·30	·28	·07	—	20
21	·19	—	·01	—	·05	—	·15	—	—	—	·08	—	21
22	·04	—	·24	—	—	—	·09	·79	·05	—	—	—	22
23	·14	—	—	—	—	—	·06	·03	·07	·05	—	—	23
24	·12	—	—	·03	—	·16	—	·01	·01	—	·01	—	24
25	·01	—	—	·10	—	·02	—	—	—	—	—	—	25
26	—	·14	·04	·06	—	·03	—	—	—	·44	·11	·15	26
27	—	·12	·01	—	—	·04	—	—	—	—	·01	—	27
28	·15	·01	·22	·14	·01	—	—	—	·01	·03	—	·04	28
29	·22		·15	·25	·01	—	—	·05	—	—	—	—	29
30	·39		—	—	·11	—	—	—	—	·41	·04	·10	30
31	—		—		—		—	·42		—		·03	31
Total	3·68	·77	3·09	2·02	1·50	·67	1·07	1·40	1·58	3·81	2·18	·74	YEAR'S TOTAL 22·51
Rain Days.	20	11	21	16	14	13	10	11	12	13	19	11	171

N.7,000, XI. 13

Ex. MG.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Waltham Hall Gardens

in the County of Lincolnshire 5

by C Frankish

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Waltham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level about 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·02	–	–	–	1·56	·12	–	–	·25	–	1
2	–	–	–	–	–	–	·01	·11	–	–	·03	·12	2
3	–	–	·11	–	·15	–	·12	·02	–	–	·01	·07	3
4	·11	–	·01	·13	·03	–	–	–	–	–	·36	·14	4
5	·01	–	·21	·08	·33	–	·02	·13	–	·01	·03	–	5
6	–	·05	–	·05	·11	–	·11	–	–	–	·05	·17	6
7	–	·15	·24	·35	·15	·10	–	–	–	–	–	·23	7
8	·24	·03	·03	–	·06	·30	–	·07	–	–	–	–	8
9	·35	–	·01	·03	–	·51	–	–	·09	–	–	·01	9
10	·73	·10	–	·03	–	–	–	–	·03	–	–	·02	10
11	–	·03	·19	·23	·07	·14	–	–	·06	–	·29	·39	11
12	·04	·01	–	–	·01	–	·11	–	·12	–	–	·41	12
13	·04	·05	·14	–	–	–	·08	–	–	·01	·10	·19	13
14	·01	·03	–	–	–	–	·02	–	–	·12	·28	·17	14
15	·10	–	–	–	–	·01	–	–	–	·01	·23	·45	15
16	·06	–	·28	–	–	–	·05	–	·08	–	·10	–	16
17	·06	·11	·05	–	–	–	–	–	·58	–	·05	·42	17
18	·01	–	–	–	–	–	·08	–	–	–	·03	·35	18
19	·02	–	·01	–	–	–	·03	–	·03	·01	·09	·24	19
20	·02	·04	·10	–	·02	–	–	–	–	·12	·01	·14	20
21	·01	·23	·21	–	–	·10	–	–	–	·02	·08	·01	21
22	–	·02	·05	·02	·84	·10	·20	·12	–	·10	–	·05	22
23	–	·01	·02	·04	·17	–	·01	·02	–	–	–	·04	23
24	–	–	–	·07	·02	·08	–	–	–	·07	·15	·01	24
25	–	·07	–	–	–	·01	–	·06	–	·61	·02	·17	25
26	–	–	–	–	–	–	·09	·02	–	·10	·11	·45	26
27	–	–	–	–	–	–	·12	·15	–	–	·02	·36	27
28	–	·04	–	–	–	–	–	–	–	·12	·04	·93	28
29	·05		·10	–	·05	–	–	–	–	·60	–	–	29
30	–	×	–	–	–	–	–	–	–	·02	·17	·25	30
31	–	×	–	×	–	×	·33	–	×	–	×	·08	31
Total	1·86	·97	1·78	1·03	2·04	1·35	2·94	·82	·99	1·86	2·50	5·87	YEAR'S TOTAL 24·07 ✓
Rain Days.	16	15	17	10	13	9	16	10	7	14	22	26	175 ✓

W. 8,000. X. 14.

REGIS

LINCOLN.

WELBOURN.

1911—1916

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Welbow

in the County of Linco

by Miss M Bu

in.

round 3 ft. in.

a Level 120 ft. about

een 9 & 9·30 AM

me Leadenham GNR

stance 1½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·02					·02	1
2	·19				·05			·13				·05	2
3		·01			·06			·13		·01	·03		3
4	·02		·20	·11					·11	·22	·07	·20	4
5	·02			·02						·02		·01	5
6	·22		·01					·04		·13	·04	·24	6
7											·02	·18	7
8	·28		·17								·01	·15	8
9	·01											·01	9
10		·02	·01								·07	·44	10
11	·24										·28		11
12	·09		·25						·33		·02	·01	12
13			·13			·16				·01	·01	·33	13
14	·01		·04	~~·29~~	·29	·02	·01				·03	·34	14
15		·03	·06							·04	·01	·01	15
16			·07			·01	·01			·01	·18	·06	16
17			·04			·03					·01	·04	17
18		·14	·01			·22					·38	·01	18
19	·01	·05				·19	·01	·03	·01	·04	·38	·03	19
20		·04						·20	·01		~~[illegible]~~	·05	20
21		·23		·01				·11		·10	·02		21
22			·11	·01				·08		·45	·06	·23	22
23		·06	·09		·01	1·12		·09	·50			·07	23
24			·01	·04		·82				·31		·21	24
25		·06	·01	·09				·01	·01		·07	·05	25
26				·05	·48					·21	·42	·42	26
27		·08	·15	·11			·04	·31	·19	·05		·03	27
28		·14		·14							·03	·07	28
29				·01		·07	·24		·18	·14	·01	·01	29
30			·01		·07	·07		·14	·04	·15			30
31			·07		·02							·03	31
Total	1·09	·86	1·44	·59	·98	2·71	·33	1·27	1·38	1·89	2·15	3·30	TOTAL for year 17·99
No. of Rain Days	10	11	18	10	7	10	6	11	9	15	21	27	155

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

REGIS

Kept at Welbourn

in the County of Lincoln 3

by Miss M Burtt

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 120 ft. about

Time of Observation Between 9 & 9·30 AM

Nearest Railway Station
Name Leadenham GNR
Distance 1½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·02					·02	1
2	·19				·05			·13				·05	2
3		·01			·06			·13		·01	·03		3
4	·02		·20	·11					·11	·22	·07	·20	4
5	·02			·02						·02		·01	5
6	·22		·01					·04		·13	·04	·24	6
7											·02	·18	7
8	·28		·17								·01	·15	8
9	·01											·01	9
10		·02	·01								·07	·44	10
11	·24										·28		11
12	·09		·25						·33		·02	·01	12
13			·13			·16				·01	·01	·33	13
14	·01		·04	~~29~~	·29	·02	·01				·03	·34	14
15		·03	·06							·04	·01	·01	15
16			·07			·01	·01			·01	·18	·06	16
17			·04			·03					·01	·04	17
18		·14	·01			·22					·38	·01	18
19	·01	·05				·19	·01	·03	·01	·04	·38	·03	19
20		·04						·20	·01		~~38~~	·05	20
21		·23		·01				·11		·10	·02		21
22			·11	·01				·08		·45	·06	·23	22
23		·06	·09		·01	1·42		·09	·50			·07	23
24			·01	·04		·82				·31		·21	24
25		·06	·01	·09				·01	·01		·07	·05	25
26				·05	·48					·21	·42	·42	26
27		·08	·15	·11			·04	·31	·19	·05		·03	27
28		·14		·14							·03	·07	28
29				·01		·07	·24		·18	·14	·01	·01	29
30			·01		·07	·07		·14	·04	·15			30
31			·07		·02							·03	31
Total	1·09	·86	1·44	·59	·98	2·71	·33	1·27	1·38	1·89	2·15	3·30	TOTAL for year 17·99
No. of Rain Days	10	11	18	10	7	10	6	11	9	15	21	27	155

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Ex MR

FORM A. BRITISH RAINFALL. 17 JAN 1913 NR

Kept at Welbourn

in the County of Lincoln 3

by Miss M. Bartt

Lat. Long.

Time of Observation 9 to 9.30 A.M.

Nearest Railway Station Leadenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level abt. 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·24	·07	·10	·13			·45	1
2		·07 s	·01			·02	·60					·01	2
3	·22				·04	·33		·53	·08			·07	3
4	·02		·29		·05	·14		·07			·31		4
5	·03	·03 s	·01			·22		·04				·04	5
6	·68	·12			·01		·31	·17					6
7		·03				·13		·06	·07				7
8	·44	·25	·15	·01		·01	·01		·19	·01		·01	8
9		·02	·11	·15		·27		·01				·15	9
10			·01	·01		·11		·42			·09		10
11	·07		·01			·07		·03	·03		·01	·64	11
12	·08	·36	·03			·01	·42				·24		12
13	·01	·01				·03		·01		·01	·20		13
14	·07		·34			·13		·07	·01				14
15		·01	·16		·27	·14						·10	15
16	·41		·11		·07	·05		·10		·13	·01		16
17	·19 s		·17			·18		·18				·22	17
18	·11		·07			·01		·01			·01		18
19	·23	·13				·06	·25	·22	·01	·01	·01		19
20	·10	·01			·11		·47	·03		·13			20
21			·64		·36		·46				·02		21
22	·01	·10	·01		·90		·31	·42		·01	[illegible]	·09	22
23	·13	·03	·16			·01	·73	·45		·01	·08	·01	23
24	·17				·01	·10	·18	·01		·01		·14	24
25	·01					·36	·04	·20		·01	·23	·23	25
26		·01	·03			·01	·13	1·37		·57	·16	·15	26
27						·15	·13		[illegible]	·53		·13	27
28					·18	·09	·01	·31	·01 (·01)	·14	·57	·40	28
29						·01	·03		·68	·15	·13 s R		29
30	·04		·01		·29	·02			·10				30
31			·07		·47		·50	·34		·01			31
Total	3·02	1·18	2·39	·17	2·76	2·90	4·65	5·15	1·30	1·73	2·07	2·84	YEAR'S TOTAL 30·16
Rain Days.	19	14	19	3	12	26	17	23	10	14	14	16	187

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
16 JAN 1914

Kept at Welbourn
in the County of Lincoln 3
by Miss M. Burtt.

Lat. Long.
Time of Observation 9 to 9.30 A.M.
Nearest Railway Station Leadenham GNR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·02					·44		·01		1
2	·01	·02	·01	·02			·04						2
3			·09		·37				·02			·03	3
4	·41				·01	·02	·02			·15	·12	·11	4
5	·02					·01			·05	3·38			5
6	·01		·01	·01	·53	·08	·38			·82			6
7		·05			·21	·03				·50			7
8			·01	·01	·34	·07				·03	·05		8
9		·28	·03	·01	·01	·04	·05	·05			·11		9
10	·02			·05	·08		·01				·45		10
11	1·01s			·52							·31		11
12											·17		12
13	·11	·01F	·04	·03				·06	·01		·20		13
14	·08		·38	·02						·07	·01		14
15	·08		·26	·31							·24		15
16		·05	·68s						·21		·01		16
17		·01	·29s+R	·03		·20			·01		·01	·01	17
18			·18	·03			·04					·03	18
19	·08					·01	·01		·29			·01	19
20	·13		·06	·05					·03	·26	·06		20
21	·01		·15		·03		·07				·17		21
22	·15		·25					·50	·19				22
23						·06	·01	·02	·03				23
24				·04		·04							24
25				·10		·02						·06	25
26		·15	·16	·07		·08				·32	·06	·15	26
27		·04	·01	·03		·06						·03	27
28	·23		·26	·23						·01		·16s	28
29			·16	·40	·35			·05				·20s	29
30	·30		·01	·01									30
31					·22							·08	31
Total	2·65	·61	3·18	1·99	2·15	·72	·63	·68	1·28	5·54	1·98	·82	YEAR'S TOTAL 22·23
Rain Days.	15	8	20	20	10	13	9	5	10	9	15	11	145

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Welbourn
in the County of Lincoln 3
by Miss M. Burtt

Lat. 53°4′30″ Long. 0°34½′ W
Time of Observation from 9 to 9·30 A.M.
Nearest Railway Station Leadenham G
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level abt 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·95	·17			·09		1
2							·22	·25		·01	·10	·06	2
3			·10	·01	·19		·14	·08			·01		3
4	·09			·24				·03			·50	·17	4
5			·11	·04	·27	·05	·27	·11					5
6		·04		·02	·11		·01				·02	·01	6
7		·18	·28	·03		·06						·07	7
8	·09			·02	·16	·76		·16	·08				8
9	·43		·08	·10		·88		·06	·02	·01			9
10	·39	·02	·01	·20					·07				10
11		·01	·30	·24		·04			·11		·31	·28	11
12	·01	·01	·05		·04		·06		·28			·30	12
13	·01	·08	·08							·04	·11	·14	13
14	·02	·04	·05				·13			·08	·30	·25	14
15	·02		·12								·18	·13	15
16			·04				·10		·01		·01		16
17	·02	·11	·02						·09			·20	17
18						·19	·14					·26	18
19		·05	·07				·03				·06 Snow	·08	19
20		·05	·28						·01	·09		·01	20
21		·26	·04			·09				·04	·01	·25	21
22					·80		·20	·04		·22		·01	22
23		·07	·05		·08	·07	·03					·06	23
24		·01	·07	·06			·01			·03	·31		24
25		·01					·05	·18		·72		·48	25
26			·15					·04		·14	·39	·15	26
27	·01						·01					·16	27
28	·02	·01								·05	·18	1·04	28
29	·01		·12	·01	·02					·47	·01		29
30				·01		·04				·06	·27	·25	30
31					·01		·38			·12		·08	31
Total	1·12	·95	2·02	·98	1·68	2·18	2·73	1·12	·67	2·08	2·86	4·44	YEAR'S TOTAL 22·83
Rain Days.	12	15	19	12	9	9	16	10	8	14	17	22	163

W.7,000, XI. 13

2671

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Welbourn

in the County of Lincoln

by Miss M Burtt.

Lat. 53°4′ Long. 0° 34½ W

Time of Observation 9 to 9.30 A.M.

Nearest Railway Station Leadenham GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·06			·41		·01	·05	·17		·14	·08	1
2		·01	·12	·13		·07		·39	·09		·01		2
3	·44		·02	·11			·42	·15	·01		·04	·26	3
4	·30						1·63	·56		·01	·01	·98	4
5	·03	24			·16			·07			·09	·44	5
6	·03	·08	·03	·02			·85	·01				·01	6
7	·31	·26	·01			·01	·28	·28				·39	7
8	·12	·08	·01	·08			·15				·03		8
9		·04	·01			·01					·01	·42	9
10	·23												10
11			·02	·01	·38		·25	·09			·46	·27s	11
12	·09			·23	·27		·03	·14			·85		12
13		·67			·43								13
14		·13			·16			1·00	·01	·01		·29	14
15	·21	·02			·01			·10		·04	·73	·14	15
16		·22			·05		·64	·01					16
17		·04					·20	·04				·01	17
18		·11	·24s							·01F.	·07		18
19							·07	·01		·01			19
20	·19							·04				·40	20
21	·16	·08			·23		·18					·03	21
22	·07		·20	·05			·06					·14	22
23	·01	·16s	·01				·36		·06	·02	·03	·09	23
24			·16						·53	·02		·14	24
25	·01		·01			·68				·08		·13	25
26		·17					·01		·01	·01		·35	26
27		·06				·01	·09			·62		·03	27
28		·06	·01			·40		·25		·22			28
29						·21		·05			·34	·44	29
30	·10	X				·21	·04					·05	30
31	·02	X		X		X		·09	X	·21	X	·19	31
Total	2·45	2·49	·85	·63	2·10	1·60	5·27	3·33	·88	1·26	2·81	5·28	YEAR'S TOTAL 28·95 ✓
Rain Days.	17	18	13	7	9	8	17	18	7	12	13	22	161 ✓

W. 8,000. X. 15.

2607

[illegible]

REGISTER OF RAINFALL IN 19 1~~4~~6

FORM A.
BRITISH RAINFALL.

18 JAN 1917

Kept at Welbourn (3 months only)
in the County of Lincoln
by Miss M. Burtt

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Leadenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. .... in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·06										1
2	·14	·02	·33										2
3		·24											3
4	·20	·12											4
5													5
6	·06	·11	·20 s										6
7			·35 s										7
8			·10										8
9	·01		·04										9
10			·16										10
11	·11	·54 s/R	·26										11
12		·05	·06										12
13		·11	·07										13
14		·10											14
15		·06	·45										15
16		·14	·15										16
17		·09											17
18		·12											18
19	} ·14		·01										19
20			2·24										20
21													21
22		·12 s/R											22
23		·43 "											23
24		1·38											24
25		·16											25
26		·12											26
27		·17											27
28		·24											28
29		·29											29
30		X											30
31		X		X		X			X		X		31
Total	·68	4·61	imp										YEAR'S TOTAL
Rain Days.	8	20	13 to date of leaving										

On the 21st of March I left Welbourn for Dowsby, nr Bourne, the record is continued there, but entered on another Sheet
M Burtt

W. 8,000: X. 15.

2546 LINCOLNSHIRE

WELLINGORE

1~~919-30~~

1919 - 1920

2333

FORM A. 1. METEORO … GANIZATION.

R … 9.

Kept at Wellingore … A.M.

in the County of L… …in Gauge 5 in.

by A. S. Morle… …ove Ground 1 ft. – in.

,, Sea Level ft.

IMPORTANT NOT… …entered to the previous day.

If an Observer prefers n… …uested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·05	·04	·01	·17		·27			·04	·08	·24	1
2	·17	·02	·01				·22		·40		·13	·09	2
3	·65				·02		·46		·20		·33		3
4	·05		·37					·07	·06		·06	·12	4
5	·11	·02							·39			·11	5
6			·03		·03				·01		·02	·11	6
7	·03		·13		·03								7
8	·10		·01	·10							·02	·02	8
9				·04		·01				·02			9
10			·16	·05						·02		·06	10
11	·03		·50	·02			·24				·03	·01	11
12			·23	·01		·05	·08			·05	·08		12
13	·18			·15			·01		·31	·07	·02		13
14	·33			·15			·06		·08	·03			14
15	·70	·06	·07	·12							·03	·34	15
16	·01	1·03		·01							·06	·02	16
17		·46	·01	·01	·02	·08	·03				·21		17
18		·01	·02					·15	·13			·03	18
19	·01	·16	·43			·07	·59	·85	·04			·04	19
20	·59	·05	·53			·05	·19	·19			·03	·04	20
21		·45	·06			·02	·25				·03	·14	21
22		·11	·02				·01		·82		·03	·31	22
23				·12		·06	·04	·03	·01	·68		·01	23
24				·09	·23	·10	·02		·01	·10	·03		24
25	·10	·03		·24	·22	·06		·60		·01	·02		25
26	·02	·01	·06	·02				·13			·01	·32	26
27		·03		·36		·01				·07	·02		27
28	·15			·02			·02	·70	·04	·12		·30	28
29	·08			·02		·07		·22		·38	·23	·10	29
30				·29		·23		·01		·05	·10	·23	30
31	·03		·05				·04			·12		·05	31
TOTAL	3·49	2·49	2·73	1·83	·72	·81	2·53	2·95	2·50	1·76	1·57	2·69	YEAR'S TOTAL 26·07
Days with ·01 in. or more	19	14	18	19	7	12	16	10	13	14	21	21	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2333

FORM A. 1. METEORO GANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wellingore

in the County of Lincolnshire

by A. S. Morley.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·05	·04	·01	·17		·27			·04	·08	·24	1
2	·17	·02	·01				·22		·40		·13	·09	2
3	·65				·02		·46		·20		·33		3
4	·05		·37					·07	·06		·06	·12	4
5	·11	·02							·39			·11	5
6			·03		·03				·01		·02	·11	6
7	·03		·13		·03								7
8	·10		·01	·10							·02	·02	8
9				·04		·01				·02			9
10			·16	·05						·02		·06	10
11	·03		·50	·02			·24				·03	·01	11
12			·23	·01		·05	·08			·05	·08		12
13	·18			·15			·01		·31	·07	·02		13
14	·33			·15			·06		·08	·03			14
15	·70	·06	·07	·12							·03	·34	15
16	·01	1·03		·01							·06	·02	16
17		·46	·01	·01	·02	·08	·03				·21		17
18		·01	·02					·15	·13			·03	18
19	·01	·16	·43			·07	·59	·85	·04			·04	19
20	·59	·05	·53			·05	·19	·19			·03	·04	20
21		·45	·06			·02	·25				·03	·14	21
22		·11	·02				·01		·82		·03	·31	22
23				·12		·06	·04	·03	·01	·68		·01	23
24				·09	·23	·10	·02		·01	·10	·03		24
25	·10	·03		·24	·22	·06		·60		·01	·02		25
26	·02	·01	·06	·02				·13			·01	·32	26
27		·03		·36		·01				·07	·02		27
28	·15			·02			·02	·70	·04	·12		·30	28
29	·08			·02		·07		·22		·38	·23	·10	29
30				·29		·23		·01		·05	·10	·23	30
31	·03		·05				·04			·12		·05	31
TOTAL	3·49	2·49	2·73	1·83	·72	·81	2·53	2·95	2·50	1·76	1·57	2·69	YEAR'S TOTAL 26·07
Days with ·01 in. or more	19	14	18	19	7	12	16	10	13	14	21	21	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

373A 2234

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wellingore

in the County of Lincolnshire

by A. S. Morley

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·15	·26		·21			·19	·03	·05	1
2			·01	·10			·02		·13	·18		·13	2
3		·04		·23		·08	·40		·13	·02		·01	3
4			·02	·23			·06	·50	·10	·25		·06	4
5				·03	·11		·12	·18	·04			·02	5
6			·05	·02	·07		·14	·08				·11	6
7	·01		·05	·06			·02					·02	7
8	·01	·04		·36	01		·02			·01			8
9	·21			·49					·01				9
10	·16	·06	·02	·02			·03	·02				·03	10
11	·14	·01	·06	·38	·10	·03	·01					·07	11
12	·05		·01	·20		·03		·03				·20	12
13	·02	·02	·09	·28		·87		·42	·03			·07	13
14			·40	·17		·31	·02		·34	·02	·12	·01	14
15		·06	·88	·23			·04		·07	·05		·03	15
16			·01	·02			·03			·01			16
17					·14				·32	·02		·04	17
18	·16			·02	·04	·06		·11	·15				18
19		·88		·20		·15		·06				·01	19
20	·09	·32		·54		·37	·03	·11					20
21				·09			·18	·01					21
22	·02	·02		·21					·04				22
23							·04			·01	·02	·26	23
24			·13	·02								·06	24
25		·05	·07	·10	·37		·55					·01	25
26	·07		·02	·01	·10	·02	·09			·01			26
27	·06	·02		·14	·02	·35			·01		·16	·25	27
28	·48		·25	·02	·08	·01	·05				·15	·02	28
29	·05		·15		·95	·09	·10				·05	·41	29
30	·04	╳	·01	·13		·05			·15		·08	·30	30
31	·04	╳	·06	╳	·01	╳	·02		╳	·42	╳	·09	31
TOTAL	1·61	1·53	2·29	4·45	2·26	2·42	2·18	1·52	1·52	1·19	·61	2·26	YEAR'S TOTAL 23·84
Days with ·01 in. or more	16	12	18	27	~~14~~ 13	13	21	10	13	12	7	23	185

·04 12 7 11 19 10 9 12 7 10 5 5 14 12 1

✓

RE 3

FORM A.
BRITISH RAINFALL.

JAN 1914

LINCOLN

~~GAINSBOROUGH~~

"WILLINGHAM BY STOW"

1913, 1920

Kept at Willinghan 0° 41' W

in the County of L Lea

by R. C. Ba a.m

8 in.

ve Ground 2 ft. — in.

Sea Level 65 ft.

NOTE.—Rain should be meas ll instructions for the measurement of rain and particulars as to the B rvers," sent post-free on application to Dr. H. R. MILL, 62, Camden S

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·07					·27		·04		1
2	·02	·02	·03										2
3			·14		·42							·03	3
4	·74	·06			·09	·10	·09		·02		·20	·12	4
5	·01	·01	·05			·01	·03		·02	·42			5
6	·01	·02	·03		·41	·01	·01		·02	·53	·01		6
7		·13			·13	·03	·01			·57			7
8			·03		·36	·09			·04	·07	·09		8
9		·20	·04	·01	·03	·03		·14			·14	·02	9
10		·02		·06	·01		·09				·41		10
11	·94			·52		·04		·38			·13		11
12		·01				·02	·01				·15		12
13	·06		·01	·06			·01	·06	·04		·17		13
14	·07	·01	·36	·02						·07	·04		14
15	·12		·34	·22					·09		·17	·02	15
16	·02	·01	·21	·04					·12		·03		16
17	·02	·01	·14	·14		·05			·60				17
18			·17	·06		·01	·03					·04	18
19	·12		·03						·01				19
20	·12		·02	·06					·30	·10	·05		20
21	·01		·06		·10		·11	·03			·12		21
22	·10		·20					·69	·12			·01	22
23	·14					·04	·01	·11	·10		·01		23
24	·03			·01		·13		·01					24
25		·07		·09		·03			·06			·01	25
26		·15	·10	·06	·13	·02			·02	·40	·05	·19	26
27	·01	·02	·01	·01		·12					·06	·02	27
28	·36		·29	·26					·01	·02		·19	28
29			·14	·43	·29			·06				·24	29
30	·30									·09	·02	·01	30
31					·01								31
Total	3·20	·74	2·50	2·12	1·98	·73	·40	1·48	1·84	2·27	1·89	·90	TOTAL for year 20·05
No. of Rain Days	19	14	21	17	11	15	10	8	16	9	18	12	170

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

FORM A.
BRITISH RAINFALL.
4 JAN 1914

RI 3

Kept at Willingham by Stow 3
in the County of Lincoln
by R. C. Bacon Esq.

Lat. 53° 21′ N Long. 0° 41′
Nearest Railway Station Lea
Time of Observation 9. a.m
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " Sea Level 65 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·07					·27		·04		1
2	·02	·02	·03										2
3			·14		·42							·03	3
4	·74	·06			·09	·10	·09		·02		·20	·12	4
5	·01	·01	·05			·01	·03		·02	·42			5
6	·01	·02	·03		·41	·01	·01		·02	·53	·01		6
7		·13			·13	·03	·01			·57			7
8			·03		·36	·09			·04	·07	·09		8
9		·20	·04	·01	·03	·03		·14			·14	·02	9
10		·02		·06	·01		·09				·41		10
11	·94			·52		·04		·38			·13		11
12		·01				·02	·01				·15		12
13	·06		·01	·06			·01	·66	·04		·17		13
14	·07	·01	·36	·02						·07	·04		14
15	·12		·34	·22					·09		·17	·02	15
16	·02	·01	·21	·04					·12		·03		16
17	·02	·01	·14	·14		·05			·60				17
18			·17	·06		·01	·03					·04	18
19	·12		·03						·01				19
20	·12		·02	·06					·30	·10	·05		20
21	·01		·06		·10		·11	·03			·12		21
22	·10		·20					·69	·12			·01	22
23	·14					·04	·01	·11	·10		·01		23
24	·03			·01		·13		·01					24
25		·07		·09		·03			·06			·01	25
26		·15	·10	·06	·13	·02			·02	·40	·05	·19	26
27	·01	·02	·01	·01		·12					·06	·02	27
28	·36		·29	·26					·01	·02		·19	28
29			·14	·43	·29			·06				·24	29
30	·30									·09	·02	·01	30
31					·01								31
Total	3·20	·74	2·50	2·12	1·98	·73	·40	1·48	1·84	2·27	1·89	·90	TOTAL for year 20·05
No. of Rain Days	19	14	21	17	11	15	10	8	16	9	18	12	170

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

C X M L

2249

4 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at WILLINGHAM BY STOW. GAINSBOROUGH.
in the County of Lincoln
by R. C. Bacon Esq:

Lat. 53° 21' N Long 0° 41' N
Time of Observation 9-0 AM.
Nearest Railway Station Lea
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·41

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·24	·20		·27			·13	·07	·03	1
2			·03	·07			·10		·12	·06		·17	2
3		·02		·30	·01	·06	·46	·01	·17	·19		·09	3
4				·10			·17	·36	·04	·52		·11	4
5		·01			·17		·08	·19	·06			·04	5
6			·11	·05	·02		·07					·09	6
7		·01	·09	·04			·21					·01	7
8	·04	·06		·43	·02		·10	·04		·01			8
9	·19	·01		·45				·03					9
10	·17	·09	·03	·23			·13	·03				·03	10
11	·24	·01	·04	·20	·06	·01						·20	11
12	·03			·25			·01	·01			·01	·07	12
13	·01	·04	·06	·20		·53		·01	·01			·11	13
14			·30	·14		·17	·06		·21		·13	·01	14
15		·05	1·40	·05					·17	·61		·01	15
16				·04			·11		·03				16
17					·16		·11		·53	·01		·03	17
18	·12				·17	·08		·03	·06				18
19	·06	1·30		·22	·02	·02		·02	·01				19
20	·06	·16		·40		·49	·02					·01	20
21				·11			·31	·06					21
22	·01			·17			·02		·06				22
23							·07		·01	·01	·01	·30	23
24	·01	·01	·16	·04								·10	24
25		·06	·12	·04		·06	·67						25
26	·14		·05	·07	·22		·06					·01	26
27	·15			·13	·34	·13					·27	·19	27
28	·57		·12	·11	·03		·03				·29	·06	28
29	·07		·17		·80		·03				·06	·43	29
30	·12	×		·16	·04	·03			·16		·16	·19	30
31	·19	×	·02	×		×	·33		×	·22	×	·14	31
TOTAL	2·18	1·83	2·70	4·24	2·26	1·58	3·42	·79	1·64	1·76	1·00	2·43	YEAR'S TOTAL 25.83
Days with ·01 in. or more	17	13	14	25	14	10	22	11	14	9	8	23	= 180
Days with ·04 in. or more	13	7	11	25	9	7	17	4	10	6	6	15	= 130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LINCOLN.

WOODHALL SPA.

1914–1915

REGISTER t Woodhall Spa Station

BRITISH RAINFALL
JAN 1915

Kept at Petwood Wo m.

in the County of Lincoln odhall Spa

5 in.

by J. William round 11 ft. 0. in.

ea Level ft.

IMPORTANT NOTE.—Rai e result entered to the previous day. If an Observer sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				—	—	—	1·43	·21	—	—	—	—	1
2				—	—	—	·08	·05	—	—	·13	·21	2
3				—	·16	—	·03	·04	—	—	—	—	3
4				·25	—	—	—	·03	—	—	·27	—	4
5				·03	·14	·01	·05	·19	—	—	—	—	5
6				·15	14	—	·09	—	—	—	·4	·15	6
7				·11	·01	·24	·12	—	—	—	—	·05	7
8				·02	·06	·65	·11	·17	·11	—	—	·02	8
9				10	—	·74	—	·04	—	—	—	—	9
10				·08	—	—	—	—	—	·01	—	·02	10
11				·26	·02	·03	—	—	·11	—	·31	·03	11
12				—	—	—	·06	—	·21	—	—	23	12
13			1·15	—	—	—	—	—	—	·08	·13	·21	13
14			·16	—	—	—	·02	—	—	·09	—	·21	14
15			·14	—	—	—	—	—	—	—	·54	·59	15
16			·05	—	—	—	·06	—	·01	—	·01	—	16
17			·02	—	—	—	—	—	25	—	—	·22	17
18			—	—	—	—	·11	—	—	—	·03	·27	18
19			·10	—	—	—	—	—	—	—	·10	·07	19
20			·21	—	—	—	—	—	—	·24	—	—	20
21			·13	—	—	—	—	—	—	—	—	·17	21
22			·02	·03	·53	—	·16	·11	—	—	—	—	22
23			·02	—	·03	·08	·08	—	—	·1	—	—	23
24			—	·08	—	—	—	·03	—	·03	·25	—	24
25			—	—	—	—	·01	·10	—	·77	—	—	25
26			·02	—	—	—	·02	·28	—	·10	—	·32	26
27			—	—	—	—	—	—	—	—	·30	48	27
28			—	—	—	—	—	—	—	—	·20	1·02	28
29			·20	—	·03	—	—	—	—	·41	·04	—	29
30			—	·01	—	05	—	—	—	—	·23	·20	30
31			—				·33	—		·13		·06	31
Total	1.40	0.90	2·22 2·72	1·12	1·12	1·83	2·46	1·25	·69	1·87	2·58	4·53	YEAR'S TOTAL 22·27
Rain Days.				11	9	7	16	11	5	10	14	19	102

W.7,000, XI. 13

REGISTER … t Woodhall Spa Station

BRITISH RAINFALL
JAN 1915

Kept at Petwood Woodhall Spa
in the County of Lincolnshire
by J. Williams

Lat. … Long. …
Time of Observation 9 a.m.
Nearest Railway Station Woodhall Spa
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 0 in.
" " " " Sea Level … ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				—	—	—	1·43	·21	—	—	—	—	1
2				—	—	—	·08	·05	—	—	·13	·21	2
3				—	·16	—	·03	·04	—	—	—	—	3
4				·25	—	—	—	·03	—	—	·27	—	4
5				·03	·14	·01	·05	·19	—	—	—	—	5
6				·15	14	—	·09	—	—	—	·4	·15	6
7				·11	·01	·24	·12	—	—	—	—	·05	7
8				·02	·06	·65	·11	·17	·11	—	—	·02	8
9				10	—	·74	—	·04	—	—	—	—	9
10				·08	—	—	—	—	—	·01	—	·02	10
11				·26	·02	·03	—	—	·11	—	·31	·03	11
12				—	—	—	·06	—	·21	—	—	23	12
13			1·15	—	—	—	—	—	—	·08	·13	·21	13
14			·16	—	—	—	·02	—	—	·09	—	·21	14
15			14	—	—	—	—	—	—	—	·54	·59	15
16			·05	—	—	—	·06	—	·01	—	·01	—	16
17			·02	—	—	—	—	—	25	—	—	·22	17
18			—	—	—	—	·11	—	—	—	·03	27	18
19			·10	—	—	—	—	—	—	—	·10	·07	19
20			·21	—	—	—	—	—	—	·24	—	—	20
21			·13	—	—	—	—	—	—	—	—	·17	21
22			·02	·03	·53	—	·16	·11	—	—	—	—	22
23			·02	—	·03	·08	·08	—	—	·1	—	—	23
24			—	·08	—	—	—	·03	—	·03	·25	—	24
25			—	—	—	—	·01	·10	—	·77	—	—	25
26			·02	—	—	—	·02	·28	—	·10	—	·32	26
27			—	—	—	—	—	—	—	—	·30	·48	27
28			—	—	—	—	—	—	—	—	·20	1·02	28
29			·20	—	·03	—	—	—	—	·41	·04	—	29
30			—	·01	—	05	—	—	—	—	·23	·20	30
31			—				·33	—		·13		·06	31
Total	1·40	0·90	2·22 ~~2·72~~	1·12	1·12	1·83	2·46	1·25	·69	1·87	2·58	4·53	YEAR'S TOTAL 22·27
Rain Days.				11	9	7	16	11	5	10	14	19	102

W.7,000, XI. 13

Slip made

cnd for auth 29.III.16

2679

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN 1916

Kept at Petwood, Woodhall Spa
in the County of Lincolnshire
by Thos Williams

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Woodhall Spa
~~Diameter of Funnel of~~ Rain Gauge Suttons ~~in.~~
Height of top of Gauge above Ground on flat roof in.
" " " " Sea Level 9 feet from Ground Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.24	0.25	—	—	0,45	—	—	—	0,02	—	0,22	—	1
2	—	0,03	0,27	0,09	—	0,06	—	0,26	0,34	—	0,09	0,07	2
3	0,34	—	0,03	0,07	—	—	0,30	0,02	014	—	0,02	0,25	3
4	0.18	—	0,01	—	—	—	1.00	0,54	—	—	0,01	0,72	4
5	0,04	0,10	—	—	0,25	—	—	0,11	—	—	0,05	0,32	5
6	0,04	0,23	0,09	0,06	0.01	—	0,83	0,09	—	—	—	0,25	6
7	0,45	0,26	0,21	—	—	—	0,50	—	0,01	—	—	0,41	7
8	0,04	0,04	0,03	—	—	—	—	0,02	—	—	0.01	—	8
9	0.34	011	—	0,01	—	—	0,03	0,03	—	—	0,06	0,10	9
10	0,02	—	—	—	—	—	—	—	—	—	—	—	10
11	0,16	0,02	—	—	0,29	—	0,11	0,06	—	—	—	—	11
12	0,01	—	—	0,23	0,15	—	0,03	0,42	—	0,03	—	0,21	12
13	—	0 61	—	—	0,19	—	—	—	0,03	—	—	—	13
14	—	0 20	—	—	0,09	—	0,28	0,30	—	—	0,25	0 31	14
15	0.26	—	—	—	—	—	0,21	0,21	—	0,10	0,10	—	15
16	—	0,24	—	—	—	—	0,80	0,03	—	—	—	—	16
17	·06 0,26	0,08	—	—	—	—	0,10	—	—	0,14	—	—	17
18	—	0,11	0,22	—	—	—	0,09	—	—	—	—	—	18
19	—	—	0,02	—	—	—	—	—	—	0,13	0,80	—	19
20	0,13	—	—	0,02	—	—	—	—	—	0,02	—	—	20
21	0,15	0,06	—	—	0,06	—	0,19	—	—	—	—	0,50	21
22	0,09	—	0,19	0,03	—	—	0,22	—	—	—	—	—	22
23	0,02	—	0,03	—	—	—	—	—	0,06	—	—	0,20	23
24	—	—	0,15	—	—	—	—	—	0,39	0,03	—	0,15	24
25	0,01	—	—	—	—	0.35	0,27	—	—	0,04	—	0,15	25
26	0,02	0,14	0,01	—	—	0,05	0,03	—	—	—	0,05	0,10	26
27	—	0,04	—	—	—	—	0,06	—	—	0,64	0,25	0,40	27
28	—	0,16	0.08	—	—	0,14	—	0,19	—	0,13	0,25	—	28
29	0,01	—	—	—	—	0,02	—	0,02	—	—	—	—	29
30	0,08	X	—	—	—	0 21	0,06	—	0,02	—	—	0 30	30
31	0,06	X	—	X	—	X	—	017	X	0,20	X	—	31
Total	2.15 2.55	2.68 2.68	1,34	0,51	1,49	0,83	5.12 5,12	2.47	1,01	1.46	2.16	4.44	YEAR'S TOTAL 26.26 25,74
Rain Days.	22	17	13	7	8	6	18	15	8	10	13	16	153

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.

6 MAY 1912

LINCOLNSHIRE

WOODLANDS SPA - GALM HSE

1911 - 1920

9 11

Snowdon

Kept at W

p 5 in.

in the County of

bove Ground 1 ft. – in.

„ Sea Level 42 ft.

by P.M

9 a m

n { Name Woodhall Spa
Distance about 4 m Direction W

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·01	·04	·07	–	·01	·05	–	–	·02	·04	1
2	·28	–	·01	–	·08	·03	–	·14	–	–	–	·10	2
3	·01	–	–	·10	–	–	–	–	–	·04	·02	·01	3
4	·08	·04	·10	·24	–	–	–	·06	·11	·10	·07	·35	4
5	·02	–	–	·07	–	–	–	·06	–	·01	–	·12	5
6	·31	–	·01	–	–	–	–	–	–	·16	–	·21	6
7	·01	–	–	–	–	–	–	–	–	–	·17	·23	7
8	·23	–	·17	–	–	–	–	–	·06	·01	·03	·10	8
9	·01	–	·02	–	–	·01	–	–	–	–	–	–	9
10	–	·05	·04	–	–	–	–	–	–	–	·16	·35	10
11	·27	·02	–	–	–	–	–	–	–	–	·34	–	11
12	·25	·01	·20	–	–	–	–	–	·20	–	·02	·01	12
13	–	–	·31	–	·08	·03	–	–	–	–	·02	·40	13
14	–	·03	·23	–	·90	·04	–	–	–	–	·03	·43	14
15	–	·08	·17	–	·01	–	–	–	–	·01	·19	·02	15
16	–	·01	·07	–	–	·06	–	–	·01	–	·02	–	16
17	–	–	·04	–	–	·10	–	–	–	–	·30	·05	17
18	–	·05	·03	–	–	·09	–	–	–	–	·25	·04	18
19	–	–	·01	–	·01	·54	·05	·06	·01	·03	·01	·02	19
20	·01	·02	–	·08	–	–	·01	1·32 ~~·44~~	·05	–	·07	·30	20
21	–	·25	–	–	–	–	–	~~·33~~	·02	·04	·07	·02	21
22	–	·02	·01	·01	–	·01	–	·24	–	·12	–	·15	22
23	–	·05	·30	·03	–	1·55	–	·13	·60	–	–	·04	23
24	–	·05	·05	·05	–	·25	–	–	–	·51	·07	·08	24
25	–	–	·04	·17	–	·65	–	–	·03	·06	·34	·06	25
26	–	–	–	·10	·17	·02	–	·02	–	·28	–	·27	26
27	–	·08	·13	·19	–	–	·10	·17	·22	·01	·02	–	27
28	–	·21	·01	·20	–	–	–	·01	–	·05	·	·09	28
29	–	X	–	·03	–	·01	·21	–	·35	·22	·61	–	29
30	–	X	·01	–	·07	~~·14~~	–	–	·1	·11	–	–	30
31	–	X	–	X		X	–	–	X	·01	X	·03	31
Total	1·51	·97	1·97	1·31	1·39	3·53	·38	2·21	1·46	1·44	2·23	3·55	TOTAL for year 22·68
No. of Rain Days.	12	15	22	13	8	16	5	11	12	17	21	25	177

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 MAY 1912

REGISTER OF RAINFALL IN 1911

Kept at Woodhall Spa
in the County of Lincolnshire 3
by Mr J Collins

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 42 ft.
Time of Observation 9 am
Nearest Railway Station
Name Woodhall Spa
Distance about 4 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·01	·04	·07	—	·01	·05	—	—	·02	·04	1
2	·28	—	·01	—	·08	·03	—	·14	—	—	—	·10	2
3	·01	—	—	·10	—	—	—	—	—	·04	·02	·01	3
4	·08	·04	·10	·24	—	—	—	·06	·11	·10	·07	·05	4
5	·02	—	—	·04	—	—	—	·06	—	·01	—	·12	5
6	·31	—	·01	—	—	—	—	—	—	·16	—	·21	6
7	·01	—	—	—	—	—	—	—	—	—	·17	·23	7
8	·23	—	·17	—	—	—	—	—	·06	·01	·03	·10	8
9	·01	—	·02	—	—	·01	—	—	—	—	—	—	9
10	—	·05	·04	—	—	—	—	—	—	—	·16	·35	10
11	·27	·02	—	—	—	—	—	—	—	—	·34	—	11
12	·25	·01	·20	—	—	—	—	—	·20	—	·02	·01	12
13	—	—	·31	—	·08	·03	—	—	—	—	·02	·40	13
14	—	·03	·23	—	·90	·04	—	—	—	—	·03	·43	14
15	—	·08	·17	—	·01	—	—	—	—	·01	·19	·02	15
16	—	·01	·07	—	—	·06	—	—	·01	—	·02	—	16
17	—	—	·04	—	—	·10	—	—	—	—	·30	·05	17
18	—	·05	·03	—	—	·09	—	—	—	—	·25	·04	18
19	—	—	·01	—	·01	·54	·05	·06	·01	·03	·01	·02	19
20	·01	·02	—	·08	—	—	·01	1·32 ~~·44~~	·05	—	·07	·30	20
21	—	·25	—	—	—	—	—	~~·33~~	·02	·04	·07	·02	21
22	—	·02	·01	·01	—	·01	—	·24	—	·12	—	·15	22
23	—	·05	·30	·03	—	1·55	—	·13	·60	—	—	·04	23
24	—	·05	·05	·05	—	·25	—	—	—	·51	·07	·08	24
25	—	—	·04	·17	—	·65	—	—	·03	·06	·34	·06	25
26	—	—	—	·10	·17	·02	—	·02	—	·28	—	·27	26
27	—	·08	·13	·19	—	—	·10	·17	·22	·01	·02	—	27
28	—	·21	·01	·20	—	—	—	·01	—	·05	·	·09	28
29	—	X	—	·03	—	·01	·21	—	·35	·22	·01	—	29
30	—	X	·01	—	·04	~~·14~~	—	—	·1	·11	—	—	30
31	—	X	—	X		X	—	—	X	·01	X	·03	31
Total	1·51	·97	1·97	1·31	1·39	3·53	·38	2·21	1·46	1·44	2·23	3·55	TOTAL for year 22·68
No. of Rain Days.	12	5	22	13	8	16	5	11	12	19	21	25	144

W. 8,000, X. '11.

Cor^d [illegible] 10.III.13

FORM A2.
BRITISH RAINFALL.

22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Woodhall Spa

in the County of Lincolnshire 3

by Jos Collins

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. in. 2553
" " " Sea Level ~~[illegible]~~ ft. 72

Time of Observation 9 a.m.

Nearest Railway Station
Name Woodhall Spa
Distance ¼ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·04	—	·02	—	·25	·19	·15	·10	—	—	·50	1
2	—	·06	—	—	—	·06	·51	—	·01	—	—	·08	2
3	·26	·04	—	—	·06	·35	·01	·40	·08	·01	—	·05	3
4	—	—	·36	—	·02	·3	—	·35	·01	—	·35	—	4
5	·06	·04	—	—	·01	·19	—	·05	—	—	·05	—	5
6	·56	·15	—	—	·03	·01	·40	·10	—	—	·01	—	6
7	·06	·01	—	—	·03	·19	—	·01	·10	—	—	—	7
8	·60	·15	—	·06	—	·18	·35	—	·35	—	—	·03	8
9	—	·05	·20	·03	—	·48	—	—	—	—	—	·25	9
10	·01	·01	—	·10	—	·30	—	·14	·08	—	·07	—	10
11	·08	·01	—	·01	·02	·01	—	—	·01	—	·04	·52	11
12	·10	·34	·12	—	—	·20	—	—	·12	·01	·60	—	12
13	·02	·01	·01	—	—	·02	—	·01	—	·01	·36	—	13
14	·07	[illegible]	·25	—	—	·10	—	·10	·01	—	·01	·01	14
15	·01	·01	·10	—	·30	·08	—	·01	—	—	—	—	15
16	·18	—	·10	—	·09	·11	—	·10	—	·10	·01	—	16
17	·23	—	·14	—	—	·18	—	·15	—	—	—	·10	17
18	·09	—	·11	—	—	·01	·05	—	—	·07	—	·05	18
19	·29	·12	—	—	—	—	·10	·35	—	·02	—	—	19
20	·14	·01	—	—	·07	·01	·45	·04	—	·13	—	—	20
21	·01	—	·35	—	·40	[illegible]	·33	—	—	·01	·05	·01	21
22	—	·10	—	—	·44	·85	·28	·25	—	—	·01	·11	22
23	·05	~~·03~~	·17	—	·01	—	·40	·45	—	—	·08	~~·02~~	23
24	·17	·03	·01	—	—	·15	·03	·01	—	—	—	·10	24
25	·01	—	—	—	—	·44	·19	·38	—	·01	·10	·29	25
26	—	—	·03	—	—	·01	·27	1·73	—	·49	·19	·05	26
27	—	—	—	—	—	·05	·10	—	—	·55	—	·45	27
28	—	—	—	—	—	·02	·12	·52	—	·20	·62	·45	28
29	—	·01	·02	·01	—	·09	·08	·02	·59	·20	·14	—	29
30	—	✗	·01	—	·02	·19	—	—	·15	·07	—	—	30
31	—	✗	·06	✗	·10	✗	·45	·35	✗	·01	✗	—	31
Total	3·[illegible]0	1·~~49~~ 1·19	2·04	·23	1·60	4·03	4·31	5·67	1·61	1·89	2·69	2·77	TOTAL for year 31·63 31.03
No. of Rain Days.	~~20~~	~~18~~	~~16~~	~~6~~	~~14~~	~~27~~	~~18~~	~~22~~	~~12~~	~~15~~	~~16~~	~~17~~	

W. 8,000, X. '11.

referred 4.4.14

Mar. 21. Cor. by obs. 16.IV.14.

FORM A.
BRITISH RAINFALL
13 JAN 1914
2553

REGISTER OF RAINFALL IN 1913

Kept at Woodhall Spa

in the County of Lincoln 3

by J Collins

Lat. — Long. —
Time of Observation 9 a.m
Nearest Railway Station Woodhall Spa
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·11	·06	–	·01	–	–	·58	–	·05	–	1
2	–	·02	·02	·05	·07	–	·07	–	–	–	·01	–	2
3	–	–	·07	–	·37	–	–	–	·02	–	–	–	3
4	·42	–	–	–	·03	·20	·09	–	·02	·34	·24	·07	4
5	·02	–	–	–	–	–	·02	–	–	2·47	·03	–	5
6	–	·01	·07	–	·87	·05	–	·08	–	·38	–	–	6
7	–	·02	–	–	·07	·13	–	–	–	·76	–	·01	7
8	–	–	·02	·01	·53	·06	–	–	–	·06	·11	–	8
9	–	·28	·02	·02	·08	·03	~~·04~~	·01	–	–	·08	–	9
10	–	·01	–	·03	·01	–	·01	–	–	–	·46	–	10
11	1·07	–	–	·48	–	·02	–	–	–	–	·06	–	11
12	–	·01	–	·01	–	·02	–	–	–	–	·33	–	12
13	·05	–	·02	·02	–	–	–	·05	·01	–	·23	–	13
14	·08	·01	·3	·01	–	–	–	–	–	·05	·01	–	14
15	·12	[illegible]	·18	·28	–	–	–	–	–	–	·11	–	15
16	·02	·03	·17	·02	–	–	–	–	·17	–	·04	–	16
17	–	·03	·51	·03	–	·17	–	–	·48	–	·01	·01	17
18	·01	–	·11	–	–	–	·04	·01	·01	–	–	·02	18
19	·05	–	·02	–	–	–	–	–	·03	–	–	–	19
20	·12	–	·02	·01	–	–	–	–	·17	·25	–	–	20
21	–	–	·39 ~~·09~~	–	·01	–	·27	·01	–	–	·17	–	21
22	·17	–	·11	–	–	·01	·05	·21	·14	–	·01	–	22
23	·01	–	·01	–	–	·04	·04	·05	–	–	–	–	23
24	·03	–	–	·07	–	·10	–	·01	–	–	·02	–	24
25	–	–	–	·10	–	–	–	–	·01	–	–	·01	25
26	–	·17	·07	·03	·01	·02	–	–	–	·41	·06	·16	26
27	–	·03	·01	·01	–	·10	–	–	–	·01	·02	·01	27
28	·19	–	·06	·17	–	–	–	·03	–	·05	–	·01	28
29	·02	X	·13	·31	·01	–	–	–	–	·01	–	·17	29
30	·18	X	·01	·02	–	–	–	–	–	·02	–	–	30
31	·01	X	–	X	–	X	–	·23	X	–	X	–	31
Total	2·57	·62	2·37	·74	2·06	·96	·59	·69	1·64	4·81	2·05	·47	YEAR'S TOTAL 20·57
Rain Days.	~~17~~	~~11~~	~~22~~	~~20~~	~~11~~	~~14~~	~~8~~	~~10~~	~~11~~	~~12~~	~~19~~	~~9~~	~~164~~

W.7,000, XI. 13

6 × M2

2553

FORM A.
BRITISH RAINFALL.
27 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Woodhall Spa

in the County of Lincoln 3

by J Collins

Lat. .... Long. ....

Time of Observation 9. a m

Nearest Railway Station Woodhall Spa

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	—	—	—	1·12	·17	—	—	·03	·03	1
2	—	—	—	—	—	—	·06	·03	—	—	·02	·25	2
3	—	—	·13	—	·13	—	·04	·02	—	—	—	·01	3
4	·08	—	·03	·25	·03	—	—	·02	—	—	·23	·12	4
5	·01	—	·10	·03	·13	·02	·05	·02	—	—	·01	·02	5
6	—	·05	—	·11	·14	·01	·10	·01	—	—	02	·05	6
7	—	·15	·24	·03	·01	·37	·08	—	—	—	—	·02	7
8	·27	·02	·01	·01	·06	·69	·13	·16	·11	—	—	—	8
9	·31	—	·10	·06	·01	·71	—	·05	·01	—	—	—	9
10	·39	·03	·01	·03	—	—	—	—	·06	—	—	·01	10
11	·01	·02	·24	·30	—	·04	—	—	·10	—	·32	·15	11
12	·03	·01	·02	·01	—	—	·07	—	·22	—	·01	·23	12
13	·02	·10	·23	—	—	—	—	—	·01	·07	·10	·18	13
14	·01	·02	·14	—	—	—	·01	—	—	·11	·13	·17	14
15	·07	—	·13	—	—	—	—	—	·12	·01	·30	·58	15
16	·01	—	·04	—	—	—	·05	—	—	—	·02	—	16
17	·01	·09	—	—	—	—	·01	—	·22	—	·02	·15	17
18	—	·01	—	—	—	—	·10	—	·01	—	·01	·26	18
19	—	—	·10	—	—	—	·01	—	—	—	·03	·05	19
20	·01	·03	·20	—	—	—	—	·03	—	·20	—	·01	20
21	—	·18	·15	—	—	—	—	·07	—	·10	·01	·18	21
22	—	·01	·01	·03	·41	—	·12	·01	—	·02	—	—	22
23	—	—	·02	—	·03	·07	—	·02	—	—	—	·12	23
24		—	·01	·06	—	—	·01	·09	—	·05	·24	—	24
25		—	—	—	—	—	·01	·22	—	·68	·01	·26	25
26		—	·02	—	—	—	—	·01	—	·09	·33	·26	26
27		—	—	—	—	—	·01	—	—	·05	·02	·17	27
28	·02	—	—	—	—	—	—	—	—	·01	·20	·99	28
29	·04	✕	·16	—	·04	—	—	—	—	·45	·03	—	29
30	—	✕	·01	—	·01	·04	—	—	—	·02	·14	·17	30
31	—	✕	—	✕	·01	✕	·3	—	✕	·10	✕	·08	31
Total	1·29	·72	2·11	·92	1·01	1·95	2·28	·93	·86	1·96	2·23	4·52	YEAR'S TOTAL 20·78
Rain Days.	15	13	23	11	12	8	18	15	9	14	22	25	185

W. 8,000. X. 14.

2680

FORM A2.
BRITISH RAINFALL.

10 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Woodhall Spa
in the County of Lincolnshire
by Mr J Collins

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 72 ft.
Time of Observation 9 am

Nearest Railway Station
Name Woodhall Spa
Distance ~~X~~ ¼ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·20	—	—	·43	—	—	—	·03	—	·27	·05	1
2	·18	·02	·23	·07	—	·05	—	·24	·31	—	—	—	2
3	·29	—	·03	·06	—	—	1·00	·02	·04	—	·03	·25	3
4	·11	—	·01	—	—	—	·53	·45	—	—	·02	·75	4
5	·04	·06	—	—	·19	—	—	·14	—	·01	·03	·28	5
6	·05	·19	·06	—	·04	—	·85	·08	—	—	·01	·04	6
7	·23	·23	·19	·04	—	—	1·11	·21	·01	—	·03	·42	7
8	·06	·07	·01	·01	—	—	·02	·02	—	—	·05	—	8
9	·01	·25	—	·01	—	·01	—	·02	—	—	·03	·38	9
10	·28	·01	·02	—	—	—	—	—	—	·01	—	·01	10
11	—	—	·01	·01	·28	—	·06	·04	—	—	·29	·17	11
12	·15	—	—	·21	·16	—	·04	·50	—	·02	·52		12
13	·01	·61	—	—	·22	—	—	—	—	—	—		13
14	—	·17	—	—	·18	—	·32	·19	—	·03	—	·24	14
15	·23	—	—	—	—	—	·23	·2	—	·03	·69	·09	15
16	—	·19	—	—	—	—	·79	·02	—	·01	—	·02	16
17	·03	·05	—	—	—	—	·08	—	—	—	—	·01	17
18	·01	·05	·31	—	—	—	—	—	—	·10	·03	·01	18
19	—	—	·01	—	—	—	·07	—	—	·11	—	—	19
20	·13	—	—	—	·07	—	—	—	—	·03	—	·30	20
21	·16	·06	—	—	—	—	·18	—	—	—	—	·06	21
22	·04	—	·20	·04	—	—	·17	—	—	—	—	·22	22
23	·02	·03	·10	·01	—	—	·23	—	·06	·02	—	·37	23
24	—	·03	·15	—	—	—	—	—	·38	·03	·01	·18	24
25	—	—	·01	—	—	·35	·35	—	—	·02	·01	·09	25
26	·02	·10	·01	—	—	·01	·03	—	—	·01	·01	·36	26
27	·01	·12	·01	—	—	[illegible]	·08	—	—	·53	—	·03	27
28	—	·03	·11	—	—	·15	—	·19	—	·12	—	—	28
29	—	X	—	—	—	—	—	·04	—	·02	·02	·24	29
30	·07	X	—	—	—	·06	·05	·01	—	·01	—	·04	30
31	·08	X	—	X	—	X	—	·16	X	·13	X	·16	31
Total	2·38	2·47	1·47	·46	1·57	·63	6·19	2·53	·83	1·24	2·05	4·77	TOTAL for year 26·59
No. of Rain Days.	~~23~~	~~19~~	~~17~~	~~9~~	~~8~~	~~6~~	~~19~~	~~17~~	~~6~~	~~18~~	~~16~~	~~25~~	~~183~~

W. 8,000, X. '11.

Exd FW

2616

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Woodhall Spa

in the County of Lincoln

by Jno Jos Collins

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Woodhall Spa

Diameter of Funnel of Rain Gauge 5 in.

2553

Height of top of Gauge above Ground 1½ ft. in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·03	–	–	·07	·13	–	–	–	·38	–	1
2	·16	–	·13	–	·38	–	·13	–	·02	·11	·02	·01	2
3	–	·11	·01	–	–	–	·25	–	·44	·22	·02	–	3
4	·13	·29	·04	–	·26	·22	–	–	·03	·10	·3	·01	4
5	·05	·01	·02	·01	·01	·16	–	–	·25	·20	·05	·03	5
6	·02	·06	·33	·12	·15	–	·22	–	·01	·02	·25	–	6
7	·02	·01	·24	–	·26	–	·20	–	–	·10	·03	·17	7
8	–	–	·16	–	·06	–	–	–	–	–	·01	·21	8
9	–	–	·13	–	·43	·30	–	–	·01	–	–	·16	9
10	–	·01	·09	·03	·01	·15	·02	–	·03	·14	–	·04	10
11	·05	·53	·3	·20	·25	·16	·01	–	·01	–	–	·02	11
12	·02	·02	·02	·01	·31	·29	–	·01	–	·01	–	·01	12
13	–	·11	·08	·04	·05	·01	·02	·19	–	–	–	·04	13
14	–	·06	·01	–	·02	–	·07	·05	–	·05	–	·01	14
15	–	·10	·72	·04	–	–	·07	·01	·01	·05	–	–	15
16	–	·14	·07	·20	–	·01	·07	·34	–	·01	–	·04	16
17	·02	·02	·01	·52	–	–	·10	·48	·19	·11	·02	·01	17
18	–	·12	·01	·07	–	·02	·01	·94	·09	·13	1·05	·01	18
19	·07	·03	·02	·26	–	–	–	·03	·13	–		·07	19
20	·11	–	·09	·01	–	–	·06	·03	–	–	·02	·19	20
21	–	·01	·09	·01	·02	–	–	·02	–	·05	·01	·43	21
22	–	·14	·02	–	·05	·02	·01	–	–	–	–	·37	22
23	·02	·36	–	–	–	·28	–	·03	–	–	·15	·24	23
24	–	1·05	–	·01	–	–	–	·05	–	·07	–	·14	24
25	–	·15	·15	–	–	–	–	·24	–	·08	·10	·02	25
26	–	·10	·01	–	–	·03	–	·03	–	·04	·07	–	26
27	–	·09	·29	–	–	–	·64	–	–	·07	–	–	27
28	–	·15	·85	–	·01	–	–	–	–	–	–	·14	28
29	–	·15	–	–	–	·22	–	1·34	–	·21	–	·15	29
30	–	✕	·01	–	–	–	–	·08	–	–	–	·01	30
31	·03	✕	–	✕	–	✕	–	·03	✕	–	✕	·03	31
Total	·72	3·82	3·93	1·53	2·27	1·94	2·01	3·90	1·22	1·77	2·48	2·56	YEAR'S TOTAL 28·15
Rain Days.	~~13~~	~~24~~	~~27~~	~~14~~	~~15~~	~~14~~	~~16~~	~~17~~	~~12~~	~~19~~	~~15~~	~~25~~	~~211~~

W. 8,000, VIII. 16

√

2482

FORM 2A.
BRITISH RAINFALL.

2553

REGISTER OF RAINFALL IN 1918

Kept at Woodhall Spa

in the County of Lincoln

by J Collins

Lat. Long.

Time of Observation 9 a m.

Nearest Railway Station GNR Woodhall

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	–	·16	–	–	–	·90	·07	–	·03	–	1
2	·15	–	–	·07	–	·08	–	·12	–	–	·01	–	2
3	·01	·15	–	·03	–	·01	–	·46	–	·45	–	–	3
4	–	·20	·10	–	–	–	–	·01	–	·30	–	–	4
5	·33	–	·04	·10	–	–	–	·02	·11	–	·10	–	5
6	–	–	–	–	–	·15	–	–	–	·03	·05	–	6
7	·40	–	·06	–	–	–	–	–	–	·52	–	–	7
8	·73	–	–	·13	–	–	·15	·56	–	·34	–	–	8
9	–	–	·04	·11	–	–	–	·04	–	·01	·27	·04	9
10	·25	–	·38	·11	·02	–	–	·03	–	·02	·05	–	10
11	·07	–	·02	·85	–	–	–	·08	–	·24	–	–	11
12	·09	·02	–	·01	·31	–	–	·36	–	·23	–	·01	12
13	·05	–	–	·09	–	–	·03	·26	·05	·01	–	·01	13
14	·20	–	–	·12	–	–	–	·02	–	–	–	·01	14
15	·19	–	–	–	·01	–	·10	·15	–	~~·02~~	–	·07	15
16	·07	·22	–	·21	–	–	·02	·02	–	·02	–	·48	16
17	·04	·02	·04	·21	·72	·04	·03	·05	·05	·08	–	·06	17
18	·05	–	–	·03	·02	–	·46	–	·45	–	–	–	18
19	·10	·11	·05	–	·03	·04	–	–	·01	–	–	–	19
20	·03	·32	·07	–	–	–	–	–	·04	–	·32	·01	20
21	–	·03	·10	–	·02	·17	–	–	–	–	–	–	21
22	·02	·01	·23	–	·18	–	–	·02	·01	·15	·01	–	22
23	–	·02	–	–	·14	·02	–	·11	–	·08	–	·01	23
24	·02		·04	–	–	·40	·21	–	–	·18	·05	·01	24
25	–		·02	–	–	·02	–	–	–	·01	·05	·20	25
26	–		·15	–	–	·20	–	·56	·05	–	·4	·20	26
27	–		·03	–	–	–	·04	·37	–	–	·10	·03	27
28	–	·01	·09	–	–	·20	–	·16	–	–	–	·12	28
29	–	X	–	–	·08	·02	·05	·01	–	·25	–	·03	29
30	·10	X	·19	·02	–	–	·05	·17	–	·01	–	·01	30
31	·04	X		X	–	X	·08	·11	X	–	X	·10	31
Total	2·94	1·13	1·65	2·25	1·56	1·35	1·22	4·59	·87	2·93	1·44	1·40	YEAR'S TOTAL 23·33
Rain Days.	20	12	17	15	10	12	11	23	9	18	12	17	146

W. 8,000, IX. 17.

85

34

FORM A. BRITISH RAINFALL 2553

21.1

REGISTER OF RAINFALL IN 1918

Kept at Woodhall Spa

in the County of Lincoln

by J. Collins

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Woodhall Spa

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·02	·01	·02	–	–	–	·15	·03	·10	–	1
2	·05	·20	–	·05	–	–	–	·25	·04	–	·02	·34	2
3	–	·03	·06	–	·30	–	–	·07	·03	·02	·73	–	3
4	·02	·04	·03	–	·01	–	·10	·03	·47	·02	·30	–	4
5	–	·02	·02	·02	·06	–	–	·86	·05	·01	–	·04	5
6	–	–	–	·26	·01	·07	–	–	·01	–	–	·01	6
7	·11	–	–	·03	–	·04	–	–	·01	·02	·10	–	7
8	–	·02	·01	·02	–	–	·07	·02	·15	·04	·01	·20	8
9	·07	·23	·01	·03	–	–	·04	–	·23	·40	–	·02	9
10	·11	·01	–	·01	–	–	·01	–	·01	–	–	·03	10
11	–	–	–	·10	·50	–	–	–	·19	·36	–	·13	11
12	·10	·22	·02	·02	·12	–	·04	–	·05	·02	–	·02	12
13	–	·02	–	·01	·15	–	·01	–	·13	·01	–	·01	13
14	·25	·02	–	·03	·01	–	·2	–	·10	·13	–	·15	14
15	·31	–	–	·20	–	·01	·22	–	·16	·01	–	·13	15
16	–	–	–	·09	–	–	–	–	·25	–	–	·02	16
17	·14	–	–	·01	·25	·14	·60	·03	–	·05	–	·15	17
18	·19	–	–	·04	–	·01	·25	–	·35	·03	–	·13	18
19	·05	·08	·06	·08	–	–	·02	–	–	·07	–	·34	19
20	·03	·10	–	–	–	·06	·05	–	·01	·02	–	–	20
21	·02	–	–	–	–	·09	–	–	·35	–	–	–	21
22	·15	–	–	·01	·02	·02	–	–	·01	·10	–	·41	22
23	·08	·01	–	·02	1·05	–	·17	–	·01	–	·02	–	23
24	·01	·14	–	–	·01	–	·03	–	·02	·06	·02	·01	24
25	–	–	–	–	–	·39	·18	·19	·02	–	–	·01	25
26	–	–	–	–	–	·01	·22	·10	·05	–	–	·01	26
27	–	–	·01	·01	–	·02	·02	·29	·03	·01	·23	·07	27
28	–	·20	·14	–	–	–	–	·01	·01	–	·05	·30	28
29	–	X	–	–	–	–	–	–	·39	–	·01	·02	29
30	–	X	·26	·03	–	·01	–	–	·06	–	·10	·05	30
31	–	X	·05	X	–	X	–	·01	X	·01	X	·01	31
Total	1·70	1·34	·69	1·08	2·51	·87	2·23	1·86	3·34	1·41	1·69	2·61	YEAR'S TOTAL 21·33
Rain Days.	17	15	12	21	13	12	17	11	28	20	12	24	202

W. 6,500, VII. 18. w w c

2338

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~20~~19

19 JAN 20

2553

Kept at Woodhall Spa

in the County of Lincoln

by J Collins

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Woodhall Spa

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·03	·02	—	·76	—	·53	—	—	·03	·09	·25	1
2	·18	·02	·02	—	—	—	·44	—	·22	·01	·13	·11	2
3	·45	—	—	—	·02	—	·78	—	—		·32	—	3
4	·03	—	·34	—	—	·09	·01	·06	·10		·05	·12	4
5	·07	·05	—	—	·03	·01	—	·01	·80		—	·10	5
6	—	—	·02	—	—	—	—	—			·08	·20	6
7	·01	—	·15	—	—	—	—	—			—	—	7
8	·03	—	·01	·14	—	—	—	—		·01	·02	·02	8
9	·01	—	—	—	—	—	—	—			·03	—	9
10	—	—	·13	·03		—	—	—			·12	·01	10
11	·05	—	·25	·04	·08	—	·35	—		·03	·06	—	11
12	·01	—	·17	—	—	·08	·02	—			—	·01	12
13	·17	—	—	·17	—	—	—	—	·13	·13	·05	·01	13
14	·35	—	—	·14	—	—	·04	—	·15	·05	·04	·01	14
15	·16	·10	·10	·32	—	—		—			·08	·32	15
16	—	·50	—	·03	—	—		—			·03	·01	16
17	—	·15	—	·02	·10	·07	·03	—			—	—	17
18	—	·01	—	·01	—	[illegible]	·01	·10	·01		·15	·07	18
19	·01	·15	·42	—	—	·02	·52	·62	·01		·02	—	19
20	·37	·06	·25	—	—	·13	·43	·42	·02		—	·18	20
21	·27	·46	·09	—	—	·02	·18	·01	·01		·02	·16	21
22	—	·14	·15	—	—	—	·13	—	·52		·03	·41	22
23	—	·01	—	·03	—	·12	·03	·09	·04	·62	—	·02	23
24	·01	—	—	·05	·26	·31	—	—	·01	·07	·04	·10	24
25	·14	—	—	·10	·08	·02	—	·64			—	—	25
26	—	·04	·05	·03	—	—	—	·14		·02	·11	·30	26
27	·04	·14	—	·51	—	·01	—	—		·72	—	—	27
28	·04	—	—	·05	—	—	—	·43			—	·30	28
29	·13	✕	—	·02	—	·08	·01	·27		·12	·29	·13	29
30	·02	✕	·03	·25	—	·23	—	·01		·04	·10	·24	30
31	·02	✕	—	✕	—	✕	·06	—	✕	·28	✕	·06	31
TOTAL	2·75	1·86	2·20	1·94	·73	1·19	3·57	2·80	2·02	2·08	1·86	3·14	YEAR'S TOTAL 26·14
Days with ·01 in. or more	~~23~~	~~14~~	~~16~~	~~17~~	~~7~~	~~13~~	~~16~~	~~12~~	~~12~~	~~13~~	~~21~~	~~23~~	~~187~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WMD 2239

5 JAN 1921 2553

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Woodhall Spa
in the County of Lincoln
by W. J Collins

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Woodhall Spa
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	—	·02	·25	—	·23	—	—	·81	·03	·02	1
2	—	·01	—	·25	·01	—	·01	—	·08	·07	—	·15	2
3	—	·01	—	·15	—	·09	·35	—	·16	·04	—	·07	3
4	·02	—	—	·13	·01	—	·02	·53	·02	·11	—	·02	4
5	—	—	·03	·03	·37	—	·11	·13	·07	·01	—	·03	5
6	·05	—	·02	·02	·08	—	·09	—	—	—	—	·16	6
7	—	—	·09	·05	—	—	·32	—	—	—	—	·04	7
8	·02	—	—	·22	·02	—	—	—	—	—	—	—	8
9	·20	·04	—	·48	—	—	—	·17	—	—	—	—	9
10	·12	·04	·07	·10	—	—	·03	·02	—	—	—	·02	10
11	·22	·01	·08	·24	·08	—	·02	—	—	—	—	·28	11
12	·04	·01	·01	·16	·01	·01	—	·01	—	—	·01	·14	12
13	·01	·02	·06	·40	—	·40	—	—	·15	—	·01	·08	13
14	—	·01	·44	·16	—	·18	·02	—	—	·01	·09	·01	14
15	—	·05	1·35	·14	—	—	·04	—	·34	·23	·01	·04	15
16	—	—	·01	·02	—	—	—	—	·03	·10	—	·04	16
17	—	—	—	—	·13		·02	—	·40	·01	—	·01	17
18	·12	—	—	—	·10	·02	—	·06	·09	—	—	·01	18
19	·02	·47	—	·09	—	·10	·02	·19	—	—	·01	·01	19
20	·09	·34	—	·45	—	·36	·03	·01	—	—	·01	·01	20
21	·02	·01	—	·02	—	—	·17	·06	·02	—	—	·02	21
22	—	—	—	·18	—	—	·01	·01	·09	—	—	—	22
23	—	—	—	·01	—	—	·17	—	—	—	—	·17	23
24	—	—	·24	·08	—	—	—	—	—	—	—	—	24
25	—	·01	·03	·04	·09	·05	·61	—	—	—	·01	—	25
26	·07	·01	·03	·05	·20	·01	·09	—	—	—	·10	·08	26
27	·07	—	·01	·14	·03	·35	—	—	—	—	·04	·12	27
28	·32	·04	·10	·13	·23	·01	·07	—	—	—	·09	·02	28
29	·04	·01	·13	·01	2·83	·01	·03	—	—	—	·06	·37	29
30	·07	✕	·01	·13	·01	·02	·02	—	·11	—	·06	·26	30
31	—	✕	·01	✕	—	✕	·01	—	✕	·12	✕	·09	31
TOTAL	1·50	1·15	2·72	3·90	4·45	1·61	2·49	1·19	1·56	1·51	·53	2·27	YEAR'S TOTAL 24·88
Days with ·01 in. or more	17	17	18	28	16	13	23	10	12	10	13	26	203
Days with ·04 in. or more	12	7	9	21	10	7	11	6	9	7	6	15	120

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

for W WA

REG

2586 LINCOLNSHIRE

~~W~~WROOT, S. LEVEL P.S.

1912 – 20

FORM A.
BRITISH RAINFALL.

11 JAN 1913

Kept at South Level Pu … A.M

… k Drain

in the County of Linco …

… 0 x 10 in. Square

by I. S. Trafford

… Ground 5 ft. 0 in.

… Sea Level 13 ft.

IMPORTANT NOT … he result entered to the previous day. If an Ob … sal rule, he is earnestly requested to add the read … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			[illegible]	.03	.01	.12		.16	.34	.07			1
2			.01			.37×	.15	.02	.21			.64	2
3			.05			.14	.45		.03				3
4	.15					.43		.38	.19			.07	4
5	.10		.36		.07	.30		.29			.31		5
6		.09			.12	.36							6
7	.62	.05	.02		.05	.02		.27					7
8			.02		.03	.03	.04	.05	.01				8
9	.19	.14	.11						.17		.03		9
10		.07	.05	.10		.06							10
11						.28					.10		11
12	.09	.05				.03						.70	12
13	.07	.12	.11			.14	.44				.15		13
14										.12	.13		14
15	.10		.31			.08		.11					15
16	.05	.02	.13		.37	.10						.02	16
17	.18		.13		.16	.18		.11		.10			17
18			.15			.09		.34				.15	18
19	.20		.05			.06				.03			19
20	.32	.15					.65	.20		.04	.08		20
21	.28				.22		.24			.09			21
22			.21		.30		.15			.03		.03	22
23		.05			.65	.20	.20	.37				.12	23
24	.04	.05	.16		.04	.09	.22×	.27			.04		24
25	.21						.40	.04				.08	25
26						.15		.14			.10	.09	26
27		.07	.02				.37	.94		.57	.05	.14	27
28						.24	.23			.76		.03	28
29					.06	.18	.11	.28		.18	.50	.12	29
30						.17			.40	.07			30
31	.06				.20					.08			31
Total	– ~~2.66~~ 2.66	– ~~.86~~ .86	.03 ~~1.89~~ 1.92	.01 ~~.13~~ .11	.12 ~~2.28~~ 2.39	– ~~3.82~~ 3.70	.16 ~~3.65~~ 3.81	.34 ~~3.97~~ 4.15	.07 ~~1.35~~ 1.08	– ~~2.14~~ 2.07	~~1.49~~ 1.49	~~2.19~~ 2.19	YEAR'S TOTAL 26.43 26.43
Rain Days.	15	11	~~15~~ 17	2	13	~~23~~ 22	~~13~~ 14	16	7	~~12~~ 11	10	12	150

W. 7,500, XI. '12

REG

FORM A. BRITISH RAINFALL.

11 JAN 1913

Kept at South Level Pumping Station

in the County of Lincolnshire (Wecot Parish)

by J. S. Trafford Engineer

Lat. Long.

Time of Observation 9-0 A.M

Nearest Railway Station Park Drain

Diameter of Rain Gauge 10 X 10 in. square

Height of top of Gauge above Ground 5 ft. 0 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03	·01	·12		·16	·34	·07			1
2			·01			·37×	·15	·02	·21			·64	2
3			·05			·14	·45		·03				3
4	·15					·43		·38	·19			·07	4
5	·10		·36		·07	·30		·29			·31		5
6		·09			·12	·36							6
7	·62	·05	·02		·05	·02		·27					7
8			·02		·03	·03	·04	·05	·01				8
9	·19	·14	·11						·17		·03		9
10		·07	·05	·10		·06							10
11						·28					·10		11
12	·09	·05				·03						·70	12
13	·07	·12	·11			·14	·44				·15		13
14										·12	·13		14
15	·10		·31			·08		·11					15
16	·05	·02	·13		·37	·10						·02	16
17	·18		·13		·16	·18		·11		·10			17
18			·15			·09		·34				·15	18
19	·20		·05			·06				·03			19
20	·32	·15					·65	·20		·04	·08		20
21	·28				·22		·24			·09			21
22			·21		·30		·15			·03		·03	22
23		·05			·66	·20	·20	·37				·12	23
24	·04	·05	·16		·04	·09	·22×	·27			·04		24
25	·21						·40	·04				·08	25
26						·15		·14			·10	·09	26
27		·07	·02				·37	·94		·57	·05	·14	27
28						·24	·23			·76		·03	28
29					·06	·18	·11	·28		·18	·50	·12	29
30						·17			·40	·07			30
31	·06				·20					·08			31
	–	–	·03	·01	·12	–	·16	·34	·07	–	–	–	YEAR'S TOTAL
Total	~~2·66~~ 2·66	~~·86~~ ·86	~~1·89~~ 1·92	~~·13~~ ·11	2·28 2·39	3·82 3·70	3·65 3·81	3·97 4·15	1·35 1·08	2·14 2·07	1·49 1·49	2·19 2·19	26·43 26·43
Rain Days.	15	11	~~16~~ 17	2	13	~~23~~ 22	~~13~~ 14	16	7	~~12~~ 11	10	12	150

W. 7,500, XI. 12

S. made

Cord for W.D. 1.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at Pumping Station Wroot
in the County of Lincolnshire
by T. G. Trafford, Engineer

Lat. .... Long. ....
Time of Observation 9 - 0 A.M
Nearest Railway Station Park Drain
Diameter of Rain Gauge 10 in. Square
Height of top of Gauge above Ground 6 ft. .... in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
NONE

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.33							1
2			.09	.10					.40		.03		2
3													3
4			.07		.24							.14	4
5	.60				.08		.25		.02	6th .23	.13	.21	5
6	.01									7th .45			6
7			.04		.64								7
8		.14			.03	.30				.82			8
9					.30	.06			.09		.10		9
10		.22									.10		10
11		.04									.20		11
12	SNOW .53			.42							.18		12
13											.11		13
14			.04	.03					.05		.11		14
15	.05		.29							.15	.08		15
16	.09		.21	.07							.10		16
17		.01	SNOW .22	.11					.39		.02		17
18			.05	.06		.27			1.53				18
19			.09	.08		.01							19
20	.14		.03										20
21	.11			.04						.12	.02		21
22					.06		.19				.10		22
23	SNOW .10		.17			.09		.67					23
24	.15							.05	.20	.03			24
25	.04												25
26									.05				26
27		.04	.07	.05						.24	.10	.18	27
28				.10							.08		28
29	.16		.11	.24						.14		.12	29
30			.17	.42	.21					.01		SNOW .39	30
31	.16									.24		SNOW .17	31
Total	2.14	.45	1.65	1.72	.33 ~~1.56~~ 1.89	~~1.06~~ .73	.44	.72	2.73	2.43	1.46	1.21	YEAR'S TOTAL 17.57
Rain Days.	12	5	14	12	7	6	2	2	8	10	15	6	~~99~~

W.7,000, XI. 13

written 7.VII.15

Cord per W.D. 7.VII.15 Cord by Sw. Wa. 12.VII.15

FORM A. BRITISH RAINFALL.

7 JUL. 1915

REGISTER OF RAINFALL IN 1914

Kept at South Level Pumping Station Wroot Nr Doncaster

in the County of Lincolnshire

by T. S. Trafford. Engineer

Lat. Long.

Time of Observation 9 - 0 A.M

Nearest Railway Station Park Drain

Diameter of Rain Gauge 10 in. square

Height of top of Gauge above Ground 4 ft. in.

" " Mean Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.04				~~.29~~	.29			.04	.18	1
2							.76	.28				.02	2
3							1.48	.36			.06	.02	3
4			.10				.07	.10			.17	.30	4
5			.07	.14							.31	.16	5
6			.12	.10	.05		.08				.02	.21	6
7				.04	.09		.07					.03	7
8			.17		.08			.05			8 .08	.04	8
9	.32				.10	.35			.05				9
10	.20	.03				.55			.05				10
11	.20	.06											11
12			.21	.16	.08	.22			.10		.21	.24	12
13		.01	.03						.32			.17	13
14		.02	.09								.06	.07	14
15							.08			.26	.17	.06	15
16	.06	.03	.10								.14	.04	16
17	.04						.13		.05				17
18	.04	.05							.21			.16	18
19			.08									.34	19
20			.07				.06				.01	.16	20
21	.01	.05	.10							.06			21
22		.17				.08		.10		.10		.16	22
23					.43			.06		.04	.05		23
24			.02		.50		.01						24
25				.06	.03			8 .83			.20		25
26								.10		.73		.33	26
27			.18					.46		.20	.09	.19	27
28												.45	28
29	.01									.07		.28	29
30	.03	X	.11							.13			30
31		X		X		X			X	.08	X	.07	31
Total	.91	.04 ~~.42~~ .46	~~1.49~~ 1.45	.50	1.36	1.20	.29 ~~2.74~~ 3.03	~~2.63~~ 2.34	.78	.04 ~~1.67~~ 1.71	.18 ~~1.61~~ 1.75	.08 ~~3.68~~ 3.58	YEAR'S TOTAL ~~18.99~~ 19.07
Rain Days.	9	~~8~~ 9	~~15~~ 14	5	8	4	~~9~~ 10	~~10~~ 9	6	~~9~~ 10	14	22	~~119~~ 120

W. 8,000. X. 14.

Corrected for WD 30.iii.16

Cat 78

2731

FORM A.
BRITISH RAINFALL.

6 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pumping Station, Wroot nr Doncaster

in the County of Lincolnshire

by F. S. Trafford. Engineer in Charge

Lat. Long.

Time of Observation 9 – 0 A.M

Nearest Railway Station Park Drain

Diameter of Funnel of Rain Gauge 10 in. Square

Height of top of Gauge above Ground 4 ft. " in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .13

Should in future enter to previous day

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Belong to 31st Dec 1914 (.08)	.02	.12		.05		.12		.12		.12		1
2	.04	.08			.40			.15	.14		.09		2
3		.04	.10	.10		.06	.03	.13					3
4	.52		.02	.09			.55	.27				.36	4
5	.20						.90	.21				1.00	5
6	.04	.08			.03							.35	6
7		.18	.15	.02			.55					.03	7
8	.27	.18	.04	.04			.15	.34			.12	.08	8
9	.01	.04					.02	.06			.04		9
10								.23				.35	10
11	.17		.05					.52					11
12					.29		.08				.25	.29	12
13	.06			.25	.13		.08	.05			.99		13
14		.46											14
15		.03			.05			.25				.17	15
16	.24											.10	16
17		.19					.77	.01			.23		17
18		.05					.08						18
19		.06	.10				.08				.04		19
20													20
21												.42	21
22							.13					.07	22
23			.11	.07								.07	23
24		.03	.05				.13		.08	.19			24
25			.12	.01		.03			.59			.20	25
26										.09		.09	26
27	.03	.15				.21	.03					.32	27
28		.10					.16			.41		.17	28
29		X	.05			.22		.35		.13			29
30		X			.14						.16	.35	30
31	.08	X		X		X			X		X	1.43	31
	.02	.12	–	.05	–	.12	–	.12	–	.12	–	.13	YEAR'S TOTAL
Total	~~1.66~~ 1.68	~~1.69~~ 1.79	~~.91~~ .79	~~.58~~ .63	~~1.14~~ 1.09	~~.52~~ .64	~~3.86~~ 3.74	~~2.57~~ 2.69	~~.93~~ .81	~~.82~~ .94	~~2.04~~ 1.92	~~4.55~~ 4.55	
Rain Days.	11	15	~~11~~ 10	~~7~~ 8	~~7~~ 6	~~4~~ 5	~~16~~ 15	~~12~~ 13	~~4~~ 3	~~4~~ 5	~~9~~ 8	~~18~~ 19	~~21.36~~ 21.27

W. 8,000. X. 15.

Rain days 118.

ex [illegible]

2664

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Pumping Station WROOT Nr Doncaster
in the County of Lincolnshire
by Y. S. Trafford Engineer in charge

Lat. Long.
Time of Observation 9 - 0 A. M
Nearest Railway Station Park Drain
Diameter of Funnel of Rain Gauge square in. 10
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.17			.14	.12				.19		1
2	.15		.12		.19								2
3		.41		.06			.25		.28	.07	.08		3
4		.06			.60	.09			.30	.20	.22		4
5					.03	.23				.17	.15		5
6	.04	.30	.10		.34				—	.	.25		6
7			.05		.03		.27	—				.24	7
8			.10										8
9			.03		.43	.05						.16	9
10				.08		.05			.36			.10	10
11	.05	.49	.22	.08	.01								11
12	.01		.45		.36	.17							12
13		.04	.10		.10		.12	.19		.16			13
14		.07	[illegible]		.05			.21					14
15		.15	.62					.07					15
16		.04	.20	.10									16
17	.03			.16			.14		.11	.15			17
18		.25		.05				.32	.08		.68		18
19	.03		.12	.03				.06	.02		.28		19
20	.01		.18	.05			.17					.22	20
21			.05	.08								.30	21
22										.08		.23	22
23	—	.03	—	.05							.09	.29	23
24		.30						.19				.15	24
25			.23					.13		.07	.07		25
26		.09											26
27		.19	.05					.04					27
28		.11	.05							.10			28
29		.09				.52		.41		.20		.21	29
30		X								.13			30
31		X		X		X			X	.03	X	.01	31
Total	.33	2.62	2.84	.74	2.14	1.25	1.07	1.62	1.15	1.36	2.01	1.91	YEAR'S TOTAL 19.04
Rain Days.	8	15	17	10	10	7	6	9	6	11	9	10	118

W. 8,000, VIII. 16

✓

2539

FORM A.
BRITISH RAINFALL.

11 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Pumping Station Wroot. Nr Doncaster

in the County of Lincolnshire

by F. S. Trafford Engineer in Charge

Lat. Long.

Time of Observation 9 - 0 A.M

Nearest Railway Station Park Drain

Diameter of Rain Gauge 10" × 10" in. square

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level ~~3~~ 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				snow .13				.30	.16				1
2	.04			.15 snow		.14		.20					2
3						.03		.30					3
4										.34			4
5	.24		.13	.17 snow						.04			5
6													6
7	.32					.07		.05		.56			7
8	.60			.13				1.20		.60	.07		8
9	.19			.10 snow				.11			.23		9
10		Frost!	.36	.10 do	.19			.04		.06	.02		10
11				.48 snow						.29			11
12	.22			(·03)	.30			.44		.08			12
13	.07							.17	.18				13
14	.10							.11					14
15	.04						.21	.14		.04			15
16	.08	.10										.46	16
17				.17	.38			.08					17
18	.06		.03				.40		.34				18
19	.04	.22	.07		.31	.10		.02					19
20		.26	.01			.08					.37		20
21								.03					21
22			.10							.16			22
23					.05			.10				.05	23
24						.28				.22	.16		24
25			.03				.11		.12	.06			25
26	Frost		.01			.07		.45			.10		26
27						.10	.20	.40					27
28			.06			.19		.10					28
29					.28							.24	29
30		X					.09	.11					30
31		X		X		X			X		X		31
Total	2.00	.58	.80	1.46	1.51	1.06	1.01	4.35	.80	2.45	.95	.75	YEAR'S TOTAL 17.73
Rain Days.	12	~~3~~	~~9~~	~~8~~	~~6~~	~~9~~	~~5~~	~~19~~	~~4~~	~~11~~	~~6~~	~~3~~	~~95~~

W. 8,000. X. 14.

89

~~Stn~~ ~~[illegible]~~ and [illegible]

81

13.1.19

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Pumping Station Wroot. Via Doncaster

in the County of Lincolnshire

by F. S. Trafford Engineer in Charge

Lat. Long.

Time of Observation 9-0 A.M

Nearest Railway Station Park Drain

Diameter of Funnel of Rain Gauge 10 X 10 in. Square

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									.24	.04	.17	.26	1
2		.27		.06	.53								2
3			.04					1.23			.40		3
4									.23		.20	.36	4
5					.14			.53		.12			5
6		.19 ~~[illegible]~~		.57		.11							6
7	.30			.03						.10	.10		7
8		.03					.24		.38		.03		8
9		.29		.10		.06			.38	.25	*	.05	9
10	.08						.06		.03				10
11	.14				.35		.17				~~[illegible]~~	.07	11
12		.18		.06			.38				~~[illegible]~~	.02	12
13				.01									13
14	.11				.03		.03		.60	.14	~~.24~~	.21	14
15	.20						.23		.49		~~[illegible]~~	.12	15
16							.94		.31		—	.06	16
17	.13				.06	.19	.53			.09		.17	17
18	.18						.41		.60			.24	18
19	.03						.05			.06		.59	19
20	.03	.12					.43						20
21	.05			.04	.58		.01		.15				21
22	.03						.03		.17	.13		.26	22
23	.08				.68		.15						23
24							.06			.03			24
25						.17		.24					25
26									.15		.20		26
27						.07		.34	.24		.16		27
28		.22	.24								.08	.38	28
29									.13			.06	29
30		X	.33								.15	.12	30
31		X	.03	X		X			X		X		31
Total	1.36	1.30	.64	~~.90~~ .87	2.27	.60	3.72	2.34	4.10	.96	1.49	2.97	YEAR TOTAL ~~22.65~~ 22.62
Rain Days	12	7	4	7	7	5✓	15	4	14	9	9	15	~~108~~

W, 6,500, VII. 18. W W C

J. S. Trafford
Pumping Station
Wroot
Doncaster

B made [illegible] W. 1806 7321

2 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pumping Station Wroot Nr Doncaster

in the County of Lincolnshire

by F S Tappard. Engineer in Charge

Lat. Long.

Time of Observation 9.0 A.m

Nearest Railway Station Park Drain

Diameter of Funnel of Rain Gauge 10x10 in. square

Height of top of Gauge above Ground 6 ft. in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.02			.23				.05	.08	.02	.15	1
2	.07						.46				.17		2
3	.85						.35		.07		.28	.03	3
4	.19		.39			.17	.06	.15	.07		.06	.06	4
5	.03								.20			.17	5
6					.10						.02	.05	6
7			.15		.15								7
8	.08										.04	.02	8
9											.08		9
10			.13	.06	.36							.13	10
11			.40	.02	.12		.17				.10		11
12			.62	.10		.08	.09						12
13	.17								.54	.23	.08		13
14	.24			.21			.06						14
15	.13	.11		.13							.12	1.01	15
16	.10	.71			.01						.09		16
17		.18				.17	.03				.10		17
18			.06				.39				[illegible]	.07	18
19		.21	.50					.41			.08		19
20	.31	.10				.04		.25	.17		.05	.19	20
21	.19	.32	.01				.21		.10			.09	21
22		.06				.04	.06		.10		.04	.30	22
23										.73			23
24				.07	.07	.52				.17		.06	24
25				.08				.35			.05		25
26		.03	.08								.06	.30	26
27	.07			.31				.26		.24		.06	27
28	.10							.60		.13		.30	28
29	.08			.10		.08		.05		.65		.06	29
30		×		.30		.14					.10	.06	30
31	.03	×	.05	×		×	.12		×	.16	×	.03	31
TOTAL	2.94	1.74	2.39	1.38	1.04	1.24	2.00	2.07 ~~2.02~~	1.30	2.39	1.52	3.14 ~~2.95~~	YEAR'S TOTAL 23.15 ~~22.91~~
Days with ·01 in. or more	16	9	10	10	7	8	11	7	8	8	18	19	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN 1921

Kept at Pumping Station Wroot
in the County of Lincolnshire
by J. S. Trafford Engineer in Charge

Lat. .... Long. ....
Time of Observation 9 A.M
Nearest Railway Station Park Drain
Diameter of Funnel of Rain Gauge 10" × 10" in. Square
Height of top of Gauge above Ground 4 ft. .... in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.20	.21	.01	.25	.05		.16			1
2				.12					.12	.16		.22	2
3				.16	.04	.06	1.03			.10		.12	3
4	.02			.03			.14	.39	.09	.68		.10	4
5		.02	.04		.09		.12	.16	.14			.03	5
6			.16	.06	.08		.04					.01	6
7				.03			.25						7
8		.06		.37	.01		.11						8
9	.26			.40			.03	.04					9
10	.14	.15		.12			.06	.18					10
11	.32			.19	.07							.12	11
12		.02		.20							.09		12
13				.15		.46			.29			.15	13
14	.02	.04	.42	.06		.31			.35		.04	.03	14
15	.01	.03	1.05	.27			.03		.16	.43			15
16				.03									16
17				.	.10		.41		.43	.01			17
18	.09			.03	.14		.17						18
19		1.30		.15									19
20	.09	.03		.24		.57							20
21				.09			.31	.14					21
22	.01			.20			.02						22
23							.26					.25	23
24			.13	.05								.03	24
25			.06			.02	.39						25
26	.09	.07	.03	.02	.13		.08						26
27	.11			.09	.28	.12					.34	.19	27
28	.80		.24	.18	.16						.37	.06	28
29	.04		.14		.47		.07					.33	29
30	.08	X	.02	.10	.02			[illegible]	.16		.25	.24	30
31	.11	X		X		X	.03		X	.19	X	.08	31
TOTAL	2.19	1.72	2.29	3.54	1.80	1.55	3.80	.96	1.74	1.93	1.09	1.96	YEAR'S TOTAL 24.37
Days with ·01 in. or more	15	9	10	25	13	7	19	6	8	7	5	13	139
Days with ·04 in. or more	11	5	8	20	11	5	15	6	8	6	5	11	111

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.